
### Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





### UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH ADMINISTRATION
BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE
SERVICE AND REGULATORY ANNOUNCEMENTS

### LIST OF INTERCEPTED PLANT PESTS, 19491

(List of Pests Recorded During the Period July 1, 1948, to June 30, 1949, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

#### INTRODUCTION

This report, covering the thirty-sixth year for which interception lists have been issued, summarizes the records of insect pests, plant pathogens, and certain other organisms found in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not offered for entry through customs, (4) offered for entry for immediate export or for immediate transportation and exportation in bond, and (5) in domestic shipments between Hawaii and Puerto Rico and the mainland.

In some cases collections made late in the year are included in the report for the following year, since determination cannot be obtained immediately for all of them. Occasionally determinations are delayed for longer periods. The data for this list are obtained from routine reports by personnel of this Bureau, supplemented by information supplied by State and Customs officials. The States of California and Florida maintain staffs of specialists who identify a large proportion of the material collected at their ports. Specialists of the Bureau of Plant Industry, Soils, and Agricultural Engineering determine many of the difficult or unusual pathogens collected at the ports.

All scientific names are reviewed by appropriate specialists in the Department to assure conformance to the international rules of nomenclature.

While every reasonable effort is made to give the correct origin for all collections listed, the alleged origin of host plant materials cannot be verified in all cases, and where there is reason to doubt the accuracy of the information, the questionable items are either omitted or the origin is listed as unknown.

The year covered by this list has seen a lessening of importations of certain types of plant materials, but an increase in others. Air transportation of many perishable plant shipments served to bring plants and their pests to us with a promptness that assured the survival of both. Continual vigilance is necessary to combat such threats to the nation's plant life, and those responsible for the movement of aircraft have continued to assist in carrying out plant quarantine regulations intended to reduce to a minimum the movement of potentially dangerous plant materials.

<sup>&</sup>lt;sup>1</sup>Compiled by W. H. Wheeler, pathologist, Judith Hunt, plant quarantine aid, and P. X. Peltier, entomologist, Division of Foreign Plant Quarantines.

#### INTERCEPTIONS FROM AIR-BORNE MATERIAL

Air-borne plant material arrives in mail, baggage, express, stores, and freight, and interceptions of plant pests on such importations have been frequent. During the year 4,312 interceptions were made of insects arriving by air with agricultural material or as stowaways. There were 342 interceptions of plant diseases. Approximately one-third of the plant-disease organisms were not determinable to species but, from the evidence, appeared to represent little or no risk to this country. A few of the disease organisms specifically identified but not known to be in the United States are, however, reported to be parasites of their hosts in foreign countries. Some of the most important insects intercepted during the year were from host fruits and plants arriving by plane—a pattern to be expected in the coming years.

Among the more important insects found in air-borne material were: The whitefly Aleurothrixus myrtacei (?) on myrtle in cargo from Brazil; Anastrepha fraterculus in mango in baggage from the Dominican Republic, Mexico, and Salvador, and A. fraterculus (?) in cherimoya in baggage from Chile and in orange in baggage from Peru; the Mexican fruit fly (A. ludens) in Annona sp. in baggage from Guatemala, in grape-fruit in baggage from Mexico, in mamey in baggage from Guatemala, in mango in baggage from Guatemala and Mexico, in orange in baggage from Costa Rica and Mexico and express from Guatemala, and in pomegranate in baggage from Mexico; the West Indian fruit fly (A. mombin praeoptans) in mango in baggage from Bermuda, the Dominican Republic, Jamaica, Panama, Puerto Rico, and Salvador, in mango in mail from Puerto Rico, and in mango in quarters from Mexico, in guava in baggage from Puerto Rico and Salvador and in guava in mail from Puerto Rico, in yellow mombin in baggage from Puerto Rico, Salvador, and Trinidad, in yellow mombin in quarters from Mexico, in Spondias sp. in baggage from Salvador, and in yellow mombin in mail from Puerto Rico; A. serpentina in orange in stores from Trinidad, in sapodilla in baggage from Guatemala and Venezuela, in sapote in baggage from Guatemala and Panama, and A. serpentina (?) in sapodilla in baggage from the Netherlands West Indies; A. suspensa in guava in baggage from Puerto Rico; Caryedon fuscus in Cassia javanica in baggage from Hawaii; the Mediterranean fruit fly (Ceratitis capitata) in apricot in baggage from the Cape Verde Islands, in apricot in stores from France, in fig in baggage from the Azores and Italy, in guava in baggage from Palestine, in mango in baggage from Brazil, in medlar in baggage from Italy, in orange in baggage from the Azores, Italy, Portugal, and Spain, in orange in stores from the Azores, Portugal, and Spain, in peach in baggage from France, Italy, Lebanon, Portugal, and Spain, and in peach in stores from France, Portugal (?), and Spain, in pear in baggage from Spain and in pear in stores from Portugal, in persimmon in baggage from Italy, in tangerine in baggage from Portugal and in tangerine in stores from Portugal and Spain, and C. capitata (?) in apricot in baggage from Syria, in guava in baggage from the Madeira Islands, and in orange in baggage from the Union of South Africa; Coccotrypes dactyliperda in date pits used as food for monkeys in stores from India; Cylas formicarius var. in sweetpotato in cargo from Siam and in sweetpotato in stores from India; adults of the oriental fruit fly (Dacus dorsalis) were intercepted 31 times in preflight inspection of airplanes leaving Hawaii for the mainland; preflight interceptions of immature stages of D. dorsalis included one in coffee berry, one in ginger flowers made into a lei, and one in papaya in baggage from Hawaii; D. ochrosiae (?) in seed of Ochrosia sp. in baggage from Guam; the olive fruit fly (D. oleae) in olive in baggage from Italy and Lebanon; Epicaerus cognatus in wild potato in mail from Mexico; the citrus whitefly (Dialeurodes citri) on leaf of gardenia in freight from China; the oriental fruit moth (Grapholitha molesta) in peach in stores from France; Kalotermes bequaerti in Juniperus sp. and pine crates in cargo from Bermuda; the East Indian bean pod borer (Maruca testulalis) in flower lei made of Canavalia sp. in baggage from Hawaii, in lima bean in baggage from Puerto Rico, in pigeonpea and string bean in baggage and mail from Puerto Rico; the pink bollworm (Pectinophora gossypiella) in cottonseed in baggage from India and the Virgin Islands, and in cottonseed in cargo from Brazil and Pakistan, in cotton samples (grabbots) in cargo from Brazil, in okra in baggage from Puerto Rico and in okra in mail from the American Virgin Islands; Polychrosis botrana in grape in baggage from Italy and in grape in stores from France; Rhagoletis alternata in rose hips in baggage from Sweden; R. cerasi in cherry in baggage from Germany and Italy, in cherry in stores from Italy and in cherry in quarters from France, and R. cerasi (?) in cherry in stores from France and in cherry in quarters from Portugal; Sesamia cretica in broomcorn in cargo from France.

The more important plant disease organisms found on air-borne material, not believed to be established in the United States, were Alternaria gypsophilae on gypsophila in baggage from Brazil, Elsinoe australis on sweet orange in stores from Brazil, E. phaseoli on lima bean in cargo from Puerto Rico, E. piri on apple in baggage from Poland, Heterodera goettingiana with soil about roots of strawberry plants in mail

from Denmark, *H. punctata* with soil about orchid roots in express from England, *H. rostochiensis* with soil about roots of miscellaneous plants in baggage from Germany, *Monilinia fructigena* on apple in stores from the Netherlands, *Phoma citricarpa* on sweet orange in stores from Australia and Canton Island, on mandarin orange in baggage and quarters from China, and on unidentified citrus fruit in baggage from China; *Phyllosticta saccardoi* on rhododendron in air express from England, *Septoria posekensis* on orchids in cargo from Brazil and Mexico, *Uredo anthurii* on anthurium in express from Guatemala, *U. autumnalis* on chrysanthemum in express from Japan, and *Xanthomonas citri* on sweet orange in baggage from China, and on grapefruit lemon, and sour lime in stores from India.

#### NOTES ON INSECTS INTERCEPTED

#### FRUIT FLIES

Anastrepha fraterculus was intercepted in grapefruit and orange from Brazil and in mango from the Dominican Republic, Mexico, Salvador, and Trinidad, and A. fraterculus (?) in cherimoya from Chile, in orange from Brazil and Peru, and in grape from Argentina. The Mexican fruit fly (A. ludens) was taken in Annona sp., orange, mamey, and mango from Guatemala, in apple, avocado, grapefruit, mango, orange, peach, pear, pomegranate, quince, sapote, sour orange, sweet lime, and tangerine from Mexico, in orange from Costa Rica, and in mango from Honduras. The West Indian fruit fly (A. mombin praeoptans) was intercepted in mango from Bermuda, Costa Rica, the Dominican Republic, Guatemala, Haiti, Honduras, Jamaica, Mexico, Panama, Puerto Rico, and Salvador, in guava from Cuba, Puerto Rico, and Salvador, in yellow mombin from Guatemala, Mexico, Puerto Rico, Salvador, and Trinidad, in Spondias sp. from Guatemala, Puerto Rico, and Salvador, and A. mombin praeoptans (?) in mango from Panama and Trinidad. A. serpentina was found in sapodilla from Guatemala and Venezuela, in sapote from Guatemala, in mamey and star-apple from Mexico, in grapefruit and orange from Trinidad, and in sapote from Panama, and A. serpentina (?) in sapodilla from the Netherlands West Indies. A. suspensa was intercepted in guava from Cuba and Puerto Rico and in orange from Puerto Rico. The Mediterranean fruit fly (Ceratitis capitata) was taken in apple from the Azores, Italy, and Spain, in apricot from the Cape Verde Islands and France, in coffee from Brazil and Hawaii, in fig and loquat from the Azores and Italy, in grape from Argentina, the Madeira Islands, and Portugal, in grapefruit from Cyprus, Egypt, Hawaii, Italy, Morocco, the Union of South Africa, and Uruguay, in guava from Palestine, in mango from Brazil, in medlar, persimmon, pomegranate, pricklypear, and quince from Italy, in orange from Algeria, Azores, Brazil, Cyprus, Egypt, Italy, Portugal, Spain, and the Union of South Africa, in papaya and tomato from Hawaii, in peach from Algeria, France, Italy, Lebanon, Morocco, Portugal, and Spain, in pear from Italy, Portugal, and Spain, in plum from Greece, in purple granadilla from the Azores, in tangerine from Italy, Portugal, and Spain, and with contraband containing oranges and Citrus sp. from Lebanon, and C. capitata (?) in apricot from Syria, in grape from Argentina, in grapefruit from Cyprus (?) and Morocco, in guava from the Madeira Islands, in lemon from Italy, in orange from Brazil and the Union of South Africa, in peach from Italy and Morocco, in pear from France, and in plum from Portugal. The melon fly (Dacus cucurbitae) was taken in cucumber from Hawaii and the Straits Settlements and in squash and tomato from Hawaii, and D. cucurbitae (?) in cucumber, squash, string bean, and tomato from Hawaii. The oriental fruit fly (D. dorsalis) was found in an airplane, avocado, banana, small green coconut, coffee, Garcinia rubra, ginger, guava, Japanese persimmon, lychee, papaya, soda-apple nightshade, tropical almond, and vi-apple from Hawaii and in mango from Hawaii and India, and D. dorsalis (?) in small green coconut, fig, and tomato from Hawaii and in Ochrosia sp. from Guam. The olive fruit fly (D. oleae) was intercepted in olive from the Azores, Italy, Lebanon, and Portugal. The celery fly (Euleia heraclei) was taken in celery from England. Rhagoletis alternata was found in rose hips from Sweden and R. alternata (?) in rose hips from Austria and Sweden. R. cerasi was intercepted in cherry from France, Germany, Italy, and Portugal and R. cerasi (?) in cherry from France, Italy, Portugal, and Spain. R. juglandis (?) was taken in walnut from Mexico. The apple maggot (R. pomonella) was found in apple and red haw from Mexico. R. striatella was intercepted in husk tomato from Mexico.

#### INSECTS OTHER THAN FRUIT FLIES

A bruchid, Acanthoscelides griseolus, a potential pest of sesbania, was taken in Sesbania macrocarpa and Sesbania sp. from Mexico. The ground-nut stem girdler (Alcidodes dentipes) was found in sweetpotatoes used as food for monkeys coming from West Africa. Aeolothrips brevicornis (Aeolothripidae) was intercepted on Erica sp. from the Union of South Africa. The citrus blackfly (Aleurocanthus woglumi) was

taken on leaves of Citrus sp., orange, and sour lime from Mexico. A curculionid, Baris coerulescens, was found in radish from France. Bruchidius incarnatus (Bruchidae), a considerable pest in Egypt, was found in broadbeans from Egypt and Lebanon. A bruchid, Bruchus tristiculus, not yet found breeding in this country, was intercepted in vetch from Italy. The Asiatic rice borer (Chilo simplex) was found in rice from China and Japan, and C. simplex (?) was found in Leersia sp. from Japan. A pentatomid, Coptosoma cribraria, a pest of beans in the Orient, was intercepted on the stem of a camellia from China. The banana root borer (Cosmopolites sordidus) was taken in banana root from Honduras. Cylas femoralis (Curculionidae) was taken in sweetpotato from West Africa; C. formicarius in sweetpotato from India; C. formicarius var. in sweetpotato from the Fiji Islands, Hawaii, India, Iraq, and Siam; and C. puncticollis in sweetpotato from Mozambique, Sierra Leone, and West Africa. The Tahitian coconut weevil (Diocalandra taitensis) was found in coconut from Hawaii. Epicaerus cognatus (Curculionidae) was taken in potato and Solanum sp. (wild potato) from Mexico. A chrysomelid, Gastrophysa viridula, believed not yet established in America, was found in soil with potatoes from England. Gymnandrosoma aurantianum (Olethreutidae) was found in orange from Brazil. Leucocera sexpunctatus (Chrysomelidae) was taken on orchid leaf from Cuba; little is known of this Antillian genus. The pink bollworm (Pectinophora gossypiella) was taken in cottonseed from Brazil, Egypt, Hawaii, India, Italy, Jamaica, Mexico, Pakistan, and the Philippines, in seed cotton from Haiti and Mexico, in cotton boll from the Virgin Islands, cotton (grabbots) from Brazil, and in okra from the American Virgin Islands, Brazil, and Puerto Rico, Pheidole megacephala (Formicidae), an important economic species, was found on eggplant and pineapple from Cuba. An olethreutid, Polychrosis botrana, was taken in grapes from France and Italy. Two curculionids, Premnotrypes fractirostris and P. solani, were found in potatoes from Peru. Sesamia cretica (Phalaenidae) was intercepted in the stem of broomcorn from France. A curculionid, Sitona humeralis, not known to be established in North America, was intercepted with garlic, grapes, lily bulbs, and rose stock from Italy. The coffee berry borer (Stephanoderes hampei) was taken in coffee berries from Brazil in transit to Canada.

#### **SNAILS**

The giant African snail (Achatina fulica) was found on salvaged military equipment which was being returned from Guam, the Philippines, Saipan, and Tinian Island. Living snail eggs were taken from an empty coconut husk attached to the military equipment, while 12 interceptions of living snails and one of dead snails were made on military equipment. One interception was made at New York, N. Y., on material from Saipan, 6 at San Francisco, Calif., from Guam, Saipan, and Tinian Island, and 6 at San Pedro, Calif., from the Philippines and Saipan.

Among other interceptions of snails, not known to occur on the mainland of the United States and injurious to agriculture, was a species of *Lamellaxis* which was taken at Nogales, Ariz., in soil with plants from Mexico, and at San Juan, Puerto Rico in

soil arriving by airplane from the Dominican Republic.

#### NOTES ON DISEASES INTERCEPTED

Changing conditions for the year under consideration placed China in first place as the country contributing the largest number of interceptions (11) of citrus canker (Xanthomonas citri), and India, which held that position for three years, dropped to second place with 9. Japan followed in third place with 4 interceptions. Fruits infected were grapefruit, lemon, Mandarin orange, pummelo, sour lime, and sweet orange. A second disease of concern to citrus production in this country, the sweet orange scab (Elsinoe australis), was taken 22 times on lemon from Argentina and Brazil, 22 times on sweet orange from Argentina, Brazil, and Uruguay, twice on sour lime from Brazil, and once on tangerine from Argentina. "Cancrosis B", still another serious disease of citrus in South America, was found on six different occasions on lemons from Argentina. Coleosporium senecionis, a rust fungus of possible importance, was intercepted on two large importations of Scotch pine seedlings and one of Swiss mountain pine seedlings. The three importations were from Denmark and were intended for reforestation work in this country. This rust has been reported to do considerable damage to pines in some parts of the world, but is not believed to be established in North America. With this report comes the first records of the interception of the golden nematode (Heterodera rostochiensis), a serious pest of potatoes and tomatoes in Europe, known in this country only from Long Island, New York, where efforts are being made to prevent its spread. Analysis during the year of various lots of prohibited foreign soils yielded 11 interceptions of this dangerous pest. Neovossia indica, a smut fungus of potential importance to the wheat production of this country, arrived by mail on two occasions from India where it causes as much as 20 percent damage in the hot lowlands. This disease is commonly known as "Karnal bunt".

Other diseases worthy of note were a leaf fungus, Ascochyta haworthiae, of haworthias from the Union of South Africa; camellia yellow-spot virus of that host from France; the banana leaf spot (Cercospora musae) from various countries where it is known; a rust fungus, Coleosporium domingense, on plumeria from Venezuela; a fungus, Curvularia lunata, on pepper from Cuba, and on onion from Mexico and Sweden; a fungus, Cytospora ceratophora, on nuts of chestnut from Italy; a stem fungus, Cytospora dahliae, on dahlia from France; a twig parasite, Cytospora punica, on pomegranate from Mexico; the lima bean scab fungus (Elsinoe phaseoli) from Cuba; a rust fungus, Gymnos por angium haraeanum, on juniper from Japan; a stem fungus, Heterosporium ornithogali, on ornithogalum from the Union of South Africa; a banana leaf fungus, Leptosphaeria musarum, from Colombia and Guatemala; a banana fungus, Macrophoma musae, on that host from India, Pakistan, and the Philippines; a brown rot fungus, Monilinia fructigena, on peach fruit from Portugal; a leaf and stem fungus, Phaeosphaeria oryzae, on rice from China and Japan; citrus black spot (Phoma citricarpa) from Australia, China, Formosa, Japan, and the Union of South Africa; a twig fungus, *Phomopsis magnoliae*, on magnolia from the Netherlands; a twig and stem fungus, *Phomopsis sorbicola*, on European mountain-ash from the Netherlands; a leaf fungus, *Phyllachora* engleri, on anthurium from Guatemala; a camellia leaf spot fungus, Phyllosticta camelliae from England; a rust fungus, Prospodium appendiculatum, on the Florida yellow-trumpet from Mexico; a rust fungus, Puccinia cichorii, on chicory from Belgium; a leaf and glume fungus, Pyrenochaeta oryzae, on rice from India; a twig fungus, Sclerotinia kerneri, on fir from Greece; a bulb-rotting fungus, Sclerotium delphinii, on Morocco iris from France; a leaf-spot fungus, Septoria bambusella, on bamboo from China; a leaf-spot fungus, Septoria castanicola, on chestnut from Italy; a leaf-spot fungus, Septoria cyclaminis, on cyclamen from Italy and Switzerland; a leaf blotch fungus, Septoria posekensis, on various orchids from Brazil, India, and Mexico; a stem fungus, Stagonospora graminella, on wheat from India; a rust fungus, Thecopsora areolata, on cherry leaves from Finland; a leaf rust, Uromyces coronatus, of wildrice and rice from Japan; a smut fungus, Ustilago esculenta, of Asiatic wildrice from Japan; and the hyacinth yellows disease (Xanthomonas hyacinthi) in hyacinth bulbs from the Netherlands.

Nematodes of interest for the year were Aphelenchus aderholdi in lily-of-the-valley pips from Denmark and Germany; A. avenae in aster from Germany; Ditylenchus sp., apparently destructor, in peanut seed from Uruguay; D. dipsaci in garlic from Mexico; Ditylenchus sp. in colchicum, iris, and narcissus from the Netherlands; Heterodera goettingiana in soil with camellias from the Azores and strawberry roots from Denmark; H. punctata with soil about orchid roots from England, and Tylenchus putre-

faciens in garlic from Mexico.

Of the 1,132 species of pathogens or other organisms listed in the table, 77 were new to the interception files. Interceptions of the other 1,055 pathogens showed 128 new countries of origin and 109 new hosts.

#### INCOMPLETELY DETERMINED PESTS

Frequently inspectors find insects or pathogens affecting plant material in such a stage or condition that complete and accurate determination is impracticable or impossible. Some of these insects and pathogens are without doubt new to science, and may be destructive pests. The notes below are given to show the general nature of such incompletely determined interceptions.

#### **INSECTS**

Among the incompletely determined insects were the following fruit flies: Anastrepha sp., probably fraterculus, at New York, N. Y., in fig in baggage and in grapefruit in stores from Argentina, and at Eagle Pass, Tex., in mango in baggage from Mexico; Anastrepha sp., probably ludens, at Laredo, Tex., in orange in baggage from Mexico; Anastrepha sp., probably mombinpraeoptans, at El Paso, Tex., Hidalgo, Tex., and Laredo, Tex., in mango in baggage from Mexico, at El Paso, Tex., in mango in baggage from Salvador, at New Orleans, La., in mango in baggage and in mango in ship's garbage from Guatemala, at New York, N. Y., in mango in baggage from Puerto Rico and Venezuela and in quarters from Puerto Rico, and at Port Arthur, Tex., in mango in stores from Panama, at Laredo, Tex., in guava in baggage from Mexico, at New York, N. Y., in yellow mombin in baggage from Venezuela; Anastrepha sp., probably serpentina, at Laredo, Tex., in sapote in baggage from Mexico, at New Orleans, La., in apple in quarters, origin unknown, at San Pedro, Calif., in cherimoya in cargo from Ecuador; Anastrepha sp., probably striata Schiner, at New York, N. Y., in guava in baggage from Trinidad; Anastrepha sp., probably suspensa, at Miami, Fla., in guava in baggage from Puerto Rico; Anastrepha sp. at the National Airport, Arlington, Va., in cherimoya in baggage from Peru, at Baltimore, Md., in grapefruit in stores from Trinidad, in guava in baggage from Puerto Rico, and in orange in stores

from Brazil, at Boston, Mass., in guava in baggage from Puerto Rico, at Brownsville Tex., in mange and orange in baggage from Mexico, at El Paso, Tex., in jobo plum, mamey, and mango in baggage from Mexico, at Galveston, Tex., in orange in stores from Brazil, at Hidalgo, Tex., in mango in baggage from Mexico, at Hoboken, N. J., in Couma macrocarpa in express from Brazil, at Jacksonville, Fla., in orange in baggage from Cuba, at Laredo, Tex., in orange and peach in baggage from Mexico, at Miami, Fla., in guava in baggage from Puerto Rico, in hog plum in baggage from Guatemala and Puerto Rico, in mango in baggage from Colombia, Haiti, and Puerto Rico, at New Orleans, La., in mango in baggage from Guatemala, at Newport News, Va., in grapefruit in stores from British Honduras, at New York, N. Y., in guava in baggage, mail, and quarters from Puerto Rico, in mango in stores from Ecuador and Honduras, in mango in baggage and cargo from the Dominican Republic, in Passiflora sp. in baggage from Trinidad, and in sapodilla in stores from Peru, at Port Arthur, Tex., in grapefruit in stores from Argentina, at San Juan, P. R., with a bag of oranges in stores from South America, in rose-apple in baggage from British Guiana, and in sapodilla in baggage from the Dominican Republic, at San Ysidro, Calif., in mango in baggage, probable origin La Paz, Baja Calif., and at Tampa, Fla., in mango in pilot's lunch box on an airplane from Panama; probably Ceratitis sp. at New York, N. Y., in grapefruit in stores from the Union of South Africa; Dacus sp. at Boston, Mass., in melon in stores from southwest Arabia; probably Dacus sp. (not cucurbitae) at Baltimore, Md., in squash in stores from the Union of South Africa; probably Dacus sp. at Galveston, Tex., in vegetable marrow in stores from French West Africa; Rhagoletis sp., probably completa Cress., at Hidalgo, Tex., and Laredo, Tex., in black walnut in baggage from Mexico; Rhagoletis sp. at El Paso, Tex., in Lycium berlandieri in baggage from Mexico, at Laredo, Tex., in red haw and walnut in baggage from Mexico. Two species of Anastrepha (adults) were found in the light socket in the hold of a ship carrying banana cargo. Fiften interceptions which could not be identified beyond family (Tephritidae) were taken at Anchorage, Alaska in an airplane from the Orient, at Boston, Mass., in tangerine in stores from India, at the National Airport, Arlington, Va., in Eugenia sp. in garbage (evidently discarded by a passenger) from Siam, at El Paso, Tex., in squash in cargo from Mexico, at New Orleans, La., in grape in cargo from Argentina, at New York, N. Y., in Eugenia sp. in baggage from Puerto Rico, in grape in cargo from Argentina, in squash in stores from the Union of South Africa, and in a paper bag with peppers (none in peppers) from Liberia, at Philadelphia, Pa., in orange in stores from Brazil, at San Juan, P. R., on banana in stores from Brazil.

The following miscellaneous insects of special interest were intercepted: Abutiloneus sp., near idoneus Bridwell (Bruchidae) at New York, N. Y., in Abutilon sp. seed in cargo from Mexico; Acanthoscelides sp., probably ceratioborus (Philippi) at St. Paul, Minn., in carob bean in mail from Peru; Aleurotrachelus sp. (Aleyrodidae), apparently undescribed, at El Paso, Tex., on Litsea glaucescens in mail from Mexico, at San Francisco, Calif., on Odontoglossum schlieperianum in air freight from Costa Rica, and on Palmaceae in air express from Guatemala; Aleyrodidae (undescribed genus and species), near Aleurodicus, at Brownsville, Tex., on Laelia majalis in cargo from Mexico; Altica sp., near rufa (Ill.) (Chrysomelidae), apparently undescribed, at Brownsville, Tex., with tomatoes in cargo from Mexico; Anomalococcus sp. (Coccidae), an undescribed species, at San Francisco, Calif., on orchid in cargo from Siam; Anthonomus sp., probably varipes Duval, (Curculionidae) at New York, N. Y., in eggplant in cargo from Cuba; Asterolecanium sp. (Coccidae), undescribed, at San Diego, Calif., on bamboo stalk in cargo from the Canal Zone; Bemisia sp. (Aleyrodidae) on plants on tractor returning from Saipan; Caryobruchus (new) sp. (Bruchidae) at Laredo, Tex., in palm seed in baggage from Mexico; a scolytid, Chramesus sp., evidently undescribed, at Brownsville, Tex., in wood in cargo from Mexico; a curculionid, Polydrusus sp., or Barypeithes sp. at Hoboken, N. J., in soil around astilbe roots in cargo from the Netherlands; Diabrotica sp., near curvilinea Jac., (Chrysomelidae) at Brownsville, Tex., in cabin of airplane from the Canal Zone; Embolemus sp., (Embolemidae), rare insects, at Nogales, Ariz., in cabin of airplane carrying tomato cargo from Mexico; Epicaerus sp., near elegantulus Champ., (Curculionidae) at Brownsville, Tex., on gardenia in quarters of an airplane from Mexico; a lygaeid, Exptochiomera sp., probably undescribed, at Laredo, Tex., on an orchid plant in cargo from Mexico; Glaucothrips sp. (Thripidae) at Hoboken, N. J., on Erica sp. and Protea sp. in air express from the Union of South Africa and at New York, N. Y., on Erica sp. in cargo from the Union of South Africa; Gnorimoschema sp., doubtfully borsaniella Koeh., (Gelechiidae) at New York, N. Y., in pepper in stores from Brazil; an olethreutid, Gymnandrosoma sp. at Miami, Fla., in guava in baggage from Puerto Rico and at New York, N. Y., in grapefruit in stores from Uruguay; Heterobostrychus sp., near pileatus Lesne, (Bostrichidae) at New York, N. Y., in wood in cargo from India; Lampyridae, genus unknown and unlike any form in this country, at Brownsville, Tex., with Miltonia endresii in cargo from Costa Rica; Leptodictya (new) sp. (Tingidae)

at Nogales, Ariz., with orchids and succulent plants in baggage from Mexico; a chrysomelid, Phyllobrotica sp. or near, at Blaine, Wash., in lily bulb in cargo from Japan; Pissodes sp., probably notatus F., (Curculionidae) at New Orleans, La., in packing strips around peat moss in cargo from the Netherlands; Pityokteines sp., probably curvidens (Germ.), (Scolytidae) at Galveston, Tex., in strips around peat moss in cargo from Germany; Platylecanium sp. (Coccidae), undescribed species, at San Francisco, Calif., on Vanda caeruela in air freight from Siam; doubtfully Prays citri Mill. (Hyponomeutidae) at Detroit, Mich., in orange blossom in baggage from Sicily; Prays sp. at Seattle, Wash., in Citrus sp. in stores from the Philippines, at Baltimore, Md., in Citrus sinensis junos in stores from the Philippines and at Galveston, Tex., in grapefruit in stores from Egypt; Tarsonemus sp., a mite, at New York, N. Y., on nectarine in cargo from Chile and at Seattle, Wash., on rhododendron leaf in cargo from England; an aleyrodid, Tetraleurodes sp., near acaciae (Q.), undescribed, at San Ysidro, Calif., on twig of Dalea spinosa in baggage from Mexico; Tetralica sp. (Aleyrodidae), apparently undescribed, at Brownsville, Tex., on gardenia in baggage and cargo from Mexico and at Nogales, Ariz., on white sapote foliage in baggage from Mexico; Xylopertha sp., probably crinitarsis Imh., (Bostrichidae) at Baltimore, Md., in mahogany in cargo from Gold Coast, Africa.

There were 4,798 interceptions distributed among 893 genera, which could be identified to genus only. A total of 115 could be determined to family or subfamily

only.

A total of 4,913 incompletely determined insects were intercepted during the year.

#### **DISEASES**

Among the incompletely determined plant disease organisms collected from incoming material during the year were Cercospora sp. on cordia from Mexico; Cercospora sp. on cocoa from Peru; Cercospora sp. on avocado from Mexico; Cercospora sp. on pea pod from Mexico; Cytospora sp. of rhododendron from England; Cytospora sp. on yew seed from Japan; Helminthosporium sp. on rice from China and Japan; "Leprosis" on sweet orange from Liberia and Mexico; Monilia sp. on rice from China; Phoma sp. on sweet lime from Italy and on lemon from Argentina, Italy, Turkey, and Uruguay; Phyllosticta sp. on spinach from Turkey; Phyllosticta sp. on sweet orange leaf from Brazil and on unidentified citrus leaf from Italy; Phyllosticta sp. on daphne from England; Rhabdospora sp. on rhododendron from England; Ramularia sp. on gladiolus corm from the Netherlands; Septoria sp. on anthurium from Belgium; Sporocybe sp. on rhododendron from England; Tilletia sp. on wheat from India; and Uredo sp. on leek leaves from England and France.

Nematode interceptions worthy of note were Aphelenchoides sp. in peanut seed from Uruguay and in a tomato fruit from Mexico; Aphelenchus sp. in onion and garlic from Mexico; Ditylenchus sp. from Germany in New England aster roots, from Denmark with lily-of-the-valley pips, and from the Netherlands in colchicum corms, iris bulbs, and tigridia bulbs; Heterodera sp. in soil with undetermined plant from France;

and Pratylenchus sp. with lily-of-the-valley pips from Denmark.

A total of 571 incompletely determined pathogens were recorded during the year.

Geographic summary of interceptions listed in main table and interception totals

Country	Insect	Disease	Country	Insect	Disease
	Number	Number		Number	Number
Africa:     Algeria	1 1 15 1 0 6 9 1 6 4 5 3 2 2	1 0 0 3 2 1 0 0 0 0 0 1 0 0 0 1 0 0 4 148	Asia (continued): Cyprus Formosa India Iran Iraq Israel Japan Korea Lebanon Orient Pakistan Palestine Siam Straits Settlements Syria Australasia: Aitutaki Island American Samoa Australia Batayia	1	1 1 36 1 1 0 77 1 0 1 1 0 2 1 0 2 0

## Geographic summary of interceptions listed in main table and interception totals —Continued

Country	Insect	Disease	Country	Insect	Disease
,	Number	Number		Number	Number
Australasia (continued):			North America (continued):		
Bintan Island	1	0	Bahamas	7	0
Canton Island	ō	1	Barbados		1
Cevlon	3	$\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$	British West Indies		1 1
Fiji Islands	3	ī	Cuba	73	11
Guam	7	$\frac{1}{2}$	Dominican Republic		1
Guam Hawaii	255	10	Haiti	5	î
New Zealand	3	l i	Jamaica		$\tilde{2}$
Philippines	45	9	Netherlands West Indies		ō
Saipan South Pacific Tinian Island	5	ŏ	Puerto Rico	231	18
South Pacific	$\tilde{2}$	ŏ	St. Kitts	1	0
Tinian Island	$\tilde{2}$	ŏ	St. Lucia	õ	1
Truk	$\bar{2}$	ŏ	Trinidad	35	$\bar{2}$
Furonce	_		Virgin Islands	5	0
Austria	3	0	South America:		
Azores		$\ddot{3}$	Argentina	22	25
Belgium	89	36	Brazil	100	43
Czechoslovakia	3	i	British Guiana	9	1
Denmark	7	11	Chile	16	1
England	78	36	L Colombia	37	7
Europe	ĭ	ő	EcuadorNetherlands Guiana	5	2
Finland	$\bar{4}$	Ĭ	Netherlands Guiana	5	0
France	$8\overline{5}$	10	Peru	12	4
Germany	30	14	South America:	0	1
Greece	10	1	Uruguay	5	2
Europe Finland France Germany Greece Hungary	5	Ō	Venezuela:	54	6
Ireland	. 12	2			
Italy Netherlands Norway	303	30	Total: Africa	108	21
Netherlands	113	173	Asia	260	275
NorwayPoland	10	1	Australasia	347	47
Poland	1	1	Europe	940	348
Portugal	45	12	North America	2,227	344
Portugal Rumania Scotland	0	3	South America	265	92
Scotland	7	0	Unknown	12	. 3
Spain	· 21	1 .		•	
Sweden Switzerland	34	3			
Switzerland	6	. 2	Total	4,159	1,130
Turkey	49	7	L - I - I	====	
wales	1	0	100 to 10		
Yugoslavia	3	0	The state of the s		
North America:			Total incompletely deter-		
Bermuda	8	7	mined pests, pp.	4,913	571
Canada	8	3	Total insect interceptions.	9,072	1
British Columbia	2	1	Total disease interceptions		1,701
Central America		100	Grand total		10,773
British Honduras	1	0	1 10	1 1	
Canal Zone	69	4	Note.—In addition to the con	ıntries nan	ned above
Costa Rica	74	40	interceptions were made fr	om Anglo	-Egyptiar
Guatemala	58	30	Sudan, Antigua, Aruba, Belg	gian Congo	o, Bolivia
Honduras	28	6	British Somaliland, Canary Is	lands, Chi	ristmas Is
Nicaragua	7	<b>2</b>	land, Eniwetok Island, Eth	iopia, Fre	nch Wes
Nicaragua Panama	23	11	British Somaliland, Canary Is land, Eniwetok Island, Eth Africa, Gibraltar, Gold Coa	st, Grena	da, Java
Salvador	21	1	Johnston Island, Kwajalein I	sland, Lu	xem bourg
Mexico	1516	203	Manua Island, Mariana Islan	ds. Midwa	ay Island
	- 1	0	Natal, Nevis, New Guinea,	Occanio	Doroguan
West IndiesAmerican Virgin Islands	1	0	Rhodesia, St. Vincent, Triesto	Осеаша,	Laraguay

List of pests (insects) collected and reported from July 1, 1946, to June 30, 1949, inclusive
[An asterisk indicates State inspection]

Insect and host	Country of origin	Number			
		Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Acalypta parva (Fall.) (Tingidae):  Woods moss  Acalypta parvula (Fall.) (Tingidae):  Woods moss  Acarthoginus acalilia (L.) (Cararby	France			1	New Jerse <b>y.</b> Do.
Acanthocinus aedilis (L.) (Ceramby-cidae): Pinus sp. (pine) Wood	Netherlands	3			Alabama, Texas. Louisiana.

		Number	of intercep	tions in—		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Acanthoscelides armitagei (Pic.) (Bruchi-						
dae): Cajanus cajan (pigeonpea)	Brazil, Canal Zone, Guate- mala, Pana- ma, Venez- uela	4		3	District of Col- umbia, New Jersey, New York.	
Acanthoscelides griseolus (Fall) (Bruchidae):			- 0			
Sesbania exaltata	do	1		1	California. Arizona.	
Vigna sinensis (cowpea)	do			1	District of Col- umbia.	
dae): Legume pod	Italy	1			New York.	
Achatina fulica (Fer.) (Mollusca):  Cocos nucifera (coconut)  Returned military equipment	Guam	1 13			California.* California.*, New York.	
Acrolepia assectella (Zell.) (Hyponomeutidae):	101011(1. 1.1.1.1			1.1		
Allium cepa (onion)	Italy France, Netherlands.		1 4		Texas. Pennsylvania	
Acroleucus vicinalis Dist. (Lygaeidae):	Mexico			1	Texas.	
Acrosticta mexicana Cole (Otitidae): Ananas comosus (pineapple) Adelocera longicornis Champ. (Elateri-	do	1			Do.	
dae): Orchid	do			1	Do.	
Airplane Baggage	Hawaii		1		Hawaii. Do.	
Hibiscus sp	do	1 1 1			Do. Do. Do.	
Aeoloides grisescens (Germ.) (Elateridae): Beta sp	Union of South Africa.		1		New York.	
Aeolothrips brevicornis Bagn. (Aeolothripidae): Erica sp.	do	2			Do.	
Aeolus pulchellus Cand. (Elateridae): Airplane	Salvador		1		Louisiana.	
dellidae):  Phlox subulata (moss phlox)  Woods moss	Canadado			1	New Jersey.	
Agalliopsis novella (Say) (Cicadellidae): Woods moss	do			1	Do.	
Aglossa cuprealis (Hbn.) (Pyralididae): Salix sp. (willow) Triticum aestivum (wheat)	Portugal	1			Massachusetts.	
Agonosoma trilineata (F.) (Pentatomidae): Orchid	Canal Zone			1	Puerto Rico.	
Alcidodes dentipes (Oliv.) (Curculionidae):		0				
Ipomoea batatas (sweetpotato)  Aleurocanthus woglumi Ashby (Aleyro-	Sierra Leone, West Africa.	1	1		Massachusetts, New York.	
didae):  Citrus aurantifolia (sour lime)	Mexico	21	1	1	Arizona,	
Citrus sinensis (orange)	Op	1			California*, Texas. Texas.	
Citrus spAleuroglandulus emmae Russell	do	12			Arizona, Texas.	
(Aleyrodidae): Orchid	do			1	Texas.	

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in
Aleuroparadoxus gardeniae Russell (Aleyrodidae): Gardenia augusta (gardenia)	do	6			California* Texas.
Aleuroplatus cococolus Q. & B. (Aleyrodidae): Palm	do	1			Arizona.
Aleurothrixus myrtacei Bondar (?) (Aleyrodidae): Myrtus sp. (myrtle)			0.00	1	Florida.
Aleurotrachelus camelliae (Kuw.) (Aleyrodidae): Camellia japonica (camellia)				1	Do.
Aleurotrachelus trachoides (Back) (Aleyrodidae): Annona squamosa (sugar-apple)		1			Do.
Algarobius ceratioborus (Philippi) (Bruchidae):	Salvador	1			Louisiana.
Acacia farnesiana (cascalote)					New York. District of Columbia.
Algarobius prosopis (Lec.) (Bruchidae):	do			1	Do. Oregon.
Prosopis pubescens (screwbean) Prosopis sp	Mexico Hawaii, Mexico				Texas.  Arizona,  Hawaii.
Allantus cinctus (L.) (Tenthredinidae):_ Kerria sp Magnolia soulangeana (saucer mag-	Netherlands			1	New Jersey.
nolia)	do do			1 1 1	Do. Do. Do.
Alpheias conspirata Hein. (Galleriidae): Ananas comosus (pineapple) Amorbia emigratella Busck (Tortricidae):	Mexico	56			Texas.
Cut flowers	do do Hawaii	1 1 1			Do. Do. California.
Amphicerus cornutus (Pallas) Bostrichi- dae): Orchid	MexicoIndia, Mexico.	4		(1	Texas. Missouri, New
Ananca hottentota Fairm. (Oedemeridae):	muia, Mexico.	2			York, Wash- ington.
Protea spAnastrepha fraterculus (Wied.),	Union of South Africa	1			New York.
(Tephritidae): Citrus paradisi (grapefruit)	Brazil		2		Maryland, New York.
Citrus sinensis (orange) Mangifera indica (mango)	Dominican Republic.	7	2		New York. Alabama, New York, Texas.
. (1=0 arr) al	Mexico, Salvador, Trinidad				
Anastrepha fraterculus (Wied.) (?) (Tephritidae): Annona cherimola (cherimoya)	Chile	1			District of Col-
Citrus sinensis (orange)  Vitis sp. (grape)	Brazil, Peru Argentina	1	1		umbia. Alabama, Maryland, New York.
Anastrepha ludens (Loew) (Tephritidae): Annona sp. Citrus aurantifolia (sweet lime)	Guatemala	1 22			Louisiana. Texas.
Citrus aurantium (sour orange) Citrus paradisi (grapefruit) Citrus reticulata (tangerine)	do do	2 8			Do. Do. Do.
Citrus sinensis (orange)	Costa Rica, Guatemala, Mexico	100	4		Louisiana Texas.

	Country of origin	Number	of intercep	tions in—		
Insect and host		Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Anastrepha ludens—Continued Cydonia oblonga (quince) Malus sylvestris (apple) Mammea americana (mamey) Mangifera indica (mango)  Persea americana (avocado) Prunus persica (peach)	1 4	3 2 1 22 2 2 4	2		Texas. Do. Do. Arizona, California, Louisiana, Texas. Texas. Do. Do.	
Prints persica (peach)  Punica granatum (pomegranate)  Pyrus communis (pear)  Sapote  Anastrepha mombin praeoptans Sein (Tephritidae):  Mangifera indica (mango)	Bermuda,	108	11		Do. Do. Alabama,	
Transport marca (mango)	Costa Rica, Dominican Republic, Guatemala, Haiti, Honduras Jamaica, Mexico, Panama, Puerto Rico,	103	**		California*, Florida*, Louisiana, Maryland, Massachu- setts, New York, Penn- sylvania, Puerto Rico Texas,	
Psidium guajava (guava)	Salvador. Cuba, Puerto Rico, Salvador.	32			Virginia. Florida*, Louisiana, New York, Pennsylvan ia, Puerto Rico.	
Spondias mombin (yellow mombin)_ Spondias sp	Guatemala, Mexico, Puerto Rico, Salvador, Trinidad. Guatemala, Puerto Rico, Salvador.	9	1		California*, Florida*, Louisiana, New York, Texas. Louisiana, New York.	
Anastrepha mombinpraeoptans Sein (?) (Tephritidae): Mangifera indica (mango)	Panama, Trin- idad.		3		Alabama, Texas.	
Anastrepha serpentina (Wied). (Tephritidae):     Achras zapota (sapodilla)	Mexico Trinidad		2 2 2 2		Florida*, Louisiana. Louisiana. Do. New York. Florida*,	
Mammea americana (mamey) Sapote	Mexico Panama	6 1			Puerto Rico Texas. Do.	
Anastrepha suspensa (Loew) (Tephritidae):	Netherlands West Indies.	1			New York.	
Citrus sinensis (orange)	Puerto Rico Cuba, Puerto Rico.				Do. Florida*, Massachu- setts, New York, Puerto Rico.	
dae): Cajanus cajan (pigeonpea)	Bahamas, Dominican Republic, Panama Puerto Rico, Trinidad.	29			Maryland, New York, Pennsylvan- ia, Puerto Rico, Virginia.	

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump-	Non-	Prop- aga-	Collected in-
1 1		tion	entry	tion	
Andricus glandium Giraud (Cynipidae):	f				
Quercus sp. (valonia)  Anomala rufocuprea viridiaenea Ohaus (Scarabaeidae):	Turkey				New York.
Cupressus sp. (cypress)	Japan				Washington.
$egin{aligned}  ext{midae} : \  ext{$Protea sp.} \end{aligned}$	Union of South Africa.		1		New York.
Antestia variegata lineaticollis (Stal) (Pentatomidae): Protea sp	do	1			Do.
Anthonomus albolineatus Champ. (Curculionidae): Orchid	Mexico			2	Texas.
Anthonomus incanus Champ. (Curculionidae): Orchid	do			1	Arizona.
Anthonomus rectirostris (L.) (Curculionidae):					
Prunus padus (European bird cherry) Anuraphis helichrysi (Kltb.) (Aphidae): Chrysanthemum sp	Austria England, Nor-	1		1	New Jersey.  Massachusetts,
Anuraphis tulipae (Fonsc.) (Aphidae):	way, Scot- land.				New York.
Anemone sp	Bermuda Netherlands			. 1	New York. New Jersey. Do.
Iris hoogiana Iris susiana (mourning iris)	England,			$\begin{array}{c} 2\\12\\\end{array}$	Do. Do.
Iris xiphioides (English iris)	France, Netherlands. Netherlands			1	Do.
Iris sp	England, France, Netherlands.			9	California*, New Jersey.
Tulipa sp. (tulip)	Belgium, Netherlands.			4	New Jersey, New York.
Canangium odoratum ("ilangilang") Citrus paradisi (grapefruit) Cordia sp	Philippines Australia Mexico		1		Minnesota. California* Texas.
Aonidiella comperei McKenzie (Coccidae):  Citrus aurantifolia (sour lime)	Trinidad				Florida.*
Aonidiella inornata McKenzie (Coccidae):					2000
Citrus reticulata (tangerine)	Philippines Philippines, South Pacific. Hawaii	3			California.* Do.
Jasminum sambac (Arabian jasmine) Jasminum sp Musa paradisiaca sapientum	Hawaii do Truk	1		1	Do. Do. Hawaii.
(banana)  Aoromius quinquepunctatus (L.) (Curculionidae):			1		
Vicia sp. (vetch)	France	-0.0			Maryland.
Vitis sp. (grape)	Italy Mexico				New York. Texas.
Apion carduorum Kby. (Curculionidae): Cynara cardunculus (cardoon) Cynara scolymus (globe artichoke)	Italy France, Italy		2	1	New York.
Apion pomonae F. (Curculionidae): Vicia sp. (vetch)	France, Portugal, Spain.	3			Alabama, New York.
Araecerus vieillardi (Montr.) (Anthribidae):					
Airplane	Australia Hawaii	1	1		Hawaii. Do.
meutidae):  Malus sylvestris (apple)	Norway	1			New York.

n + + + +,	-	Number	of intercep	tions in—		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Argyrotaenia franciscana (Wlsm.) (?)	1	-7-	-			
(Tortricidae):	Mexico	,	-00 0		California #	
Malus sylvestris (apple)			0 1		California.*	
Herbaceous plant	Bahamas	, 1			Florida*.	
Arvelius albopunctatus (Deg.) (Pentatomidae):	_100					
Capsicum frutescens (pepper)	Mexicodo	$\frac{1}{3}$			Texas. Arizona,	
		, , , , ,	,		Texas.	
Aspidiotus abietis (Schr.) (Coccidae): Abies sp. (fir)	Czechoslovakia			1	New York.	
Aspidiotus coryphae Ckll. & Rob.					11011 1014.	
(Coccidae): Cocos nucifera (coconut)	Philippines	1: 10 1 -	1		California.*	
Aspidiotus degeneratus (Leon.) (Cocci-	1 mmppines				Camornia.	
dae): Camellia sp	China			2	$D_0$ .	
Aspidiotus destructor Sign. (Coccidae):		- 1		-		
Cocos nucifera (coconut)	Canal Zone, Costa Rica,	16	,5		California,* Florida,*	
	Guatemala,				Texas.	
	Honduras, Mexico.	7 1		1100		
Mammea americana (mamey)	Puerto Rico			1	New York.	
Musa paradisiaca sapientum (banana)	Costa Rica Cuba, Gua-	19			California,* Florida.*	
	temara.			t ·		
Palm Plant leaf	Cuba Jamaica	1		1	Florida.* California.*	
Aspidiotus diffinis Newst. (Coccidae):						
Achras zapota (sapodilla)  Philodendron sp.	Mexico Colombia	1		1	Do. Florida.*	
Aspidiotus excisus Green (Coccidae):	1		_	_		
Citrus aurantifolia (sour lime)	monte		1		California.*	
Plant Aspidiotus herculeanus Ckll. & Hadden	Philippines	1			Washington.	
Aspidiotus herculeanus Ckll. & Hadden (Coccidae):			v/ III			
Plumeria sp	Hawaii	1			California.*	
Aspidiotus palmae Ckll. (Coccidae): Citrus aurantifolia (sour lime)	Mexico		1		Do.	
Citrus aurantifolia (sour lime)	Costa Rica		1		Do. Florida.*	
Lycaste gigantea (orchid)  Musa paradisiaca sapientum  (banana)  Philodendron sp.	Costa Rica.	5		1	California.*	
(banana)	Nicaragua.	1.0	-0	1	Florida.	
Aspidiotus pseudomeyeri Kuw. (Cocci-	Costa Rica			_	Florida.	
dae):				1	Washington.	
Cupressus sp. (cypress)		1				
Cocos nucifera (coconut)  Diospyros sp. (persimmon)	Hawaii Greece	2			California.* Massachusetts	
Laelia anceps (orchid)	Mexico			1	Texas.	
Musa paradisiaca sapientum (banana)	Nicaragua	2			California.*	
Asterolecanium bambusae (Bdv.)						
(Coccidae): Bamboo	British Guiana,	5			Arizona, New	
	Mexico.				York.	
Asterolecanium epidendri (Bouche) (Coccidae):		11				
Anthurium sp.	Costa Rica			1	Florida.	
Catasetum viridiflavum (orchid)	Costa Rica	0.00		1 1		
Cattleya lueddemanniana Cattleya sp. Dendrobium sp. (orchid)	Venezuela			1	Texas.	
Dendrobium sp. (orchid)	Brazil			1 1	California,*	
Laelia anceps (orchid) Oncidium flexuosum (orchid)	Mexico	1		1	Texas. New Jersey.	
Oncidium lanceanum					Do.	
Orehid	Canal Zone,			3	Florida, Puerto Rico.	
					Tuerto Mico.	
Asterolecanium pustulans (Ckll.) (Coccidae):						
Achras zapota (sapodilla)	Puerto Rico	1			New York.	

	0000	Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Asterolecanium pustulans—Continued Jasminum sambac (Arabian jasmine) Nerium oleander (oleander) Plumeria sp. Asterolecanium stentae Brain (Coceidae):	Hawaii Bahamas Hawaii			1 1 1	California.* New York. California.*
Heurnia vogtsii Athesapeuta cyperi Mshl. (Curculionidae):	Transvaal			1	Do.
Vanda sp. (orchid) Athous haemorrhoidalis (F.) (Elateridae): Soil around plants	Hawaii England			1	Hawaii. New York.
Athous niger (L.) (Elateridae): Paconia sp. (peony) Athous subfuscus (Mull.) (Elateridae):	Netherlands			1	New Jersey.
SoilAthous vittatus (F.) (Elateridae):	France			1	Do.
Soil	do Mexico			1	Do. Texas.
Baris coerulescens (Seop.) (Cureulionidae):				1	
Raphanus sativus (radish) Barynotus moerens (F.) (Curculionidae): Soil around Convallaria pips	France England	3.0	1		New York. Pennsylvania.
Barypeithes araneiformis Schr. (Cureul- ionidae): Fragaria sp. (strawberry)	Ireland	1			Massachusetts.
Bibio johannis (L.) (Bibionidae): Soil Blastophagus piniperda (L.) (Scolytidae):	France			1	New Jersey.
Pinus sp. (pine)	Germany, Netherlands, Poland.	8			Alabama, New York, Texas.
Wooden strips around peat moss Brachycerus albidentatus Gyll.	Netherlands	1			Louisiana.
(Curculionidae): Allium sativum (garlic)					New York.
Allium sativum (garlic)  Brachyrhinus meridionalis(Gyll.)	do	6	2		Louisiana, New York, Texas.
(Curculionidae):  Lilium candidum (Madonna lily)  Brachyrhinus singularis (L.) (Curculion-	France			1	New York.
idae): Grass and weed roots in soil ballast Brachyrhinus sulcatus F. (Curculionidae):	Scotland	1			Alabama.
Astilbe sp	Netherlandsdodo			1	New Jersey. Do. New York.
Soil around rhododendron roots  Brentus anchorago (L.) (Brentidae):  Cybistax donnell-smithii (primavera)	AzoresHonduras			1	Louisiana.
Bruchidius biggutatus fulvipennis (Germ.) (Bruchidae): Cistus sp	Turkey			1	District of
Bruchidius incarnatus (Boh.) (Bruchidae):					Columbia.
Vicia faba (broadbean)  Bruchidius lividimanus (Gyll.) (Bruchi-	Egypt, Lebanon.	3	1		Massachusetts, New York, Texas.
dae): Cytisus scoparius (Scotch broom) Bruchidius quinqueguttatus (Oliv.)	Italy			1	New Jersey.
(Bruchidae): Vicia sp. (vetch) Bruchus affinis Froel. (Bruchidae):	Turkey	1			New York.
Grain used for monkey food  Lathyrus odoratus (sweet pea)  Vicia sp. (vetch)	India Switzerland France	1	1	1	Georgia. Ohio. Alabama.
Bruchus atomarius (L.) (Bruchidae): Vicia faba (broadbean)					District of Columbia.

		Number	of intercep	otions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Bruchus dentipes Baudi (Bruchidae): Vicia faba (broadbean)	Lebanon	2	11.		New Jersey.
Bruchus emarginatus Allard (Bruchidae): Pisum sativum (pea)			., .	4	New York. District of
Bruchus ervi Froel. (Bruchidae): Lens culinaris (lentil)	Lebanon, Italy, Syria,	7		7	Columbia.  District of Columbia,
Vicia ervillia (bitter vetch)	Turkey. Turkey	·		1	New Jersey, New York. District of
Bruchus guttalis Rey (Bruchidae): Vicia sp. (vetch)	France, Madeira Islands, Portugal, unknown.	5			Columbia.  Michigan, New York, Ohio, Pennsylvan-
Bruchus hamatus Mill. (Bruchidae): Vicia sativa (vetch)	Turkey			3	ia.  District of Columbia.
Bruchus lentis Froel. (Bruchidae):  Lens culinaris (lentil)	Italy, Turkey	5		. 7	District of Columbia, New Jersey, New York.
Bruchus luteicornis Ill. (Bruchidae): Vicia sp. (vetch)	Belgium, France, Italy, Switzerland.	23			Alabama, Louisiana, Maryland, New York, Texas.
Bruchus rufipes Hbst. (Bruchidae): Legume seed	Turkey			2	District of Columbia.
Vicia sp. (vetch)	France, Turkey.	1		4	Alabama, District of Columbia.
Bruchus signaticornis Gyll. (Bruchidae): Lens culinaris (lentil)	Italy	7		2	New Jersey, New York.
Bruchus tristiculus Fahr. (Bruchidae): Lathyrus odoratus (sweet pea)				1	District of Columbia,
Vicia sp. (vetch)	Italy		1		
Lathyrus sativus (grass pea)  Lathyrus sp					Columbia.
Legume seed				1	New York.
Vicia ervilia (bitter vetch) Vicia faba (broadbean) Vicia sp. (vetch)	do Italy Netherlands	1 1		1	Do. New York. Missouri.
Bruchus ulicis Muls. (Bruchidae): Vicia ervilia (bitter vetch)				i i	District of Columbia.
Vicia sativa (vetch) Callidium violaceum (L.) (Ceramby- cidae):					New York.
Picea sp. (spruce) Pinus sp. (pine)	Sweden.	6			Louisiana, New York.
WoodCalligrapha argus Stal (Chrysomelidae):	Sweden. Norway	2			Oregon.
Orchid	Mexico			1	Texas.
Calligrapha elegantula Jac. (Chrysomelidae):	1				

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Callosobruchus ademptus (Sharp)					
(Bruchidae):  Pueraria thunbergiana (kudzu-bean).	Japan			2	New Jersey,
Callosobruchus analis (F.) (Bruchidae): Cicer arietinum (chickpea)	India			1	Washington.  District of
Phaseolus aureus	do			1	Columbia. Do.
dae): Bean	China, Italy, Philippines.	4			Hawaii, Illinois, New York.
Cajanus cajan (pigeonpea)	British			3	Florida, New Jersey, New York, Pennsylvan- ia.
Cicer arietinum (chickpea)	Puerto Rico. India, Italy, Puerto Rico.	5	2		Georgia, New York.
Cordyline terminalis (ti)	Hawaii India	1		3	Hawaii. District of Columbia.
"Gramme"	China, India Indiado		1	3	Do. Georgia. District of
Legume seed				_	Columbia. New Jersey.
Legume seed			1		Georgia. District of Columbia.
Phaseolus vulgaris (kidney bcan) Phaseolus sp	India, Italy	1		2 2	Do. District of Columbia, New York.
Pisum sp	1			1	District of Columbia.
Seed Vicia faba (broadbean) Vigna sesquipedalis (asparagus-bean)	Japan	2		2	New York. Washington.
Vigna sinensis (cowpca)	India, Jamai- ca, Philip- pincs.	2		3	District of Col- umbia, New Jerscy, New York.
Vigna sp. Callosobruchus maculatus (F.) (Bruchidae):	Italy				New York.
Bean	Mexico, Nigeria, Norway, Turkey.		2	2	District of Columbia, Florida, Texas.
Cajanus cajan (pigeonpca)	Barbados, Jamaica, Venezuela.	3		1	New York.
Cicer arietinun (chickpea)	India, Turkey		2	1	District of Columbia, New York.
Hibiscus esculentus (okra)	Turkey				District of Columbia.
Legume seed	Turkey			2 1	Texas. District of Columbia.
Phaseolus aureus (mung bean)	Mexico, Turkey.			1	Arizona, District of Columbia.
Phaseolus lunatus macrocarpus (lima bean) Phaseolus vulgaris (kidney bean)	Spain			1	Texas.  District of
Phaseolus sp	Italy Norway,Trin- idad, un- known.	1			Columbia. New York. Oregon, Texas.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Callosobruchus moculatus—Continued Vigna sinensis (cowpea)  Vigna sp	Canal Zone, Nigeria, Turkey. Egypt, Nigeria	4		3	District of Columbia, New York. New Jersey,
Callosobruchus phaseoli (Gyll.) (Bruchiade): Dolichos lablab (hyacinth-bean)	Hawaii, India, Jamaica.	2		3	New York.  District of Columbia, Hawaii, New
Dolichos sp. Camirus conicus (Germar) (Pentatomidae):	Jamaica	1			York. New Jersey.
Chrysanthemum sp	Mexico do Hawaii	1		1	Texas. Do. Hawaii.
Cassia sp. Tamarindus indica (tamarind) Cassida nebulosa L. (Chrysomelidae): Woods moss around rose cutting	IndiaGermany	1	2	1	Do. Virginia. New Jersey.
Catoplatus fabricii Stal (Tingidae): Woods moss Caulophilus latinasus Say (Curculionidae):	France			1	Do. Texas.
Persea americana (avocado)	oh			1	Do. Do.
midae): Soil around roots of citrus seedlings Ceratitis capitata (Wied.) (Tephritidae): Carica papaya (papaya)	Morocco Hawaii.	1		2	Virginia. Washington.
Citrus paradisi (grapefruit)	Cyprus, Egypt, Hawaii, Italy, Mor- occo, Union of South Af-	1	9		Alabama, New York, Penn- sylvania, Texas.
Citrus reticulata (tangerine)	rica, Uru- guay. Italy, Portugal, Spain.	10	4		Florida*, Massachu- setts, New
Citrus sinensis (orange)	Algeria,Azores, Brazil, Cyprus, Egypt, Italy, Portugal, Spain, Union of	11	22		York. Florida*, Louisiana, Maryland, Massachu- setts, New York, Penn- sylvania, Texas,
Coffea sp. (coffee)	South Africa. Brazil, Hawaii	5			Virginia. New York, Hawaii.
Cydonia oblonga (quince)					New York. Massachusetts, New York.
Eriobotrya japonica (loquat)  Ficus carica (fig)	Azores, Italy - Azores, Italy, unknown.	<b>3</b> 5			Massachusetts, New York. Illinois, Massa- chusetts,
Lycopersicon esculentum (tomato) Malus sylvestris (apple)	HawaiiAzores, Italy, Spain.	4	1 1		New York. Mississippi. New York, Pennsylvan- ia, Puerto
Mangifera indica (mango)	Brazil Italydo	1 1 6			Rico. Virginia. Massachusetts. New York.

		Number	of intercep	tions in—		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Ceratitis capitata—Continued Passiflora edulis (purple granadilla).	Azores, Cape Verde	1			New York.	
Prunus armeniaca (apricot)	Islands. France	1	2		Massachusetts New York.	
Prunus domestica (plum)	Greece	5	1 9		New York. Florida*, Illinois, New York, Pennsylvania, Texas.	
Psidium guajava (guava)	Spain. Palestine Italy Italy, Portugal, Spain, unknown.	1 2 5	5		New York. Do. Illinois, Mass achusetts, New York, Pennsylvan-	
Vitis sp. (grape)	Argentina, Madeira Islands, Por-	2	1		ia. Louisiana, Massachu- setts, Penn	
With contraband containing oranges and Citrus sp.  Ceratitis capitata (Wied.) (?) (Tephritidae):	tugal. Lebanon	1			sylvania. New York.	
Citrus limon (lemon)	Italy Cyprus (?), Morocco.		1 3		Pennsylvania. New York, Pennsylvan- ia, Texas.	
Citrus sinensis (orange)	Brazil, Union of South Africa.	2	3		New York. Texas.	
Prunus armeniaca (apricot)	Svria	1 1			New York. Massachu- setts.	
Prunus persica (peach)	Morocco.		2		South Carolina, Virginia.	
Psidium guajava (guava)  Pyrus communis (pear)  Vitis sp. (grape)  Ceroplastes ceriferus (And.) (Coccides):		1 1			Massachusetts Virginia. Louisiana.	
Ceroplastes ceriferus (And.) (Coccidae): Acer sp. (maple) Crataegus sp.	Japando			1 1	California*.	
Ceroplastes ceriferus (And.) (Coccidae): Acer sp. (maple) Crataegus sp. Malus sp. Ceroplastes japonicus Green (Coccidae): Chaenomeles lagenaria (Japanese quince)	do			1	Do. Washington.	
Rhododendron sp.	Hawaii		l .	1	Do. California*.	
Alyxia olivaeformis (maile alyxia)  Anthurium sp.  Camellia japonica (camellia)  Chaenomeles sp.  Zantedeschia sp. (?)	Japando	2		1 1 1	Do. Florida.* Washington.	
Zantedeschia sp. (?)				2	New Jersey, New York.	
Chaetoclusia bakeri Coq. (Clusiidae): Airplane Chaetocnema concinna (Mshl.) (Chryso-	Nicaragua		1		Texas.	
melidae): Rosa sp. Chaetocnema hortensis (Fourc.) (Chrysomelidae):	Germany	1			New York.	
Sphagnum packing around lily-of- the-valley pips. Chalcodermus dentiferus Faust (Curcu-	Denmark			1	Do.	
lionidae): Ananas comosus (pineapple)	Mexico	. 1			Texas.	

	Number		of intercep		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Chelymorpha biannularis Boh. (Chryso-					
melidae): Bromeliad	do			1	Texas.
Chilo simplex (Btlr.) (Crambidae): Oryza sativa (rice)	China, Japan.	13	<b></b>		California*, Louisiana, Massachu- setts, New
					York, Pennsylvania, Texas, Washington.
Chilo simplex (Btlr.) (?) (Crambidae): Leersia sp.	Japan	3			Pennsylvania.
Chionaspis asiatica Arch. (Coccidae): Prunus sp. (plum)	Afghanistan			1	District of Columbia.
Punica granatum (pomegranate) "Chionaspis" exalbida Ckll. (Coccidae):	do			1	Do.
Aloe claviflora Haworthia sp	TransvaalSouthwest Af-			$\frac{1}{2}$	California.* District of
Succulent	rica.			1 (-1)	Columbia. Do.
"Chionaspis" humilis Brain (Coccidae): Aloe sp.	Union of South			1	California.*
"Chionaspis" indigoferae (Hall) (Cocci-	Africa.				
dae): Cotyledon	do			1	Do.
Crassula congesta Heurnia hystrix	do			1	Do. Do.
Shrub	ldo			1	Do.
Stapelia namaquensis	do	·		1	Do.
Leucadendron sp	Pretoria				New Jersey.
Danthonia glauca	Pretoria			1	District of Columbia.
gidae):  Malus sylvestris (apple)  Chrysomela americana L. (Chrysomelidae):	Sweden				New York.
Rosmarinus sp. (rosemary)	Italy		1		Louisiana.
dae):  Cocos nucifera (coconut)  Musa paradisiaca sapientum  (banana)	MexicoCosta Rica	1			California.* Do.
Persea americana (avocado)	Mexico	2		2	Texas. California, Texas.
Chrysomphalus nigropunctatus (Ckll.) (Coccidae):		6			
Laelia autumnalis (orchid) Laelia majalis Laelia sp	Mexico			1 1	Texas. Do. Do.
Laelia sp Chrysomphalus personatus (Comst.) (Coccidae): Citrus aurantifolia	G. A. D.				-
Citrus aurantifolia Citrus sinensis (orange) Cocos nucifera (coconut)	Brazil		1		Do.
Cocos nucifera (coconut)	Costa Rica Mexico	1	1		Do. Texas.
Gardenia augusta (gardenia)	Mexico Costa Rica	1 2			California.* Do.
(banana)  Tamarindus indica (tamarind)  Chrysomphalus tenax (McKenzie) (Coccidae):		- 1			Arizona.
Cattleya sp. (orchid)	do			2	California.* California*, New Jersey.
Philodendron sp.	do			11	California.*

		Number	of intercep	tions in-		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Chrysomphalus umboniferus (Newst.)						
(Coccidae): Anthurium sp Musa paradisiaca sapientum	Canal Zone Costa Rica	1		1	Florida. California.*	
(banana) Oncidium panamense (orchid)	Canal Zone	-			Florida, New	
Orchid Clerada apicornis Signoret (Lygaeidae):	Mexico			1	Jersey. Texas.	
Ananas sp Macadamia sp	Colombia			1	District of Columbia. Hawaii.	
Cligenes delineata (Dist.) (Lygaeidae): Orchid Coccotrypes carpophagus (Horn.)	Guatemala			1	New Jerscy.	
(Scolytidae): Annona muricata (soursop)	Trinidad			1	Oregon.	
Coccotry pes dactyliperda (F.) (Scolytidae): Phoenix dactylifera (date)	India, Tunisia, Turkey.	1	1	1	District of Columbia,	
Phytelephas sp. (ivory palm)Sabal umbraculifera	1 2 5 5 5	1		1	New York. New York.	
Coccotrypes pygmaeus Eichh. (Scolyti-		201			vania.	
dae): Tree seed	Brazil			1	Florida.	
Coccus capparadis (Green) (Coccidae): Cypripedium villosum (orchid) Cypripedium sp. Coccus pseudohesperidum (Ckll.) (Cocci-	Indiado			1 1	New Jersey. Do.	
dae):  Cattleya sp. (orchid)  Coccus viridis (Green) (Coccidae):					Texas.	
Bryophyllum sp Citrus aurantifolia (sour lime) Citrus tankan	Hawaii Trinidad China	1		1	California.* Florida.* District of Columbia.	
Gardenia augusta (gardenia)	Bahamas, Cuba, Hawaii, Panama.	12		1	California,* Florida*, New York.	
Jasminum sp	Venezuela. Hawaii			1	California*.	
Plant leaf	Trinidad Puerto Rico			1	Florida. New York.	
Log	Mexicodo	1		1	California.* Arizona.	
Branch	ldo			1	Texas. Do.	
Orchid  Peristeria elata (orchid)	Cuba, Venc- zuela. Canal Zone			2	Florida. Texas.	
Conotrachelus aguacatae Barber (Curculionidae):  Persea americana (avocado)	Mexico				Do.	
Conotrachelus integer Csy. (Curculionidae):  Quercus sp. (oak)					Do.	
Conotrachelus perseae Barber (Curculionidae):					300	
Persea americana (avocado)	Costa Rica, Guatemala, Honduras, Mexico.	5	3		Louisiana, Texas.	
Coptosoma cribraria (F.) (Pentatomidae): Camellia sp. Cosmopolites sordidus (Germ.) (Curcu-	China			1	California.*	
lionidae):  Musa paradisiaca sapientum  (banana)	Honduras			3	Louisiana.	
1				1		

	Number		of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Crocidosema plebiana Zell. (Olethreuti-	1				
dae):  Hibiscus esculentus (okra)	Cuba, Puerto Rico.	4			Florida,* Louisiana, Virginia.
Crophius scabrosus Uhler (Lygaeidae): Agave sp Orchid	Mexico			1	Arizona. Do.
Cryphula apicatus (Dist.) (Lygaeidae): Orchid	do			2	Texas.
Cryptoblabes gnidiella (Mill.) (Phycitidae):	Farmt		1		Denmardrenie
Citrus sinensis (orange) Punica granatum (pomegranate)	EgyptGreece, Italy, Lebanon, Turkey.	11	1		Pennsylvania. Maryland, Massachu- setts, New York.
Vitis sp. (grape)	Madeira Islands.	1			Pennsylvania.
Cryptocephalus krugii Weise (Chrysomelidae):					00000
Rosa sp. (rose)	Dominican Republic.	1	•		Puerto Rico.
Cryptocephalus nigrocinctus Suffr.(Chrysomelidae): Cajanus cajan (pigeonpea) Cryptoparlatoria leucaspis Ldgr. (Cocci-	Puerto Rico	1			New York.
dae):  Juniperus sp. (juniper)  Cryptorhynchus mangiferae (F.) (Curcu-	Japan			1	Washington.
llonidae):  Mangifera indica (mango)	Hawaii, India	23	2	1	California*, Hawaii,
Persea americana (avocado)	Hawaii			1	New York. California.*
Wood	Hawaii, Honduras.	2			Hawaii,
Ctenicera aeneus (L.) (Elateridae): Sod used as ballast	Belgium		1		Louisiana. New York.
dae):  Quercus sp. (oak)	Mexico	8			Arizona, Texas.
Cylas fermoralis Faust (Curculionidae): Ipomoea batatas (sweetpotato)	Sierra Leone, West Africa.	1	1		Massachu- setts, New York.
Cylas formicarius F. (Curculionidae):  Ipomoea batatas (sweetpotato)  Cylas formicarius elegantulus (Summers) (Curculionidae):	India		1		New York.
Ipomoea batatas (sweetpotato)	American Virgin Islands, Cuba, Dominican Republic, Mexico, Puerto Rico, Virgin	50	7		Florida*, Louisiana, New York, Pennsylvan- ia, Texas.
Cylas formicarius (F.) var. (Curculionidae):	Islands.				
Ipomoea batatas (sweetpotato)	Fiji, Hawaii, India, Iraq, Siam.	1	6	1	District of Col- umbia, New York, Penn- sylvania.
Cylas puncticollis Boh. (Curculionidae): Ipomoea batatas (sweetpotato)	Mozambique, Sierra Leone, West Africa.	1	4		Massachusetts, New York, Virginia.
Cyrtopeltis varians (Dist.) (Miridae): Raphanus sativus (radish) Dactylotrypes uyttenboogaarti Eggers (Scolytidae):	Mexico	1			Texas.
Schefflera delavayi	France		1	1	New Jersey.

		Number	of intercep	tions in-	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Dacus cucurbitae (Coq.) (Tephritidae): Cucumis sativus (cucumber)	Hawaii, Straits Set- tlements.		4		California*.
Cucurbita maxima (squash)	Hawaii	1	1 12		Do. California*, Louisiana, Mississippi, Oregon,
Dacus cucurbitae (Coq.) (?) Tephritidae):					Texas, Washington.
Dacus cucurbitae (Coq.) (?) Tephritidae): Cucumis sativus (cucumber) Cucurbita sp. (squash) Lycopersicon esculentum (tomato)	do do		$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$		California.*  Do. California*.
Phaseolus vulgaris var. (string bean)	do		1		Texas California.*
Airplane  Carica papaya (papaya)  Cocos nucifera (coconut)	do do	1 1	31		Hawaii. Do. Do.
Diospyros kaki (Japanese persimmon) Garcinia rubra	do	î			Do. Do. Do.
Litchi chinensis (lychee)	do	$\frac{1}{2}$			Do. California*, Hawaii.
Lycopersicon esculentum (tomato) Mangifera indica (mango)	Hawaii, India	3	1		California*. California*, Hawaii, New
Musa paradisiaca sapientum(banana)			5		York. California.*
Persea americana (avocado)	do	5			Hawaii. California*, Hawaii. Hawaii.
Solanum aculeatissimum (soda-apple nightshade) Spondias cytherea (vi-apple) Terminalia catappa (tropical almond)					Do. Do.
Zingiber sp. (ginger)  Dacus dorsalis Hend. (?) (Tephritidae):  Cocos nucifera (coconut)  Ficus carica (fig)	do	1			Do.
Ochrosia sp	do do Guam		1		California.* Do. Hawaii.
Dacus oleae (Gmel.) (Tephritidae): Olea europaea (olive)	Azores, Italy, Lebanon, Portugal,				Massachusetts New York, Pennsylvan- ia, Texas.
Dalopius marginatus (L.) (Elateridae): Calluna vulgaris (heather)	scotland Relgium			1 1	Washington. New Jersey.
Soil around plants	Belgium, Eng-   land.			5	New Jersey, Washington
Orchid	Mexico		,		Texas.
Deraeocoris lutescens (Schill.) (Miridae): Soil and woods moss Dercynus micronyx Champ. (Curculioni-			1		New Jersey.
dae): Brownea grandiflora	Trinidad			1	New York.
melidae):  Brassica oleracea capitata (cabbage)  Dialeurodes chittendeni Laing (Aleyro-	Brazil		1		Texas.
didae): Rhododendron sp	British Col- umbia.			1	Washington.
Dialeurodes citri (Ashm.) (Aleyrodidae): Citrus sp. Gardenia augusta (gardenia) Gardenia sp.	Mexicodo	1		1	Texas. Do. California*.
Garaema Sp.	Onma			1	Camorina.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in-
Dialeurodes kirkaldyi (Kot.) (Aleyrodidae):					
Jasminum sambac (Arabian jasmine) Jasminum sp	Hawaii China, Hawaii, Syria.			1 3	California. California*, New York.
Syringa sp  Diaphania hyalinata (L.) (Pyraustidae):  Cucumis sativus (cucumber)  Cucurbita maxima (squash)	China	6	1	1	California*.  Louisiana.  Texas.
Cucurbita pepo (pumpkin)  Herb  Diaphania nitidalis (Stoll) (Pyraustidae):	Puerto Rico	4			Do. New York.
Cucumis melo (canteloupe)	Cuba, Mexico	2 2	1 11		New York, Texas. Alabama,
	Brazil, Colombia, Cuba, Mexico, Trinidad,				Louisiana, New York, Texas, Virginia.
Cucurbita maxima (squash)	Venezuela. Mexico	20			Arizona,
Cucurbita pepo (pumpkin)	Dominican Republic,	5 5	1		Texas. Texas. Florida*, New York.
Diaprepes abbreviatus (L.) (Curculionidae):	Puerto Rico.				
Airplane.  Diaprepes famelicus (Ol.) (Curculionidae):	Unknown		1		New York.
Zinnia sp	Bermuda Mexico,	2	1		Do. New York,
Saccharum officinarum (sugarcane) Sorghum vulgare technicum broom-	Puerto Rico. Argentina				Texas. Louisiana,
corn) Zea mays (corn)	Puerto Rico	2			New York. Florida*, New York.
Dicrepidius corvinus Cand. (Elateridae): Portulaca oleracea (purslane) Dinoderus bifoveolatus (Woll.) (Bostrichidae):	Mexico	1			Texas.
Lonchocarpus sp. (cube root)	Brazil, Chile	3			New York. Do.
Bamboo Wood Guera taitensis Guer. (Curculionidae):	India (?) India	1			Louisiana. New York.
Cocos nucifera (coconut)	Hawaii				Hawaii.
Laelia sp. (orchid) Orchid Doratifera oxleyi Newm. (Limacodidae):	do			7	Texas. Do.
Brachychiton acerifolius (Victorian bottle-tree).  Draeculacephala clypeata Osb. (Cicadel-	Australia			1	Hawaii.
lidae): Log	Costa Rica	1			South Caro- lina.
Drymus sylvaticus (F.) (Lygaeidae): Woods moss around rose roots Dryophthorus corticalis (Payk.) (Cureulionidae):	Ireland				New Jersey.
Populus sp	Italy	1			New York.
Capsicum frutescens (pepper) Lycopersicon esculentum (tomato) Dusides obscurus Perty (Bostrichidae):	do	6			Texas. Do.
Wood	Brazil	1			New York.

		Number	of intercep		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Ensina hyalipennis Bezzi (Tephritidae): Tripteris pachypteris	Union of		-	1	District of
Ensina ignobilis (Loew) (Tephritidae):	South Africa.			1	Columbia.
Tripteris pachypteris Epicaerus cognatus Sharp (Curculioni- dae):	do			1	Do.
Solanum tuberosum (potato)	Mexico	1	3	1	Louisiana, District of Columbia, Texas.
Epidiaspis piricola (Del Guer.) (Coccidae):					
Malus sylvestris (apple)	France, Italy.	1		4	District of Columbia, New York.
Prunus domestica (plum)	ChileItaly	1		1	New York District of
Epilachna varivestris Muls. (Coccinellidae):					Columbia.
Bromeliad	Mexico			1	Texas.
Phaseolus vulgaris var. (string bean)	Brazil, Mex- ico, Peru.	10	5		Louisiana, Texas.
Ereunetis flavistriata Wlsm. (Tineidae): Cocos nucifera (coconut)	Hawaii	1	1		California, Washington
Ernoporus tiliae (Panz.) (Scolytidae): Tilia sp	France	1			New York.
dae):  Lycopersicon esculentum (tomato)  Eucalymnatus tessellatus (Sign.) (Cocci-	Mexico	1			Texas.
dae): Alyxia olivaeformis (maile alyxia) Gardenia augusta (gardenia)	Hawaii Mexico	$\frac{1}{2}$			California.* Texas.
Euleia heraclei (L.) (Tephritidae): Apium graveolens (celery)	England				Do.
Eumysia stigmella (Dyar) (Phycitidae): Echeveria sp.	Mexico			2	California.*
Eurydema ornatum (L.) (Pentatomidae): Brassica oleracea capitata (cabbage) Eurytoma onobrychidis Nikolsky (Eury-	Italy				New York.
tomidae): Onobrychis viciaefolia	Turkey			1	District of
Eurytoma orchidearum (Westw.) (Eurytomidae):					Columbia.
Cattleya gigas (orchid)	Colombia Venezuela			$\frac{2}{1}$	Florida. Do.
Cattleya trianae Cattleya sp	Colombia Brazil, Colom-			1 36	Do. Florida,
	bia, Trini- dad, Venez- ucla.				New Jersey.
Orchid	Brazil			1	New Jersey.
Ipomoea batatas (sweetpotato)	American Virgin Islands,	20	12	2	California*, District of
	Brazil, Colombia, Fiji Islands, Hawaii, Puerto Rico, Trinidad, Virgin Islands.				Columbia, Hawaii, Louisiana, New York, Texas.
Eutornus congener Woll. (Curculionidae):	T 3!				O-116
Orchid	India			1	California.*
Vanda sp. (orchid)	Hawaii	1			Hawaii. Texas.
Euxesta stigmatias Loew (Otitidac):  Zea mays (corn)					New York.
ayu muyo (OIII)	Guavemaia	1			TICH TOLK.

	0	Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga-	Collected in—
Evergestis forficalis (L.) (Pyraustidae): Brassica oleracea capitata (cabbage)	England, Italy, Nether- lands.		3		New York Virginia.
Evergestis rimosalis (Gn.) (Pyraustidae): Brassica oleracea capitata (cabbage) Rorippa nasturtium-aquaticum (watercress)	Mexicodo	1	1		Texas. Do.
Exillis longicornis Pasc. (Anthribidae): Vine Exosoma lusitanica L. (Chrysomelidae):	Philippines	1			Washington
Muscari comosum (cipollino)	Morocco	1			New York
Lycopersicon esculentum (tomato) Orchid	Mexicodo	1		2	Arizona. Arizona, Texas.
Exptochiomera tumens (Stal) (Lygaeidae): Orchid	do			2	Texas.
Ferrisiana virgata (Ckll.) (Coccidae): Catasetum viridiflavum (orchid) Cocos nucifera (coconut)	Canal Zone Guam	1		1	New Jersey. California*.
Codiaeum variegatum (croton)  Elettaria speciosa	Bahamas, Philippines. Hawaii	1	1	1	California*, New York. California.*
Epidendrum sp. (orchid)	Siam Costa Rica		1	1	Do. Hawaii. California.*
Lycaste candida (orchid)	Canal Zone Mexico Guatemala			1 1 1 2	New Jersey. California.* New Jersey.
Orchid  Peristeria elata (orchid)  Phalaenopsis sp. (orchid)	Bintan Island, Costa Rica. Canal Zone Philippines			1	California.*  New Jersey. California.*
Seed podSpathoglottis plicata (orchid)	do Siam Hawaii	1		1	Do. Do. Do.
Strelitzia sp. Forficula auricularia L. (Forficulidae): Baggage Bulb case	Ireland Netherlands	1		<u>-</u>	Illinois. New York.
Cloth	England Netherlands	1		2	New York.
Crocus sp. Cymbidium sp. (orchid) Excelsior packing  Hydrangea sp. and Dianthus sp.	England Italy, Nether-lands.	1		1	New York.
Iris sp.	Netherlands			1	Massachusetts New Jersey.
Narcissus sp. Plant	Madeira Is-			ĩ	New York. Massachusetts New York.
Punica granatum (pomegranate) Soil ballast Tulipa sp. (tulip)	Iands. Italy Scotland Netherlands	1		4	Alabama. New York, Pennsylvan- ia.
Frankliniella bratleyi Wats. (Thripidae): Polianthes tuberosa (tuberose) Frankliniella insularis (Frankl.) (Thripidae):	Palestine	100		2	New Jersey.
Antirrhinum majus (snapdragon) Rosa sp. (rose)	Haiti Dominican Republic.	1 1			Puerto Rico. Do.
Fulvius albomaculatus Dist. (Miridae): Packing material with bromeliads Fulvius anthocorides Stal (Miridae):	Venezuela			1	New Jersey.
Orchid  Fundella pellucens (Zell.) (Phycitidae):  Cajanus cajan (pigconpea)	Mexico	1		1	Texas. Florida.* Massachusetts
Phaseolus vulgaris var. (string bean) Furcaspis biformis (Ckll.) (Coccidae): Brassavola nodosa (orchid)	Canal Zone			2	Florida, Texas.

0 - 101		Number	of intercept	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in—
Furcas pis biformis—Continued				1111	
Cattleya sp. (orchid)	Brazil, Canal Zone, Col- ombia, Costa Rica, Dutch Guiana,			17	California*, Florida, Guam, Hawaii, New Jersey,
501 1	Hawaii, Siam, Venezuela.				Texas.
Epidendrum atropurpureum (orchid)	Canal Zone			8	California*, Florida, Hawaii, New
					Jersey, Texas, Washington.
Epidendrum sp	do			3	Florida, Washington.
Odontoglossum schlieperianum (orchid)	1	- Au		1	California.*
Oncidium confusum (orchid) Oncidium lanceanum Oncidium multiflorum	Trinidad			1 1 1	Texas. Do. New Jersey.
Oncidium panamenseOncidium sp	Canal Zone			1 3	Florida. California*, Washington.
Orchid	Siam. British Guiana, Canal Zone,			9	California*, Florida, Puerto Rico,
Furcaspis oceanica Ldgr. (Coccidae):	Hawaii, Siam, Venezuela.				Texas, Virginia.
Musa paradisiaca sapientum (banana)	Truk	1			Hawaii.
Gastrodes pacificus (Prov.) (Lygaeidae): Cedrus sp. (cedar) Gastrophysa viridula (Deg.) (Chrysomelidae):	Canada	1			New York.
Soil with potatoes	England			1	Do.
Calluna vulgaris (heather)	Denmark				Do. Alabama.
Gerstaeckeria mutillaria (Gerst.) (Curculionidae):			-		
Coryphantha sp. (cactus)  Mammillaria sp. (cactus)	Mexicodo			3	Texas. California*, Texas.
Glyphonyx praecox Er. (Elateridae):  Laelia anceps (orchid)  Glyphonyx quadricollis Champ. (Elateridae):	do			1	Texas.
Brassica sp. (mustard) Gnorimoschema gudmannella (Wlsm.) (Gelechiidae):	do	1			Do.
Capsicum frutescens (pepper) Gnorimoschema lavernella (Chamb.)	Dutch Guiana, Mexico.	2	1		Arizona; Louisiana.
(Gelechiidae): Physalis sp. (husk tomato) Gnorimoschema plaesiosema (Turner)	Mexico	5			Texas.
(Gelechiidae): Solanum tuberosum (potato) Gortyna flavago (Schiff.) (Phalaenidae):	Peru				
Cynara scolymus (globe artichoke) Gracilaria azaleella Brants (Gracilariidae):	Tunisia				Pennsylvania.
Rhododendron sp	Japan, Nether- lands.	9		. 25	New Jersey, Washington
tidae):  Malus sylvestris (apple)  Prunus persica (peach)	Argentina France, Italy	2	1 1		Pennsylvania Massachu-
	1				setts, New York.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Grapholitha molesta—Continued Pyrus communis (pear)	Italy, Mexico.	2			New York. Texas.
Grapholitha packardi Zell. (Olethreutidae):					
Crataegus sp. (thornapple) Graptostethus servus (F.) (Lygaeidae):	Mexico	2			Texas.
Ipomoea tuberosa (woods rose)	Hawaii	2			Hawaii.
Citrus sinensis (orange)	Brazil		2		Massachu- setts, New York.
Gynaikothrips ficorum (Marchal) (Phlaeothripidae): Ficus retusa (Indian laurel fig) Haplothrips cottei (Vuillet) (Phlaeothri-	Mexico			1	Texas.
pidae):  Dianthus sp. (carnation)	Egypt, Eur-	2	4	1	Illinois, Mass-
	ope, Greece, Portugal, unknown.				achusetts, New Jersey, New York.
Haplothrips gowdeyi (Frankl.) (Phlaeothripidae):	TT!				G-1:6 +
Bougainvillea sp	Puerto Rico.	1 5		1	California.* New York. California.*
Dianthus sp. (carnation)	do	$\frac{1}{2}$			Do. Do.
Limonium sp	do				Hawaii. California.*
Tagetes sp	do	1			$D_0$ .
thripidae):  Ornithogalum thyrsoides  (chinkerichee)	Union of South	1			New York.
Hellula phidilealis (Wlk.) (Pyraustidae): Brassica oleracea capitata (cabbage)	Panama, Trin- idad.		. 3		Alabama, New York.
Brassica rapa (turnip)	Cuba			0 1 1 1 1 1	Texas.
Castanea sp. (chestnut)	Italy				
Phaseolus lunatus macrocarpus (lima bean) Heterobostrychus aequalis (Waterh.)	Cuba	1			Do.
(Bostrichidae): Bamboo	India Ceylon, India	$\frac{1}{2}$			Texas. New York.
Wood					Do.
Solanum melongena (eggplant)		1			
Vanda sp. (orchid) Homothrips distinctus Bagn. (Thripidae):				. 1	Hawaii. New Jersey.
Erica sp	A frica				New Jersey,
Horistonotus dilaticornis Champ. (Elater-		-			New York.
idae):  Ananas comosus (pineapple)  Horistonotus rufiventris Cand. (Elateridae):	Mexico				Texas.
Ananas comosus (pineapple) Hydrothassa marginella (L.) (Chryso- melidae):	do				Do.
Soil and moss packing for Oxalis sp. plants. Hylurgops palliatus (Gyll.) (Scolytidae):				1	New York.
Bark—coniferous————————————————————————————————————	Sweden	1 6		-	New York.
Pinus sp. (pine)	Germany, Sweden.	4			Louisiana, New York.

	12	Number			
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in—
Hypera nigrirostris F. (Curculionidae): Woods moss around rose cutting	Germany			1	New Jersey.
Hypolithus pectoralis (Say) (Elateridae): Ananas comosus (pincapple) Icerya palmeri Riley & Howard (Cocci-	Mexico				Texas.
dae): Cactus	do			0 1	Arizona.
Icerya similis Morr. (Coccidae):  Laelia sp. (orchid)	Salvador			1	Texas.
Pinus sp. (pine)  Wooden strips around peat moss  Ips typographus (L.) (Scolytidae):	Netherlands	1 1		,	Alabama. Louisiana.
Bark—coniferus Picea sp. (spruce)	Germany,	$\frac{1}{2}$			Pennsylvania. New York.
Pinus sp. (pine)	vakia, Ger-	10		1-1-10	Alabama, Louisiana, New York.
	many, Hun- gary, Neth- erlands.				New Lork.
Iridomyrmex humilis Mayr (Formicidae):  Dahlia sp  Dianthus sp. (carnation)	Portugal	1		1	New York. Massachusetts.
Dioscorea sp. (yam) Herbs, bulbs & cuttings	Azores	1		1	New York. Massachusetts. New Jersey.
Leaves Passiflora sp.	Madeira Is- lands.	1			Massachusetts.
Phalaenopsis sp. (orchid)	Philippines Union of South Africa.	1		1	California.* New York.
Prunus domestica (plum)	Chile	1			Do. Do. Do.
Sorghum sp. (?)	Portugal	1 1			Do. Pennsylvania.
Vitis sp. (grape)	France, Port- ugal, Union of South Af- rica.	3	1		New York.
Jadera sanguinolenta (F.) (Corcidae): Airplane	Mexico		1		Texas.
Lycopersicon esculentum (tomato) Kalotermes bequaerti Snyder (Kalotermitidae):	do	1			Do.
Juniperus sp. (juniper)	Bermuda	1			Massachusetts. Do.
Narcissus sp Lampides boeticus (L.) (Lycaenidae):	Netherlands			1	California.*
Canavalia sp	Hawaii	9	,		California, Hawaii.
reutidae): Pisum sativum (pea)	Portugal	1	2		New York, Texas.
Laspeyresia splendana (Hbn.) (Oleth-reutidae): Castanea sp. (chestnut)	England,	64	2		Alabama, Illi-
- assassa spr (0.100 1.110)	France, Germany, Italy, Portugal, Spain,	0.			nois, Mary- land, Massa- chusetts, Missouri,
	Switzerland, Yugoslavia.		- 11	70	New Jersey, New York, Ohio, Texas, Washington.
Lema confusa Chev. (Chrysomelidae):  Selaginella lepidophylla (resurrection plant)  Lema melanora (L.) (Chrysomelidae):	Mexico			1	Texas.
Lema melanopa (L.) (Chrysomelidae):  Pinus sp. (pine)  Lema opulenta Genn. & Har. (Chrysomelidae):	Denmark			1	New York.
Rosa sp. (rose)	Mexico	1			Texas.

( 10 ) 10 ( 100 ) 70	1	Number of interceptions in—			
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Leperisinus fraxini (Panz.) (Scolytidae): Fraxinus sp. (ash)	England	. 10			Maryland,
Lepidosaphes carinata (Ckll.) (Coccidae): Philodendron sp. Lepidosaphes conchiformis (Gmel.) (Coc-	Mexico		* . ,	2	New York. Texas.
cidae):  Diospyros sp. (persimmon)	Japan	1			Minnesota.
Pyrus communis (pear) "Lepidosaphes" esakii Takah. (Coccidae): Cocos nucifera (coconut)	Guam	1	1		California.*  Do.
Lepidosaphes ficus (Sign.) (Coccidae): Ficus carica (fig)	Algeria, Italy, Palestine.			5	California*, New Jersey, New York.
Lepidosaphes kuwacola Kuw. (Coccidae): Salix sp. (willow) Lepidosaphes pallida (Green) (Coccidae):	Japan		1		Washington.
Cupressus sp. (cypress)  Juniperus sp. (juniper)  Lepidosaphes philococcus (Ckll.) (Coeci-	do			$\frac{1}{2}$	Do. Do.
dae): Cactus	Mexico			1	Texas.
Pistacia vera (pistache)	Syria	10			New York.
Codiaeum variegatum (eroton)	Bahamas, British West Indies, Hawaii,	8	1	4	California*, Hawaii, New Jersey, New York.
Lepidosaphes tuberculata Malen. (Cocei-	Philippines, unknown.	10000			2 02-20
dae):  Coelogyne cristata (orchid)	India			1 1	California.* New Jersey.
Cymbidium eburneum (orchid) Cymbidium tuberculata Cymbidium sp	England Australia, Belgium, China, England,	1		1 21	Do. California*, Hawaii, New Jersey.
Dendrobium speciosum (orchid)	Netherlands. Australia			1 1	California.* Hawaii.
Lepidosaphes tubulorum Ferris (?) (Coccidae): Cocos nucifera (coconut) Lepidosaphes yanagicola Kuw. (Coeci-	Guam	1			California.*
dae): Salix sp. (willow) Leptoglossus chilensis Spinola (Coreidae):	Japan		1		Washington.
Vitis sp. (grape) Leptophobia aripa (Bdv.) (Pieridae): Brassica oleracea botrytis	Chile		3		New York. New York, Texas.
(eauliflower):  Leucaspis archangelskyae Ldgr. (Coccidae):  Prunus sp. (cherry)	Afghanistan			1	District of
Pyrus communis (pear)	do			1	Columbia. Do.
Leucas pis candida (Targ.) (Coceidac):  Pinus sp. (pine)  Leucas pis cockerelli (de Charm.) (Coccidac):	Germany			1	New Jersey.
dae): Citrus aurantifolia (sour lime)	Panama, Salvador.		2		California.*
Citrus paradisi (grapefruit)	Jamaica Ni- geria.		7		Do. California*
Citrus sinensis (orange)	Jamaica, Pan- ama, Trini- dad, Venez- uela.				Florida.*
Cocos nucifera (coconut)  Dendrobium sp. (orchid)  Vanda sp. (orchid)	Hawaii.				California.* Do. Florida.
Leucocera quinquepunctata (L.) (Chryso-melidae): Opuntia sp. and Cereus sp. plants	Haiti			1	New Jersey.

Insect and host						
Leucocera scrpunctatus Chev. (Chrysomelidae): Orchid. John Chem. J	1					
Leucotern seepunclatus Chev. (Chryso-Collabe): Orchid. Ligprotoris abdominalis (GM.) (Lignei-dae): Lopopersicon esculentum (tomato). Ligneris entrialliana (Dist.) (Lyguel-dae): Chrysan-linemum sp. (orchid). Lygueris illigionas Stal (Lyguel-dae). Lygueris illigionas Stal (Lyguel-dae). Lygueris con esculentum (tomato). Lygueris con esculentum (tomato). Lineodes triangularis (Mosch). (Pyraustidae). Chrisan-pusilla (Melg.) (Agrony-zidae). Chrisan-pusilla (Melg.) (Agrony-zidae). Chrisan-pusilla (Melg.) (Agrony-zidae). Chrysan-pusilla (Melg.) (Agrony-zidae). Chrysan-pusilla (Melg.) (Melgony-zidae). Chrysan-pusilla (Melg.) (Melgony-zidae). Chrysan-pusilla (Melg.) (Melgony-zidae). Chrysan-pusilla (Melgon	Insect and host	Country of sign	sump-		aga-	Collected in—
melidae): Orchid. Ligyrocris abdominalis (GM.) (Lygael- Ligyrocris abdominalis (GM.) (Lygael- Ligyrocris abdominalis (GM.) (Lygael- dae): Ligyrocris activillinan (Dist.) (Lygael- dae): Ligyrocris activillinan (Dist.) (Lygael- dae): Ligyrocris activillinan (Dist.) Ligyrocris litigiosus Stal (Lygaeldae): Annaa comosus (pineapple). Licotorio activity (tomato). Ligyrocris litigiosus Stal (Lygaeldae): Annaa comosus (pineapple). Licotorio activity (tomato). Ligyrocris litigiosus Stal (Lygaeldae): Annaa comosus (pineapple). Licotorio activity (tomato). Lincotas integra (Zell.) (Pyraustidae): Litiuty rutescent (pepper). Cupitum frutescent (pepper). Cupitum frutescent (pepper). Cupitum frutescent (pepper). Cupitum frutescent (pepper). Alliun salcium (garlie). Litiuty activity (Lygaeldae): Alliun salcium (garlie). Litiuty activity (Lygaeldae): Alliun salcium (garlie). Litiuty activity (Lygaeldae): Raphanus salcius (talkiae): Reparative (best). Poriulaco deracca (puristanc). Litiuty pinei Iroh. (Curculionidae): Rest valquiri (best). Poriulaco deracca (puristanc). Lotostege similois (Gn.) (Pyraustidae): Cirpsaniforium (sp.) Poriulaco deracca (puristanc). Lotostege similois (Gn.) (Pyraustidae): Cirpsaniforium Shist. (Lygaeldae): Maca paradistaca apientum. Lygues circumfinitus Dist. (Lygaeldae): Maca paradistaca sapientum. Lygues circumfinitus Dist. (Lygaeldae): Maca paradistaca sapientum. Lygues circumfinitus Dist. (Lygaeldae): Maca paradistaca sapientum. Lygues circumfinitus Dist. (Lygaeldae): Maca maya coloracca (Dirigaeldae): Allium cepa coloracca (Dirigaeldae): Maca maya coloracca (Dirigaeldae): Maca maya coloracca (Dirigaeldae): Maca maya coloracca (Dirigaeldae): Maca coloracca (Dirigaeldae):	0.0	•	tion	entry	tion	
Ligaroconic addominatis (GM.) (Lygael-dae);   Lycopersicon esculentum (tomato)   Mexico.   3						
Ligopersicon esculentum (tomato)	Ligyrocoris abdominalis (GM.) (Lygaei-	Cuba			1	Florida.
Chrysanthemum sp.   Mexico	Lycopersicon esculentum (tomato) Oncidium sp. (orchid) Ligyrocoris aurivilliana (Dist.) (Lygaei-				1	
Anenas comosus (pineapple)   do	Chrysanthemum sp Lycopersicon esculentum (tomato)	Mexicodo	1 3	-1		
Lineodes friungularis (Mosch.) (Pyraustidae):   Capsicum frutescens (pepper)	Ananas comosus (pineapple)	do	. 2	1.00	1. 1.	
Capsicum frutescens (pepper)	Lineodes triangularis (Mosch.) (Pyraus-	do	1	· · · · · · · · · · · · · · · · · · ·		Do.
Liriomysa pusilla (Melg.) (Agromy-zidae):   Capsicum frutescens (pepper)	Capsicum frutescens (pepper) Liothrips vaneeckei Pr. (Phlaeothripidae):				1	
Cappension esculentum (tomato)	Liriomyza pusilla (Meig.) (Agromy-zidae):	ĵ				)
Listroderes aeguivocus Kuschel (Curculonidae):   Allium sativum (garlie)	Gypsophila paniculata (babysbreath)	dod	1			Texas. Texas.
Allium sativum (garlic)   Unknown	Listroderes aequivocus Kuschel (Cur-	d0	4			
Raphanus salivus (radish)	Allium sativum (garlic)	Unknown		1		New York.
December	Raphanus sativus (radish)					1 1 1-
Lozostege similalis (Gn.) (Pyraustidae):   Chrysunthemum sp.	Loxostege bifidalis (F.) (Pyraustidac):					Texas.
Lygaeus circumlinitus Dist. (Lygaeldae):   Orchid	Loxostege similalis (Gn.) (Pyraustidae): Chrysanthemum sp.	do	1			Do.
dae): Orchid Lygaeus consanquinitus Dist. (Lygaeldae): Allium cepa (onion)	Lygaeus circumlinitus Dist. (Lygaeidae): Orchid		6		1	
Lygaeus consanguinitus Dist. (Lygaeidae): Allium cepa (onion)	dae):	do				Do.
Lygaeus pulchellus F. (Lygaeidae):  Musa paradisiaca sapientum (banana)  Lygaeus vittiscutis Stal (Lygaeidae):  Bromellad Lycopersicon esculentum (tomato) Orchid  Lygus elisus Van D. (Miridae):  Rex sp. (holly) Lygus fraudentus (Stal) (Miridae):  Brassica oleracea botrytis (cauliflower) Lygus oblineatus (Say) (Miridae):  Chrysanthemum sp. Ulmus sp. (elm) Vegetables Zea mays (corn) Madarus distigma Boh. (Curculionidae): Orchid Malacorhinus tripunctatus (Jac.) (Chrysomelidae): Airplane Mamestra brassicae (L.) (Phalaenidae): Brassica oleracea capitata (cabbage) Brassica oleracea capitata (cabbage) Brassica oleracea capitata (cabbage)  Brassica oleracea capitata (cabbage)  Brassica oleracea capitata (cabbage)  Costa Rica 1 Costa Rica 1 Costa Rica 1 Costa Rica 1 Conada 1	Lygaeus consanguinitus Dist. (Lygaeidae):		1		• 6 á	
Lygaeùs vittiscutis Stal (Lygaeidae): Bromeliad Lycopersicon esculentum (tomato) Orchid  Lygus elisus Van D. (Miridae): Hex sp. (holly) Lygus fraudentus (Stal) (Miridae): Brassica oleracea botrytis (cauliflower) Lygus oblineatus (Say) (Miridae): Chrysanthemum sp. Ulmus sp. (elm) Vcgetables Zea mays (corn) Madarus distigma Boh. (Curculionidae): Orchid Malacorhinus tripunctatus (Jac.) (Chrysonelidae): Airplane Brassica oleracea capitata (cabbage) Brassica oleracea capitata (cabbage)  Lygus elisus Van D. (Miridae): Canada Honduras, Mexico 1 Canada 1 Louisiana.  Mexico 1 Canada 1 Mexico 1 Canada 1 Do.  Mexico 1 Do.  Texas.  Do.  Minnesota.  Arizona. New York.  Texas. Do.  Mexico 1 Do.	Lygaeus pulchellus F. (Lygaeidae): Musa paradisiaca sapientum		1.00			
Orchid	Lygaeùs vittiscutis Stal (Lygaeidae): Bromeliad				1	
Lygus elisus Van D. (Miridae): Ilex sp. (holly) Lygus fraudentus (Stal) (Miridae): Brassica oleracea botrytis (cauliflower) Lygus oblineatus (Say) (Miridae): Chrysanthemum sp. Lygus oblineatus (Say) (Miridae): Chrysanthemum sp. Ulmus sp. (elm) Vegetables Zea mays (corn) Madarus distigma Boh. (Curculionidae): Orchid Malacorhinus tripunctatus (Jac.) (Chrysomelidae): Airplane Arizona. New York. Mexico 1 Canada 1 Do. Mexico 1 Do. Mexico 1 Do. Mexico 1 Do. Mexico 2 New York, Texas. Do. New York, Texas. New York.	Orchid	Guatemala, Honduras,			6	
Brassica oleracea botrytis (cauliflower)  Lygus oblineatus (Say) (Miridae): Chrysanthemum sp. (Canada 1 New York. Vcgetables 1 Canada 1 New York.  Zea mays (corn) 1 Texas. Canada 1 Do.  Madarus distigma Boh. (Curculionidae): Orchid Mexico 1 Do.  Malacorhinus tripunctatus (Jac.) (Chrysomelidae): Airplane do 1 Do.  Mamestra brassicae (L.) (Phalaenidae): Brassica oleracea botrytis (cauliflower) Brassica oleracea capitata (cabbage) France, Neth-  Brassica oleracea capitata (cabbage) France, Neth-  Arizona. Arizona. New York.  Do.  Mexico 1 Do.  New York, Texas. New York, Texas. New York.	<i>Ilex</i> sp. (holly)		1			Minnesota.
Chrysanthemum sp	Brassica oleracea botrytis(cauliflower)	Argentina		. 1		Louisiana.
Zea mays (corn)  Madarus distigma Boh. (Curculionidae): Orchid  Malacorhinus tripunctatus (Jac.) (Chrysomelidae): Airplane  Mamestra brassicae (L.) (Phalaenidae): Brassica oleracea botrytis (cauliflower)  Brassica oleracea capitata (cabbage)  Brassica oleracea capitata (cabbage)  Canada  Mexico  1  Do.  1  Do.  New York,  Texas.  New York,  Texas.  New York.	Chrysanthemum sp	Canada	1			New York.
Malacorhinus tripunctatus (Jac.) (Chrysomelidae): Airplane	Zea mays (corn)	Canada		. 1	1	Do.
Mamestra brassicae (L.) (Phalaenidae): Brassica oleracea botrytis (cauliflower) Brassica oleracea capitata (cabbage) Brassica oleracea capitata (cabbage) France, Neth-  2 New York, Texas. New York.	Malacorhinus tripunctatus (Jac.) (Chrysomelidae):	1-0			1	
Brassica oleracea capitata (cabbage) - France, Neth- 2 New York.	Mamestra brassicae (L.) (Phalaenidae):	Ircland, Nor-				New York,
	Brassica oleracea capitata (cabbage)	France, Neth-		2		

		Number of interceptions in—			
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Maruca testulalis (Geycr) (Pyraustidae): Cajanus cajan (pigeonpca)	Dominican Republic, Puerto Rico.	10		i v	Maryland, New York.
Canavalia sp.	Hawaii	12			California*, Hawaii.
Phaseolus lunatus macrocarpus (lima bean) Phaseolus vulgaris (kidney bean)	Cuba, Puerto Rico. Puerto Rico	3	1		New York. Do.
Phaseolus vulgaris var. (string bean)	Brazil, Cuba, Dutch Gui- ana, Hawaii, Puerto Rico,	5	13		Alabama, California*, Florida*, Louisiana,
	Venezuela.		-		Maryland, New York, Pennsylvan- ia, Texas.
Mecinus pyraster Hbst. (Curculionidae): Soil and moss packing Mecolaemus carvalhoi (Costa Lima) (Miridae):	Ireland			1	New York.
Orchid	Brazil Mexico			1.	Florida.
Megalometis chiliensis Boh. (Curculioni-	Mexico			1	Columbia.
dae): Prunus domestica (plum) Prunus persica nectarina (nectarine) Megapenthes cinnamomus Champ.	Chiledo	1. : 1			New York. Do.
(Elateridae): Odontoglossum sp. (orchid) Megasternum boletophagum (Marsh.)	Guatemala			1	Texas.
(Hydrophilidae):  Beta vulgaris macrorhiza (mangel-wurzel)  Melanoxanthus melanocephalus (F.)	England		1		New York.
(Elateridae): Airplane Metamasius sericeus (Oliv.) (Curculionidae):	South Pacific		τ		Hawaii.
Musa paradisiaca sapientum (banana)	Costa Rica, Ecuador, Honduras.	11			California*, Maryland, South Caro-
Micrapate labialis Lesne (Bostrichidae): Sambucus sp. Wood.	Mexico	1 1			New York. Texas.
Micrelus ericae Gyll. (Curculionidae):  Calluna vulgaris (heather)  Mimorista flavidissimalis (Grt.) (Pyraustidae):	Scotland				2-1-1-
Cactus	Mexico				Texas.
Acacia farnesiana (cascalote) Libidibia sp Ochroma lagopus (balsa)	Salvador Canal Zone Colombia	1 1 1			Louisiana: Do. New York.
Mineola indigenella (Zell.) (Phycitidae): Prunus sp	Japan			1	Oregon.
Monomorium destructor (Jerd.) (Formi-	do			1	Texas.
cidae): Agave sp. (sisal)		1		i	Columbia
Ananas comosus (pineapple)	Bahamas Puerto Rico India	1			Florida. New York. Hawaii. New Jersey. Hawaii.
Coetogyne etata (orchid)	1d0	1 1			Hawaii. New York. California*,

		Number of interceptions in—				
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga-	Collected in—	
Monomorium destructor—Continued Pyrus communis (pear) Vanda sp. (orchid) Moodna bisinuella Hamp. (Phycitidae): Zea mays (corn) Mordellistena cattleyana Champ. (Mor-	LebanonIndia			1	New York. New Jerscy. Texas.	
dellidae):  Cattleya gigas (orchid)	Colombia			2	Florida,	
Cattleya labiata				6	New Jersey, New Jersey, Texas.	
Cattleya labiata autumnalis	1 /CHCBITELLAL			1	California.* New Jersey. Do. Florida, New Jersey, Texas.	
Epidendrum sp. (orchid) Laelia purpurata (orchid) Orchid  Mordellistena rufonotata Champ. (Mor-	Brazil Honduras, Mexieo.			1 1 3	Do. New Jersey. Florida, Texas.	
dellidae): Orehid  Morganella longispina (Morg.) (Coccidae):	Mexieo			3	Ţexas.	
dae): Citrus aurantifolia (sour lime) Citrus limon (lemon) Citrus sinensis (orange) Dendrobium sp. (orchid)	New Zealand		$1 \qquad 2$	1		
Myelois ceratoniae Zell. (Phycitidae):  Ceratonia siliqua (St. Johnsbread)  Citrus sinensis (orange)  Phoenix dactylifera (datc)  Myelois notatalis (Wlk.) (Phycitidae):  Ceratonia siliqua (St. Johnsbread)	Italy	1			New York. Do. Florida.*	
Myllocerus hilleri Faust (Curculionidae): Unknown	duras.  Japan (?)				Washington.	
Lycopersicon esculentum (tomato) Myzus ascalonicus Doneaster (Aphidae): Allium cepa (onion) Nasutitermes corniger (Motsch.) (Term-	Mexico	1			Texas. Ohio.	
itidae): Log	Costa Rica				South Carolina.	
Musa paradisiaca sapientum(banana) Wood	Honduras				California.* Louisiana.	
itidae): Wood Nasutitermes nigriceps (Haldeman)	Philippines	1			Maryland.	
(Termitidae): Orchid Neocattarus vegetus Dist. (Lygaeidae): Oncidium confusum (orchid)	Unknown				Florida. Hawaii.	
Neoclytus cacicus Chevr. (Ccrambycidae):  Guajacum officinale (lignumvitae)	Nicaragua			1	California.*	
Neodryocoetes guianae Blkm. (Scolytidae): Cajanus cajan (pigeonpea)	British Guiana	2			New Jersey.	
Pisum sativum (pea) Neoleucinodes elegantalis (Gucn.) (Pyraustidae): Lycopersicon esculentum (tomato)	Mexico	398			Missouri. Texas.	
Solanum melongena (eggplant)	Brazil England,		1	2	New York. New Jersey.	
Nilotaspis halli (Green) (Coccidac): Prunus armeniaca (apricot)	France.			5	District of Columbia.	

o nerlands ico aii guay		1	1	District of Columbia. Do. Arizona. Texas. Hawaii.
o nerlands ico aii guay	1	1	1	Columbia. Do. Arizona. Texas.
o nerlands ico aii guay	1	1	1	Columbia. Do. Arizona. Texas.
ico aii guay e		1	1	Texas.
aii guay				
guay			1	Hawan.
e			_	District of
ico				Columbia. New York.
			1	Texas.
)			1	Do.
			,	Do
)			1	Do.
)			1	Do.
waii.	1			Hawaii.
erlands				Louisiana.
			1	New Jersey.
aii	1			Hawaii.
a Rica			1	Texas.
erlands			1	New Jersey. Do.
emala	1			California.*
	The second secon			
to Rico	1			New York.
il,Jamaica	1	1		Alabama, New York
aii	1			Hawaii.
es	1		1	Do. New Jersey.
				Hawaii.
oa, Japan.			1 12	California.* California*, District of Columbia, Florida*, Washington.
n			1	Washington.
sh West lies. Costa	1	8		California*, Florida*.
	waii. erlands a Rica erlands to Rico il,Jamaica aii a, Japan a, Japan sh West lies, Costa ca, Mex., Trini-			1   1   1   1   1   1   1   1   1   1

Insect and host		Number of intercepts			
	Country of origin	Con- sump- tion	Non- entry	Propaga-	Collected in-
Parlatoria cinerea—Continued Citrus grandis (pummelo) Citrus paradisi (grapefruit)	ama, Trini- dad, Uru-		1 5		California*. Do.
Citrus sinensis (orange)	guay. Brazil, Pan- ama, Trini- dad, Uru- guay.	1	14		California*, Florida*.
Parlatoria citri McKenzie (Coccidae): Citrus aurantifolia (sour lime)	Straits Settle- ments.		1		California*.
Parlatoria crotonis Dougl. (Coccidae): Codiaeum variegatum (croton)	Hawaii		1	2	California*, New Jersey.
Parlatoria fluggeae Hall (Coccidae): Hibiscus sp	do			1	California.*
Parlatoria oleae (Colvee) (Coccidae): Malus sylvestris (apple)	Afghanistan, Greece (?), Italy.	27		2	District of Columbia, Michigan, New York.
Mespilus germanica (medlar) Olea europaea (olive)	ItalyGrecce	2		2	New York. District of Columbia, New Jersey.
Prunus armeniaca (apricot)	Afghanistan			1	District of Columbia.
Prunus persica (peach) Prunus sp. (plum) Pyrus communis (pear)	dodo Afghanistan, Italy.	2		1 1 1	Do. Do. District of Columbia,
Quercus sp. (?) Parlatoria pittospori Mask. (Coccidac): Glottiphylum sp	Union of South			1	New York, New Jersey.
Haworthia sp	Africa.	1		1	Do. California.*
Orchid	Philippines.				California*, New Jersey, Washington
Vanda joaquimiae (orchid)  Vanda suavis	Siam.			1	California*, New Jersey. New Jersey.
Vanda teres Vanda sp	ments.	1			California.*
Parlatoria theae Ckll. (Coccidae):		-0			New Jersey.
Acer sp. (maple)  Prunus sp., perhaps mume			1		California*,   Washington   District of
Rosa sp. (rose)	dodo			1	Columbia. California.*
Parlatoria zizyphus (Lucas) (Coccidae): Citrus aurantifolia (sour lime)	China, Philippines, Straits Set-		5		Do.
Citrus grandis (pummelo)	Japan, Philippines, Straits Settlements.				Do.
Citrus limon (lemon)	Italy, Japan,		13		California*, Florida.*
Citrus paradisi (grapefruit)	Spain. China China, Japan.	1	1 2		California.* California*, Minnesota.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Parlatoria zizyphus—Continued Citrus sinensis (orange)	Algeria, China, Italy, Phil- ippines, Spain.	1	8		California*, Hawaii, Massachu- setts, Penn-
Paroxyna sororcula (Wied.) (Tephritidae): Eriocephalus pubescens	Pretoria			1	sylvania.  District of
Pealius hibisci (Kot.) (Aleyrodidae): Hibiscus sp Pectinophora gossypiella (Saund.)	Hawaii	1	,		Columbia. California.*
Pectinophora gossypiella (Saund.) (Gelechiidae): Gossypium sp. (cottonseed)	Brazil, Egypt,	26	5	2	Florida*,
	Hawaii, India, Italy, Jamaica, Mexico, Pakistan,				Michigan, New York, Pennsylvan- ia, Texas.
Gossypium sp. (seed cotton)	Philippines. Haiti, Mexico- Virgin Islands-				Florida*, Texas. New York.
Gossypium sp. (cotton boll) Gossypium sp. (cotton; grabbots) Hibiscus esculentus (okra)	Brazil	1 4	1	1	Texas. New York.
In railway car	Puerto Rico. Mexico	1			Texas.
dae): Daucus carota (carrot)  Phatnoma annulipes Champ. (Tingidae):			2		Alabama, Louisiana.
Orchid	Mexico			2	Texas.
Ananas comosus (pineapple) Solanum melongena (eggplant)	Cubado				Louisiana, New York. New York.
Phelomerus germaini Pic (Bruchidae): Cercidium australe Phenacas pis sandwicensis Fullaway	Argentina			1	Washington.
(Coccidae): Cocos nucifera (coconut) Strelitzia sp. Phenacoccus gossypii Towns. & Ckll.	Hawaii		1	1	California.* Do.
(Coccidae): Coleus sp Phlyctinus callosus Boh. (Curculioni-	Mexico			1	Arizona.
dae): Vitis sp. (grape)	Union of South Africa.	7			Maryland, New York.
Phragmatobia fuliginosa (L.) (Arctiidae): Primula sp Phyllotreta cruciferae (Goeze) (Chrysomelidae):	England			1	New York.
Pyrus communis (pear)	France		1		Massachu- setts.
Physonota humilis Boh. (Chrysomelidae): Orchid Physorrhinus distigma Cand. (Elateridae):	Mexico			1	Arizona.
dae): Log Physorrhinus distigma cephalicus Cand.	Costa Rica, Mexico.	2			California.*
(Elateridae):  Cedrus sp. (cedar)  Phytomyza atricornis Meig. (Agromyzi-	Canal Zone	1			New York.
dae): Cichorium endivia (endive)	Belgium	64			Massachu- setts, New York.
Cichorium intybus (chicory)	do	8	1		New York.
Piezodorus purus (Stal) (Pentatomidae): Tetragonia arbuscula	Pretoria			1	District of Columbia.

		Number	of intercep	tions in	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Propaga-	Collected in—
Pinnaspis buxi (Bouche) (Coccidae):	Costo Disa	2		9	California *
Anthurium sp.	Costa Rica, Hawaii.			2	California*, Florida.
Cirrhopetalum sp. (orchid) Dendrobium fusiforme (orchid)	Australia			$\frac{1}{2}$	New Jersey. Hawaii.
Dendrobium speciosum	do			3	Hawaii, New Jersey,
Dandrohium on	d o			1	Washington Washington.
Dendrobium sp. Philodendron sp.	Hawaii			1 1	California.*
Pityogenes bidentatus (Herbst.) (Scolytidae):					
Pinus sp. (pine)	Germany, Netherlands.	4			Alabama, Nev York, Texas
Pityogenes chalcographus (L.) (Scolytidae):	Tvotiloriands.				Torn, Toras
Bark	Belgium, Swe-	2			New Jersey,
	den.				Pennsyl- vania.
Coniferous wood Picea sp. (spruce)	Finland Finland, Ger-	1 16			Pennsylvania. New York.
2 1000 Sp. (sp. 400)	many, Hun-	10			TWW TOTAL
T	gary, Sweden.				-
Pinus sp. (pine)	Germany, Hungary,	-			Louisiana, New York.
Pityophthorus sambuci Blkm. (Scolyti-	Netherlands.				
dae):	Mexico	1			California.
Salix sp. (willow)	do	1			Texas.
Plagiodera thymaloides Stal (Chrysomelidae):					-
Orchid	do			5	Do.
midae):  Musa paradisiaca sapientum					California.*
(banana)	Costa Itica				Camorma.
Platycarenus notulatus Stal (Pentatomidae):					_
Musa paradisiaca sapientum(banana)	Mexico	1			Do.
Platynota rostrana (Wlk.) (Tortricidae): Ananas comosus (pineapple)	Cuba	1			Louisiana.
Capsicum frutescens longum(long red pepper)	Mexico	3			California.*
Lycopersicon esculentum (tomato)	do	9			Texas.
Platynota stultana (Wlsm.) (Tortricidae): Beta vulgaris (beet)	do	1			Do.
Capsicum frutescens (pepper)	do	48			Arizona, Texas.
Lycopersicon esculentum (tomato) Platypus rugulosus Chapuis (Platy-	do	, 1			Texas.
nodidos).					-
Ananas comosus (pineapple)  Ceiba sp.  Log	Nicaragua	4			Do. New York.
Log	Costa Rica	1			South Caro- lina.
Platythrips tunicatus Hal. (Thripidae): Woods moss	England			1	New Jersey.
Plesiommata mollicella (Fowl.), Cicadel-	England			1	ivew Jersey.
$egin{aligned}  ext{lidae} : & & & & & & & & & & & & & & & & & & $	Mexico	1			Texas.
Poecilips persicae (Hopk.) (Scolytidae): Cyatheaceae	Hawaii	~ 1			California.*
Pogonocherus fasciculatus Deg. (Cerambycidae):		-			
Picea sp. (spruce)	Sweden	1			New York.
Polia oleracea (L.) (Phalaenidae): Beta vulgaris macrorhiza	England		1	/11==	Do.
(mangel-wurzel) "Poliasnis" nini Mask (Coccidae):					
Pinus thunbergii (2-leaved pine)  Pinus sp. (2-leaved pine)	Japan			1 3	Washington.
Pinus sp. (2-leaved pine)	do			3 1	California.*
a favor to a later to the same of the same				100	1=1
	- 10	- 0			

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Polycaon chiliensis (Cast.) (Bostrichi-					
dae):  Vitis sp. (grapc)  Polychrosis botrana (Schiff.) (Olethreuti-	Chile	1			New York.
dae): Vitis sp. (grape)	France, Italy	4	1		Massachu- setts, New
Prays oleellus (F.) (?) (Hyponomeuti-					York.
dae): Olea europaea (olive) Premnotrypes fractirostris Mshl. (Cur-	Lebanon	1			New York.
culionidae):  Solanum tuberosum (potato)  Premnotrypes solani Pierce (Curculionidae):	Peru		1		Texas.
Solanum tuberosum (potato) Premnotrypes vorax (Hust.) (Curculionidae):	do		2		Do.
Solunum tuberosum (potato)	Ecuador Bermuda		1		New York. Do.
Chrysanthemum sp.	Venezuela Honduras	1			Do.
Lilium longiflorum (Easter lily) Lycopersicon esculentum (tomato) Prodenia ornithogalli Gn. (Phalaenidac):	Mexico	1			Louisiana. Arizona.
Zinnia sp Prostephanus truncatus (Horn) (Bostri-	do	1			Texas.
chidae): Zea mays (corn) Protopulvinaria longivalvata (Green)	do			1	Do.
(Coccidae):  Antidesma bunius  (bignay China laurel)	Canal Zonc			1	Florida.
Gardenia augusta (gardenia)	Venezuela	3	1	1	Alabama, New York.
Eugenia jambos (rose-apple)	Canal Zone	-10		1	California.*
Gardenia augusta (gardenia) Lonicera sp	Cuba Bermuda	2		1	Florida.* New York.
Lonicera sp	Canal Zone			1	Texas.
Plumeria sp	Hawaii			1	California.*
Cymbidium findlaysonianum (orchid) Pseudaonidia tesserata (de Charm.) (Coccidae):	Philippines			1	Do.
Hibiscus sp	Hawaii			1	Do.
Citrus limon (lemon)	Argentina, Brazil.				Do.
Ixora sp.  Pseudischnaspis acephala Ferris (Coccidae):	Canal Zone			1	Florida.
Arundina bambusifolia (orchid) Pseudischnaspis alienus (Newst.) (Coccidae):	do			1	California.*
Brassavola sp. (orchid) Cattleya skinneri (orchid)	Honduras			1 1	Florida. New Jersey.
Cattleva sp	Guatemala			2	Florida, New Jersey.
Laelia anceps (orchid)	Mexico			1 1	Texas. California.*
Laelia autumnalis (?)	Guatemala			1	Do.
dae):  Cocos nucifera (coconut)	Hawaii, Phil- ippines.	7	2		California.*
Pseudococcus pini (Kuw.) (Coccidae): Pinus sp. (pine)	Japan, Korea			4	California*,
	=			1	District of Columbia, Washington.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Pseudococcus trichilae Brain (Coccidae): Leucadendron argenteum (silver leucadendron) Pseudodiaspis yuccae (Ckll.) (Coccidae):	Union of South Africa.	1			New Jersey.
Cactus————————————————————————————————————	Mexico			1	Arizona.
dae): Cattleya mossiae (orchid) Psila rosae (F.) (Psilidae):	Costa Rica			1	California.*
Apium graveolens (celery)	England, France, Netherlands.		11		Alabama, New York, Penn- sylvania, Texas.
Apium graveolens rapaceum (celeriac)	Denmark, Netherlands, Norway.		8		Louisiana, Texas,
Chrysanthemum sp Daucus carota (carrot)	Algeria, Belgium, Cuba,		43	1	New Jersey. Alabama, New York, Ohio,
	Denmark, England, France, Ire- land, Italy,				South Caro- lina, Texas, Virginia.
	Netherlands, Portugal, Sweden,				
Pastinaca sativa (parsnip)	Wales. England		4		Texas.
Ulmus sp. (elm) Ptochoryctis tsugensis (Kearf.) (?) (Xyloryctidae):	do	1			New York.
Cupressus sp. (cypress)  Pinus sp. (5-leaved pine)  Pulvinaria innumerabilis (Rath.) (Coccidae):	Japan			$\frac{1}{2}$	Washington. Do.
Vitis sp. (grape)	France				New Jersey.
Ficus paudurata (fiddleleaf fig)  Pittos porum sp.  Suzuaium cumini (iambolan-plum)	Trinidad Cuba Bermuda Philippines	1		1 1	New Jersey. Maryland. California.*
Puto mexicanus (CkII.) (?) (Coccidae):  Laelia sp. (orchid)	Mexico			1	Texas.
Beta vulgaris (beet)	Italy do France, Hungary, Italy.	18	1	1	Do. New Jersey. Maryland, Massachusetts, New York, Penn-
Zea mays (corn)	France	1	1	1	sylvania.  California*,  New York,  Texas.
dae): Tillandsia sp Renocis mexicanus Blkm. (Scolytidae):	Mexico			1	Texas.
Wood	do	1			Washington.
Saccharum officinarum (sugarcane)  Rhagoletis alternata (Fall.) (Tephriti-	American Samoa	1			Hawaii.
dae): Rosa sp. (rose) Rhagoletis alternata (Fall.) (?) (Tephritidae):	Sweden	1			New York.
Rosa sp. (rose)  Rhagoletis cerasi (L.) (Tephritidae):	Austria, Sweden.	1		1	New York, Washington.
Prunus sp. (cherry)	France, Germany, Italy, Portugal, unknown.	3	5		Massachu- setts, New York.

		Number	of intercep	tions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Rhagoletis cerasi (L.) (?) (Tephritidae): Prunus sp. (cherry)	France, Italy, Portugal, Spain.		4		Massachusetts, New York.
Rhagoletis juglandis Cress. (?) (Tephritidae): Juglans sp. (walnut) Rhagoletis pomonella (Walsh) (Tephriti-	Mexico	1			Texas.
dae): Crataegus sp. (red haw) Malus sylvestris (apple)	Mexico, unknown.	1 8	1		Do. New York, Texas.
Rhagoletis striatella Wulp (Tephritidae): Physalis sp. (husk tomato)	Mexico			,	Texas.
Armeria sp. (statice) Rhipibruchus leiboldi (Philippi) (Bruchidae): Prosopis sp				1	Do. District of
Rhipibruchus picturatus (Fahr.) (Bruchidae): Prosopis alba			- 0	2	Columbia.  District of
	do			1	Columbia, Oregon. Washington.
(Aphidae):  Tulipa sp. (tulip)	Netherlands	0.5		1	New York.
Ripersiella palestineae Hambl. (Cocci-	Cuba	25			Louisiana, New York, Texas.
dae):         Arum sp.         Iris sp.					District of Columbia.
Sternbergia sp Saldula saltatoria (L.) (Saldidae): Soil and moss packing Scolopostethus affinis (Schilling) (Lygaei-	Ireland			1	Do. New York.
dae): Soil around rhododendrons Scolytus intricatus (Ratz.) (Scolytidae): Quercus sp. (oak)	England				Washington.
Sesamia cretica (Led.) (Phalaenidae): Sorghum vulgare technicum (broomcorn)	France, Italy				Maryland, New York.
Sesamia vuteria (Stoll) (Phalaenidae): Sorghum vulgare technicum (broomcorn) Sibine stimulea (Clem.) (Limacodidae):	Morocco, Portugal.				New York.  California.*
Musa paradisiaca sapientum (banana) Sinoxylon anale Lesne (Bostrichidae): Wood	Costa Rica India				New York.
Sinoxylon conigerum Gerst. (Bostrichidae):  Cocos nucifera (coconut)	Ceylon, India_				Hawaii. New York.
Sinoxylon sexdentatum (Oliv.) (Bostrichidae):  Leguminosae (?)		1 2			Pennsylvania.
Sisamnes contractus Dist. (Lygaeidae):  Ananas comosus (pineapple)  Sitona humeralis Steph. (Curculionidae):  Allium sativum (garlic)	Italy	1			Texas.  New York.
Lilium sp. (lily)	. dodo	1		1	
Sitona lineata (L.) (Curculionidae):  Apium graveolens (celery)  Narcissus sp  Rhododendron sp	Netherlandsdodo		1	1 1	Pennsylvania. New York. New Jersey.

Sirconstus lutaiceps Renter (Miridae):   Cactus			Number	of intercept	tions in—	
Caclus	Insect and host		sump-		aga-	Collected in—
Flower	Sixeonotus luteiceps Reuter (Miridae):					
Spectuel to plant. Cythas purpureus (purple broom). Cythas purpureus (poticib broom). Laburnum anapyroides (coldenbain). Spectularius impressithora (Pic) (Bruchidae): Laburnum anapyroides (coldenbain). Spectularius impressithora (Pic) (Bruchidae): Erythrina tomentosa. Spermophagus cardui (Boh.) (Bruchidae): Spermophagus cardui (Boh.) (Bruchidae): Conjenus cajan (pigeonpea). Ciginus cajan (pigeonpea). Stenoma anonella Sepp. (Stenomidae): Annona sp. Stenoma anonella Sepp. (Stenomidae): Annona sp. Stenoma anonella (Soursop). Almona sp. Stenoma anonella (Soursop). Stenoma anonella (Sours	Cactus	Mexico	1		1	
Cytisus purpureus (pulpile broom)	Mammillaria sp. (cactus)	do			1	$D_0$ .
Cytisus a coparius (Scotch broom)	Sparteus villosus (F.) (Bruchidae):	T. 1			1	
Spering impressiborae (Pic) (Bruchic Ministry of Concolorius impressiborae (Pic) (Bruchic Ministry of Concolorius artensis.  Spermaphagus cardui (Boh.) (Bruchicae): Concolorius artensis.  Sphenarches caffer (Zell.) (Pterophoridae): Cajanus cajan (pigeonpea). Spintherus leguninum Ratz. (Pteromalidae): Astragalus sp. Stenoma anonella Sepp. (Stenomidae): Annona muricala (soursop). Annona muricala (soursop). Stenoma catenifer (Wism.) (Stenomidae): Brazil, British Squador.  Persea americana (avocado)  Brazil, British Squador. Venezutela, Honduras, Mexico. Sulvador. Venezutela, Honduras.  Stephanoderes baseki Hopk. (Scolytidae): Myristica fragrans (natimeg).  Stephanoderes baseki Hopk. (Scolytidae): Musu paradisiaca sapientum (banana) Poinciana sp. (Cfer.) Saccharun officinarum (sugarcane) Seed pod. Saccharun officinarum (sugarcane) Sweden. Sugarcane) Scoland. Swe	Cytisus scoparius (Scotch broom)	do			1	Do.
Speringly magnetic week strong the control of the c	Cytisus sp	Austria Italy			1 1	
Erythrina tomentosa   Spermophagus cardui (Boh.) (Bruchidae);   Convolvulus arvensis.   Turkey.   1 District of Columbia.   Sphenarches caffer (Zell.) (Pterophoridae);   Astragalus sp.   Sphenarches caffer (Zell.) (Pteromalidae);   Astragalus sp.   Turkey.   1 District of Columbia.   Stenoma anonella Sepp. (Stenomidae);   Annona muricala (soursop).   Annona muricala (soursop).   Annona muricala (soursop).   Stenoma catenifer (Wism.) (Stenomidae);   Persea americana (avocado)   Brazil, British   19   12   Alabama, California*   Eniador, University, Eniador, Eniadoria, Eniador, University, Eniador, University, Eniador, Eniador, University, Eniador,	Spartium junceum (weavers-broom) - Specularius impressithorax (Pic) (Bruch-	do			1	
Convolutius arerensis	Erythrina tomentosa	Kenya			1	Do.
Sphenarches caffer (Zell.) (Pterophoridae):   Cajanus cajan (pigeonpea)	Convolvulus arvensis	Turkey			1	
Cajanus cajan (pigeonpea). Spintherus leguminum Ratz. (Pteromalidae): Astragalus Sp  Stenoma anonella Sepp. (Stenomidae): Annona muricata (soursop). Salvador. Stenoma catenifer (Wism.) (Stenomidae): Persea americana (avocado).  Stenama Stenoma catenifer (Wism.) (Stenomidae): Persea americana (avocado).  Stephandies Colombia.  Stenama, Brazil, British West Indies.  Stephanoters buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg).  Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg).  Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg).  Stephanoderes leconter Hopk. (Scolytidae): Alexanor Colombia.  Brazil, British 19 12  Alabama.  1 Florida.  Stephanoderes buscki Hopk. (Scolytidae): Alexanor Colombia.  Indies.  Stephanoderes leconter Hopk. (Scolytidae): Alexanor Colombia.  Stephanoderes leconter Hopk. (Scolytidae): Alexanor Colombia.  Indies.  Stephanoderes leconter Hopk. (Scolytidae): Alexanor Colombia.  Indies.  Stephanoderes leconter Hopk.  Goffea p. (coffee).  Brazil.  Stephanoderes leconter Hopk.  Goffea p. (coffee).  Brazil.  I Do.  Stephanoderes leconter Hopk.  Stephanoderes leconter Hopk.  Goffea p. (coffee).  Brazil.  I Do.  Stephanoderes leconter Hopk.  Goffea p. (coffee).  Brazil.  I Do.  St						Columbia.
Turkey	Cajanus cajan (pigeonpea)					New York.
Annoma muricala (soursop)	Astragalus sp	Turkey			1	
Persea americana (avocado) Brazil, British West Indies Colombia, Ecuador, Guatemala, Honduras, Mexico, Nicaragua, Panama, Peru, Puerto Rico, Salvador, Venezuela. Honduras Myristica fragrans (nutmeg) British West Indies.  Stephanoderes buseki Hopk. (Scolytidae): Myristica fragrans (nutmeg) British West Indies.  Stephanoderes hampei (Ferr.) (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?) Musa paradisiaca sapientum (banana) Poinciana sp. (?) Moscaragua (Stephanoderes buseki Hopk. (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?) Moscaragua (Stephanoderes buseki Hopk. (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?) Moscaragua (Stephanoderes decontei Hopk. (Scolytidae): Moscaragua (Stephanoderes decontei Hopk. (Scolytidae): Musa paradisiaca sapientum (sugarcane) do 1 Do.  Stephanoderes ducontei Hopk. (Scolytidae): Moscaragua (Stephanoderes decontei Hopk. (Scolytidae): Austenum officinarum (sugarcane) do 1 Do.  Secchanum officinarum (sugarcane) do 1 Do.  Secchanum officinarum (sugarcane) do 1 Do.  Sectophosoma melanogramma Forst. (Curculninidae): Ancthum graveolens (dill) Mexico 1 Do.  Systole geniculata Foerst. (Eurytomidae): Ancthum graveolens (dill) Mexico 1 Do.  Sweden 1 Pennsylvania Arizona New York. Massachusetts Sweden 1 Mexico 1	Annona muricata (soursop) Annona sp		1 1			
Colombia, Ecuador, Guatemala, Honduras, Massachusetts, New York, Texa Mexico, Nicaragua, Panama, Peru, Puerto Rico, Salvador, Venezuela. Honduras. Messico, Nicaragua, Panama, Peru, Puerto Rico, Salvador, Venezuela. Honduras. I California.*  Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrams (nutmeg). British West I Moderes buscki Hopk. (Scolytidae): Myristica fragrams (nutmeg). British West I Moderes deconter Hopk. (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?). Brazil. I Do.  Stephanoderes leconter Hopk. (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?). Mexico I Texas. Saccharum officinarum (sugarcane) Seed pod. Jo. Do.  Strophosoma melanogramma Forst. (Curcullonidae): Anethum graveolens (dill) De. Jo. Mexico I Petroselinum crispum (parsley) Mexico I New York. Massachusetts Dianthus sp. (carnation) Switzerland I New York. Massachusetts Dianthus sp. (carnation) Switzerland I New York. Massachusetts Dianthus sp. (carnation) Sweden I New York. Sweden I Do.  Taenoithrips dianthi Pr. (Thripidae): Dianthus sp. (carnation) Unknown I Do.	Persea americana (avocado)		19	12		
Guatemala, Honduras, Mexico, Nicaragua, Panama, Peru, Puerto Rico, Salvador, Venezuela. Honduras. 1  Persea schiedeana (coyo avocado) Stephanitis pyrioides Scott (Tingidae): Rhododendron sp. Stephanoderes buscki Hopk. (Scolytidae): Myristica frograns (nutmeg) British West Coffea sp. (coffee). Brazil 1 Do. Stephanoderes hampei (Ferr.) (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?) Brazil 1 Do. Stephanoderes lecontei Hopk. (Scolytidae): Musa paradisiaca sapientum (banana) Poinciana sp. (?) Mexico 1 South Carolina. Seed pod. 1 Do. Strophosoma melanogramma Forst. (Curculionidae): Anethum graveolens (dill) Do. Strophosoma melanogramma Forst. (Curculionidae): Anethum graveolens (dill) Mexico 1 Do. Strophosoma melanogramma Forst. (Curculionidae): Anethum graveolens (dill) Mexico 1 Pennsylvania Aster sp. Mexico 1 Pennsylvania Arizona. Switzerland 1 New York. Switzerland 1 New York. Switzerland 1 New York. Switzerland 2 New York. Sweden 1 Do. Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation) Unknown 1 Do.		Colombia,				Florida*,
Mexico, Nicaragua, Panama, Peru, Peru, Peru, Peru, Peru, Peru, Puerto Rico, Salvador, Venezucla.  Stephanitis pyrioides Scott (Tingidae): Rhododendron sp. Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg).  Stephanoderes buscki Hopk. (Scolytidae): Mristica fragrans (nutmeg).  Stephanoderes hampei (Ferr.) (Scolytidae): Brazil.  Stephanoderes lecontei Hopk. (Scolytidae): Musa paradisiaca sapientum (Scolytidae): Musa paradisiaca sapientum (Saparama Poinciana sp. (?)  Saccharum officinarum (sugarcane).  Seed pod.  Seed pod.  Strophosoma melanogramma Forst. (Curculloinidae): Anethum graveolens (dill).  Petroselinum crispum (parsley).  Taeniothrips atratus (Hal.) (Thripidae): Aster sp. Sudarnation).  Lathyrus odoratus (sweet pea).  Scotland, Sweden.  Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation).  Sweden.  Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation).  Sweden.  Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation).  Taeniothrips arcatical.  Taeniothrips arcatical.  Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation).		Guatemala,				Massachu-
Persea schiedeana (coyo avocado) Stephanitis pyrioides Scott (Tingidae): Rhododendron sp						setts, New York, Texas.
Persea schiedeana (coyo avocado) Stephanitis pyrioides Scott (Tingidae): Rhododendron sp. Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg)						
Salvador, Venezucla.   Honduras.   1   Florida.		Peru,	9			
Persea schiedeana (coyo avocado)   Stephanitis pyrioides Scott (Tingidae): Rhododendron sp.   Stephanoderes buscki Hopk. (Scolytidae): Myristica fragrans (nutmeg)   Stephanoderes hampei (Ferr.) (Scolytidae): Coffea sp. (coffee)   Stephanoderes lecontei Hopk. (Scolytidae): Musa paradisiaca sapientum   Guatemala   1   South Carolina. Poinciana sp. (?)   Mexico   1   Do. Seed pod   Do. Strophosoma melanogramma Forst. (Curculionidae): Woods moss   Systole geniculata Foerst. (Eurytomidae): Anethum graveolens (dill)   Petroselinum crispum (parsley)   Taeniothrips atratus (Hal.) (Thripidae): Aster sp.   Dianthus sp. (carnation)   Sweden   1   Mexico   1   Mexico   1   Mexico   1   Pennsylvania Arizona.   New York.   Sweden   1   Mexico   1		Salvador,				
Stephanoderes buscki Hopk. (Scolytidae):   Myristica fragrans (nutmeg)					1	Florida.
Stephanoderes hampei (Ferr.) (Scolytidae):   Coffea sp. (coffee)	Rhododendron sp.	Japan			1	California.*
Stephanoderes hampei (Ferr.) (Scolytidae):  Coffea sp. (coffee)	Myristica fragrans (nutmeg)	British West	1			New York.
Coffea sp. (coffee) Stephanoderes lecontei Hopk. (Scolytidae):  Musa paradisiaca sapientum (banana) Poinciana sp. (?) Saccharum officinarum (sugarcane) Seed pod Strophosoma melanogramma Forst. (Curculionidae): Woods moss Systole geniculata Foerst. (Eurytomidae): Anethum graveolens (dill) Petroselinum crispum (parsley) Taeniothrips atratus (Hal.) (Thripidae): Aster sp. Dianthus sp. (carnation)  Lathyrus odoratus (sweet pea)  Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation) Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aragilis Mlt. (Thripidae):	Stephanoderes hampei (Ferr.) (Scolyti-	Indies.				
Stephanoderes lecontei Hopk. (Scolytidae):  Musa paradisiaca sapientum	Coffea sp. (coffee)	Brazil		1		Do.
Musa paradisiaca sapientum (banana)  Poinciana sp. (?)	Stephanoderes lecontei Hopk. (Scolyti-					
Poinciana sp. (?) Saccharum officinarum (sugarcane) Seed pod. Strophosoma melanogramma Forst. (Curculionidae): Woods moss Systole geniculata Foerst. (Eurytomidae): Anethum graveolens (dill) Petroselinum crispum (parsley) Taeniothrips attatus (Hal.) (Thripidae): Aster sp. Dianthus sp. (carnation)  Rosa sp. (rose) Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation)  Taeniothrips gracilis Mlt. (Thripidae): Unknown  Tueniothrips gracilis Mlt. (Thripidae):  Taeniothrips gracilis Mlt. (Thripidae): Unknown  Tueniothrips gracilis Mlt. (Thripidae): Taeniothrips gracilis Mlt. (Thripidae): Tueniothrips gracilis Mlt. (Thripidae):	Musa paradisiaca sapientum	Guatemala	1			
Strophosoma melanogramma Forst. (Curculionidae): Woods moss	Poinciana sp. (?)	Mexico	1			Texas.
culionidae):    Woods moss	Seed pod Standard Sta	do	i			
Systole geniculata Foerst. (Eurytomidae): Anethum graveolens (dill) Petroselinum crispum (parsley) Taeniothrips atratus (Hal.) (Thripidae): Aster sp. Dianthus sp. (carnation)  Rosa sp. (rose) Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation)  Taeniothrips gracilis Mlt. (Thripidae): Unknown  Taeniothrips gracilis Mlt. (Thripidae):	culionidae):					
Petroselinum crispum (parsley) Taeniothrips atratus (Hal.) (Thripidae): Aster sp. Dianthus sp. (carnation)  Lathyrus odoratus (sweet pea)  Rosa sp. (rose) Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation)  Taeniothrips gracilis Mlt. (Thripidae):  Unknown  Taeniothrips gracilis Mlt. (Thripidae):	Systole geniculata Foerst. (Eurytomidae):					
Aster sp. Dianthus sp. (carnation)  Lathyrus odoratus (sweet pea)  Rosa sp. (rose) Taeniothrips dianthi Pr. (Thripidae): Dianthus sp. (carnation)  Taeniothrips aracilis Mlt. (Thripidae):  Taeniothrips aracilis Mlt. (Thripidae):	Petroselinum crispum (parsley)	Mexico	1	1		
Lathyrus odoratus (sweet pea)  Rosa sp. (rose) Taeniothrips dianthi Pr. (Thripidae):  Dianthus sp. (carnation) Taeniothrips gracilis Mlt. (Thripidae):  Unknown  1  Setts. New York.  Sweden  Unknown  1  Do.	Aster sp	Switzerland Sweden				
Rosa sp. (rose) Sweden Do. Taeniothrips dianthi Pr. (Thripidae):  Dianthus sp. (carnation) Unknown Do. Taeniothrips gracilis Mlt. (Thripidae):		Scotland,				setts.
Dianthus sp. (carnation) Unknown 1 Do.	Rosa sp. (rose)	Sweden. Sweden	1			Do.
Taeniothrips gracilis Mlt. (Thripidae):	Dianthus sp. (carnation)	Unknown		1		Do.
Lycoris sp. 1   New Jersey.	Lycoris sp	China			1	New Jersey.
Vanda sp. (orchid) 1 Do.		India			1	Do.

		Number	of intercep		
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Taeniothrips hawaiiensis (Morg.)					
(Thripidae): Bougainvillea sp	Howaii	2			California.*
Canavalia sp	do	7			Do.
Dianthus sp. (carnation)	do				Do.
Flower lei	do	1			Do. Do.
Taeniothrips simplex (Mor.) (Thripidae):					
Dianthus sp. (carnation)	Guatemala, Mexico,	2	1		Louisiana, Texas.
	Peru.				
Gladiolus sp	Cuba, Mexico, Netherlands.		3	5	California*, Louisiana,
	New Zea-				New Jersey,
	land, Peru, Venezuela.				New York, Texas.
	0			_	Washington.
Ornithogalum thyrsoides(chinkerichee)	Cape of Good Hope.			1	New Jersey.
Talponia batesi Hein. (Olethreutidae):	_				
Annona cherimola (cherimoya) Tanymecus confusus Say (Curculioni-	Mexico	2			Texas.
dae):					
Ananas comosus (pineapple)	do	1			Do.
dae):			-		
Ananas comosus (pineapple)	Cuba, Hawaii, Mexico.	40			California*, New York,
	WICKICO.				Texas.
"Targionia" hartii (Ckll.) (Coccidae): Dioscorea sp. (yam)	American Vir-	6			Hawaii,
Dioscorea sp. (yam)	gin Islands,	U			Massachu-
	Barbados, China,				setts, New York.
	Nevis, St.				IOIR.
	Kitts, West Indies.				
"Targionia" sacchari (Ckll.) (Coccidae):					
<i>Cymbopogon citratus</i> (lemon grass) Gramineae	Jamaica Guam	1		1	Florida.* California.*
Pennisetum purpureum	Trinidad			1	New Jersey.
(napier grass) Saccharum officinarum (sugarcane)	Puerto Rico	9			New York,
<b>,</b>	1 der to 1tico	2			Virginia.
Targionia vitis (Sign.) (Coccidae):	Italy			1	Michigan.
Vitis sp. (grape) Tenthecoris angustimarginatus Hsiao &	loary			•	Wildingan.
Sailer (Miridae):  Laelia sp. (orchid)	Movico			2	Texas.
Orchid	dodo			10	Do.
Tenthecoris bicolor Scott (Miridae): Cattleya sp. (orchid)	Brazil			1	New Jersey.
Orchid.	do			1	Puerto Rico.
Tenthecoris confusus Hsiao & Sailer (Miridae):					
Cattleya sp. (orchid)	Honduras			1	Texas.
Cattleya sp. (orchid)	Mexico	1		1	Do. Do.
Orcnid	do			10	Do.
Tenthecoris distinctus Hsiao & Sailer (Miridae):					
Cycnoches chlorochilon (orchid)	Canal Zone			1	Florida.
Orchid	Mexico			14	Texas.
(Miridae):					731
Orchid	Costa Rica		t .	1	Florida.
Cattleva sp. (orchid)	Colombia			1	Texas.
Tenthecoris venezuelensis Hsiao & Sailer (Miridae):				1	
Cattleya sp. (orchid)	Vcnezuela			5	New Jersey,
Orchid	1			4	Texas. Florida,
Oremu					New Jersey,
Tenthecoris vestitus (Dist.) (Miridae):					New York.
Epidendrum fragrans (orchid)	Guatemala			1	California.*

Tenthecoris vestitus—Continued Odontoglossum pulchellum (orchid) Oncidium bicallosum (orchid) Termes hispaniolae (Banks) (Termitidae): Chlorophora tinctoria (fustictree) Tetraleurodes hederae Goux (Aleyrodidae): Hedera canariensis var. variegata Tetraleurodes mori (Q.) (Aleyrodidae): Citrus aurantifolia (sour lime)	Colombia		Non- entry	Propaga- tion	California.*
Odontoglossum pulchellum (orchid) Oncidium bicallosum (orchid) Termes hispaniolae (Banks) (Termitidae): Chlorophora tinctoria (fustictree) Tetraleurodes hederae Goux (Aleyrodidae): Hedera canariensis var. variegata Tetraleurodes mori (Q.) (Aleyrodidae): Citrus aurantifolia (sour lime) Citrus sinensis (orange)	Colombia				
Chlorophora tinctoria (fustictree)  Tetraleurodes hederae Goux (Aleyrodidae):  Hedera canariensis var. variegata  Tetraleurodes mori (Q.) (Aleyrodidae):  Citrus aurantifolia (sour lime)  Citrus sinensis (orange)  Citrus sp.	France	1			
Tetraleurodes mori (Q.) (Aleyrodidae): Citrus aurantifolia (sour lime) Citrus sinensis (orange) Citrus sp.					New York.
Citrus sp	AT a such as			1	New Jersey.
Ataminum alam dan (alamadan)	Mexico	6			Texas. Do. Do.
everium oleander (oleander)	do			1	Arizona.
Tetrapriocera longicornis (Oliv.) (Bostrichidae):	do	1 1		1	Do. Do.
Ananas comosus (pineapple)	do	1			Texas.
Persea americana (avocado)	do	2			Do.
Thrips flavus Schr. (Thripidae): F	France		1		New York.
Phlox sp. N Rosa sp. (rose) E	Norway	1		1	Do. New Jersey.
Thrips fuscipennis Hal. (Thripidae):	Norway England Jermany Denmark	1	1	1	New York. Do.
Thrips hawaiiensis (Morg.) (Thripidae): T	Switzerland Denmark		1 1		Do. Do.
Vanda sp. (orchid)	Hawaii	1			Hawaii.
Thrips trehernei Pr. (Thripidae): E	England			1	New Jersey.
Tomaspis postica Wlk. (Cercopidae): Saccharum officinarum (sugarcane)	British Col- umbia.	1			Minnesota.
Tomoplagia obliqua (Say) (Tephritidae): Airplane Trapezonotus arenarius (L.) (Lygaeidae):	Mexico		1		Arizona.
Soil					Texas.
Woods moss around rose cutting F Trialeurodes lauri (Sign.) (Aleyrodidae): Laurus sp	France Fermany			1 1	New York. New Jersey.
Trialeurodes vaporariorum (Westw.) In (Aleyrodidae):	taly	2			New York.
Herb  Jasminum polyanthum  Rosa sp. (rose)  Trichobaris mucorea (Lec.) (Curculionidae):	Mexico England Mexico	1		1 1	Texas. California.* Texas.
Solanum melongena (eggplant) Trionymus lounsburyi Brain (Coccidae):	do	1			Arizona.
Trioza anceps Tuth. (Psyllidae):	Union of South Africa.			1	New Jersey.
	Mexico				Texas.
Trupanea pentziana Munro (Tephritidae):	do			1	Do.
Tychius inermis Csy. (Curculionidae):	Pretoria			1	District of Columbia.
Tillandsia usneoides (Spanish moss) Ulopa reticulata (F.) (Cicadellidae): Calluna rulgaris (heather)	Mexico				Texas.
Unaspis citri (Comst.) (Coccidae): S	Scotland				Washington.
Citrus reticulata (tangerine) P	Panama Brazil		1		California.* New York.

		Number	of intercept	ions in—	
Insect and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in-
Inaspis citri—Continued Citrus sinensis (orange)	Brazil, Mexico, Panama.		5		California*, Florida.*
Unaspis yanonensis (Kuw.) (Coccidae): Citrus reticulata (tangerine) Valtissus diversus (Dist.) (Lygaeidae):	Trinidad.  Japan		3		California.*
Orchid	Mexico			1	Texas.
Rhododendron sp	Japan			1	Washington
Aspasia sp. (orchid) Brassia caudata (orchid)	Canal Zonedo			1 1 2	Texas. California.* California*, New Jerse
Cattleya sp. (orchid)	Venezuela Canal Zone Trinidad			1 1 1	New Jersey.  Rew Jersey.  Florida.  Do.
Ixora spOncidium confusum (orchid)	Canal Zone			$\frac{1}{2}$	Hawaii, Texas.
Orchid	Canal Zone, Jamaica.			5	California*, Florida.
Renanthera sp. (orchid)	Straits Settle- ments.			1	New Jersey.
LogLog	Costa Rica	2			South Caro- lina.
Cylopsocus capucinus (F.) (Bostrichi-	Mexicodo	1 1			Texas.
dae):  Derris sp	China	1			New York.
Dendrobium phalaenopsis (orchid)  Yylothrips flavipes (Ill.) (Bostrichidae):	Australia			1	California.*
WoodZabrotes subfasciatus (Boh.) (Bruchidae):	Ceylon	1			New York.
AirplaneBean	Honduras Cuba, England, Mexico, Netherlands, Portugal, Puerto Rico, Venezuela.	5	1 4		Texas. District of Columbia Missouri, New York Texas.
Cajanus cajan (pigeonpea)	Guatemala			2	District of Columbia
Chrysanthemum sp Lycopersicon esculentum (tomato) Phaseolus lunatus (sieva bean)	MexicodoGuatemala	1		1	Texas. Do. District of
Phaseolus lunatus macrocarpus (lima bean)	Argentina		1		Columbia Texas.
Phaseolus vulgaris (kidney bean)	India			1	District of Columbia
Phaseolus sp	Mexico, Puerto Rico.	1	1		California*, New Yor
Zale sabena (Schaus) (Phalaenidae): Orchid	Mexico			1	Texas.

ABIES:

Aspidiotus abietis (Homoptera) ACACIA:

Algarobius ceratioborus (Coleoptera) Dendrobiella sericans (Coleoptera) Mimosestes dominicanus (Coleoptera)

ACER:

Ceroplastes ceriferus (Homoptera) Parlatoria theae (Homoptera)

ACHRAS:

Anastrepha serpentina (Diptera) Aspidiotus diffinis (Homoptera) Asterolecanium pustulans (Homoptera)

Crophius scabrosus (Coleoptera) Monomorium destructor (Hymenoptera)

AGROSTIS:

Xylomeira torquata (Coleoptera)
ALLIUM CEPA:

Acrolepia assectella (Lepidoptera) Lygaeus consanguinitus (Coleoptera) Myzus ascalonicus (Homoptera)
ALLIUM PORRUM:
Acrolepia assectella (Lepidoptera)
ALLIUM SATIVUM:

Brachycerus albidentatus (Coleoptera) Brachycerus algirus (Coleoptera) Listroderes aequivocus (Coleoptera) Sitona humeralis (Coleoptera)

"Chionaspis" exalbida (Homoptera)
"Chionaspis" humilis (Homoptera)

ALYXIA:

Ceroplastes rubens (Homoptera)
Eucalymnatus tessellatus (Homoptera)
ANANAS:

Acrosticta mexicana (Diptera) Alpheias conspirata (Lepidoptera)
Chalcodermus dentiferus (Coleoptera)
Clerada apicornis (Coleoptera) Genopaschia protomis (Coleoptera)
Horistonotus dilaticornis (Coleoptera)
Horistonotus rufiventris (Coleoptera)
Hypolithus pectoralis (Coleoptera)
Ligyrocoris litigiosus (Hemiptera)
Monomorium destructor (Hymenoptera)
Pheiodole megacephala (Hymenoptera) Platynota rostrana (Lepidoptera) Platypus rugulosus (Coleoptera) Ribua innoxia (Lepidoptera) Sisamnes contractus (Hemiptera)
Tanymecus confusus (Coleoptera)
"Targionia" bromiliae (Homoptera) Tetrapriocera longicornis (Coleoptera) Xylomeira torquata (Coleoptera)

ANEMONE:

Anuraphis tulipae (Homoptera) ANETHUM:

Systole geniculata (Hymenoptera)

ANNONA:

Aleurotrachelus trachoides (Homoptera) Anastrepha fraterculus (?) (Diptera) Anastrepha ludens (Diptera) Coccotrypes carpophagus (Coleoptera)
Stenoma anonella (Lepidoptera)
Talponia batesi (Lepidoptera)
ANTHURIUM:
Asterolecanium epidendri (Homoptera)

Ceroplastes rubens (Homoptera) Chrysomphalus umboniferus (Homoptera)
Pinnaspis buxi (Homoptera)
Pulvinaria psidii (Homoptera)
ANTIDESMA:

Protopulvinaria longivalvata (Homoptera) ANTIRRHINUM:

Frankliniella insularis (Thysanoptera)

APIUM:

Euleia heraclei (Diptera) Psila rosae (Diptera) Sitona lineata (Coleoptera)

ARMERIA:

Rhinoncus pyrrhopus (Coleoptera)

ARUM:

Ripersiella palestineae (Homoptera)

ARUNDINA:

Pseudischnaspis acephala (Homoptera

ASPASIA:

Vinsonia stellifera (Homoptera)

ASTER:

Prodenia eridania (Lepidoptera) Taeniothrips atratus (Thysanoptera)
Thrips fuscipennis (Thysanoptera)
Thrips nigropilosus (Thysanoptera)
ASTILBE:

Brachyrhinus sulcatus (Coleoptera)
ASTRAGALUS:

Spintherus leguminum (Hymenoptera)

Parlatoria camelliae (Homoptera)

BAMBOO:

Asterolecanium bambusae (Homoptera) Dinoderus brevis (Coleoptera) Heterobostrychus aequalis (Coleoptera)

BETA

Aeoloides grisescens (Coleoptera) Lixus junci (Coleoptera)

Megasternum boletophagum (Coleoptera) Platynota stultana (Lepidoptera)
Polia oleracea (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
BOUGAINVILLEA:

Haplothrips gowdeyi (Thysanoptera)
Taeniothrips hawaiiensis (Thysanoptera)
BRACHYCHITON:

Doratifera oxleyi (Lepidoptera) BRASSAVOLA:

Furcaspis biformis (Homoptera) Pseudischnaspis alienus (Homoptera)

Vinsonia stellifera (Homoptera) BRASSICA OLERACEA BOTRYTIS:

Leptophobia aripa (Lepidoptera) Lygus fraudentus (Hemiptera)

Mamestra brassicae (Lepidoptera) BRASSICA OLERACEA CAPITATA: Diabrotica speciosa (Coleoptera)
Eurydema ornatum (Hemiptera)
Evergestis forficalis (Lepidoptera)
Evergestis rimosalis (Lepidoptera)
Hellula phidilealis (Lepidoptera)
Mamestra brassicae (Lepidoptera)
BRASSICA RAPA:
Hellula phidilealis (Lepidoptera)

Hellula phidilealis (Lepidoptera)
BRASSICA SP. (mustard)
Glyphonyx quadricollis (Coleoptera)
BROMELIAD:
Chelymorpha biannularis (Coleoptera) Epilachna varivestis (Coleoptera) Lygaeus vittiscutis (Hemiptera) Monanthia monotropidia (Hemiptera) Ozophora consanguineus (Hemiptera) Vinsonia stellifera (Homoptera) BROWNEA:

Dercynus micronyx (Coleoptera)
BRYOPHYLLUM:

Coccus viridis (Homoptera) Haplothrips gowdeyi (Thysanoptera)

CACTUS

Icerya palmeri (Homoptera) Lepidosaphes philococcus (Homoptera) Mimorista flavidissimalis (Lepidoptera) Pseudodiaspis yuccae (Homoptera) Sixeonotus luteiceps (Hemiptera)

CAESALPINIA

Algarobius ceratioborus (Coleoptera) CAJANUS:

Acanthoscelides armitagei (Coleoptera) Ancylostomia stercorea (Lepidoptera) Callosobruchus chinensis (Coleoptera) Callosobruchus maculatus (Coleoptera) Cryptocephalus nigrocinctus (Coleoptera) Fundella pellucens (Lepidoptera)
Maruca testulalis (Lepidoptera)
Monomorium destructor (Hymenoptera) Neodryocoetes guianae (Coleoptera) Sphenarches caffer (Lepidoptera) Zabrotes subfasciatus (Coleoptera)

CALLUNA:

Dalopius marginatus (Coleoptera) Gelechia ericetella (Lepidoptera) Micrelus ericae (Coleoptera) Ulopa reticulata (Homoptera)

CALOCARPUM:

Anastrepha serpentina (Diptera) CAMELLIA:

Aleurotrachelus camelliae (Homoptera)

CAMELLIA—Continued Aspidiotus degeneratus (Homoptera) Ceroplastes rubens (Homoptera) Coptosoma cribraria (Hemiptera) Parlatoria camelliae (Homoptera) CANANGIUM:
Aonidiella citrina (Homoptera) CANAVALIA: Haplothrips gowdeyi (Thysanoptera)
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera)
Taenica hawaiiensis (Thysanoptera) Arvelius albopunctatus (Hemiptera) Dysdercus mimulus (Hemiptera) Gnorimoschema gudmannella (Lepidoptera) Lineodes triangularis (Lepidoptera) Liriomyza pusilla (Diptera) Platynota rostrana (Lepidoptera) Platynota stultana (Lepidoptera) Ceratitis capitata (Diptera) Dacus dorsalis (Diptera) CASSIA: Caryedon fuscus (Coleoptera)
CASTANEA:
Hemimene juliana (Lepidoptera)
Laspeyresia splendana (Lepidoptera) CATASETUM: Asterolecanium epidendri (Homoptera) Ferrisiana virgata (Homoptera) CATTLEYA: Asterolecanium epidendri (Homoptera)
Calligrapha elegantula (Coleoptera)
Chrysomphalus tenax (Homoptera)
Coccus pseudohesperidum (Homoptera)
Eurytoma orchidearum (Hymoptera) Furcaspis biformis (Homoptera)
Mordellistena cattleyana (Coleoptera)
Pseudischnaspis alienus (Homoptera) Pseudoparlatoria ostreata (Homoptera) Tenthecoris bicolor (Hemiptera)
Tenthecoris confusus (Hemiptera)
Tenthecoris exitiosus (Hemiptera)
Tenthecoris venezuelensis (Hemiptera)
Vinsonia stellifera (Homoptera) CEDRUS: Gastrodes pacificus (Hemiptera) Physorrhinus distigma cephalicus (Coleoptera) Platypus rugulosus (Coleoptera)
CERATONIA:
Myelois ceratoniae (Lepidoptera) Myelois notatalis (Lepidoptera) CERCIDIUM: Phelomerus germaini (Coleoptera) CHAENOMELES: Ceroplastes japonicus (Homoptera) Ceroplastes rubens (Homoptera) CHLOROPHORA: CHLOROPHORA:
Termes hispaniolae (Isoptera)
CHRYSANTHEMUM:
Anuraphis helichrysi (Homoptera)
Camirus conicus (Hemiptera)
Ligyrocoris aurivilliana (Hemiptera)
Loxostege similalis (Lepidoptera)
Lygus oblineatus (Hemiptera)
Prodenia eridania (Lepidoptera)
Psila rosae (Diptera)
Zabrotes subfasciatus (Coleoptera)
CHRYSOPHYLLUM:
Anastrepha serpentina (Diptera) Anastrepha serpentina (Diptera) CICER: Callosobruchus analis (Coleoptera)
Callosobruchus chinensis (Coleoptera)
Callosobruchus maculatus (Coleoptera) CICHORIUM: Phytomyza atricornis (Diptera)
Thrips angusticeps (Thysanoptera)
CIRRHOPETALUM: 'innaspis ouxi (Homoptera) Bruchidius biguttatus fulvipennis (Coleoptera)
CITRUS AURANTIFOLIA:

Aleurocanthus woglumi (Homoptera) Anastrepha ludens (Diptera)

Aonidiella comperei (Homoptera)

Aspidiotus excisus (Homoptera)

CITRUS AURANTIFOLIA—Continued Aspidiotus palmae (Homoptera) Aspidiotus paimae (Homoptera)
Chrysomphalus personatus (Homoptera)
Coccus viridis (Homoptera)
Leucaspis cockerelli (Homoptera)
Morganella longispina (Homoptera)
Parlatoria cinerea (Homoptera)
Parlatoria citri (Homoptera) Parlatoria zizyphus (Homoptera) Tetraleurodes mori (Homoptera) CITRUS AURANTIUM: Anastrepha ludens (Diptera)
CITRUS GRANDIS:
Parlatoria cinerea (Homoptera)
Parlatoria zizyphus (Homoptera)
CITRUS LIMON: Ceratitis capitata (?) (Diptera) Morganella longispina (Homoptera) Parlatoria zizyphus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
CITRUS PARADISI: Anastrepha fraterculus (Diptera)
Anastrepha ludens (Diptera)
Anastrepha serpentina (Diptera)
Aonidiella citrina (Homoptera)
Ceratitis capitata (Diptera)
Leucaspis cockerelli (Homoptera)
Leucaspis cinerea (Homoptera) Parlatoria cinerea (Homoptera) Parlatoria zizyphus (Homoptera)
Unaspis citri (Homoptera)
CITRUS RETICULATA: Anastrepha ludens (Diptera) Aonidiella inornata (Homoptera) Ceratitis capitata (Diptera) Parlatoria zizyphus (Homoptera)
Unaspis citri (Homoptera)
Unaspis yanonensis (Homoptera)
CITRUS SINENSIS: Aleurocanthus woglumi (Homoptera) Anastrepha fraterculus (Diptera) Anastrepha ludens (Diptera) Anastrepha serpentina (Diptera) Anastrepha suspensa (Diptera) Aspidiotus palmae (Homoptera) Aspaious painae (Homoptera)
Ceratitis capitata (Diptera)
Chrysomphalus personatus (Homoptera)
Cryptoblabes gnidiella (Lepidoptera)
Gymnandrosoma aurantianum (Lepidoptera)
Leucaspis cockerelli (Homoptera)
Morganella longispina (Homoptera)
Muelois ceratoniae (Lepidoptera) Morganella longispina (Homopter Myelois ceratoniae (Lepidoptera) Parlatoria cinerea (Homoptera) Parlatoria zizyphus (Homoptera) Tetraleurodes mori (Homoptera) Unaspis citri (Homoptera) CITRUS TANKAN: Coccus viridis (Homoptera) CITRUS SP.:
Dialeurodes citri (Homoptera) Tetraleurodes mori (Homoptera) COCOS: Achatina fulica (Mollusea) Aonidiella inornata (Homoptera) Aspidiotus coryphae (Homoptera)
Aspidiotus destructor (Homoptera)
Aspidiotus destructor (Homoptera)
Aspidiotus spinosus (Homoptera)
Chrysomphalus albopictus (Homoptera)
Chrysomphalus personatus (Homoptera)
Dacus dorsalis (Diptera)
Diocalandra taitensis (Coleoptera) Diocalandra taitensis (Coleoptera) Ereunetis flavistriata (Lepidoptera) Ferrisiana virgata (Homoptera) "Lepidosaphes" esakii (Homoptera) Lepidosaphes tubulorum (?) (Homoptera) Leucaspis cockerelli (Homoptera) Phenacaspis sandwicensis (?) (Homoptera) Pseudococcus palmarum (Homoptera) Sinoxylon conigerum (Coleoptera) CODIAEUM: Ferrisiana virgata (Homoptera) nidosaphes tokion Parlatoria crotonis (Homoptera) COELOGYNE: Lepidosaphes tuberculata (Homoptera) Monomorium destructor (Hymenoptera) COFFEA: Ceratitis capitata (Diptera) Dacus dorsalis (Diptera)

COFFEA—Continued Stephanoderes hampei (Coleoptera) COLCHICUM: Forficula auricularia (Dermaptera) COLEUS: Phenacoccus gossypii (Homoptera) CONVOLVULUS: Spermophagus cardui (Coleoptera) CORDIA: Algarobius ceratioborus (Coleoptera) Aonidiella citrina (Homoptera) CORDYLINE Callosobruchus chinensis (Coleoptera) CORYLUS: Pyrausta nubilalis (Lepidoptera) CORYPHANTHA: Gerstaeckeria mutillaris (Coleoptera) CRASSULA:
"Chionaspis" indigoferae (Homoptera) CRATAEGUS: Ceroplastes ceriferus (Homoptera) Grapholitha packardi (Lepidoptera) Rhagoletis pomonella (Diptera) CROCUS: Anuraphis tulipae (Homoptera) Forficula auricularia (Dermaptera) CUCUMIS: Dacus cururbitae (Diptera)
Diaphania hyalinata (Lepidoptera)
Diaphania nitidalis (Lepidoptera) CUCURBITA Dacus cucurbitae (Diptera) Diaphania hyalinata (Lepidoptera) Diaphania nitidalis (Lepidoptera) CUPRESSUS: Anomala rufocuprea viridiaenea (Coleoptera) Aspidiotus pseudomeyeri (Homoptera) Lepidosaphes pallida (Homoptera) Ptochoryctis tsugensis (?) (Lepidoptera) CYATHEACEAE: Poecilips persicae (Coleoptera) CYBISTAX: Brentus anchorago (Coleoptera) CYCNOCHES: Tenthecoris distinctus (Hemiptera) Vinsonia stellifera (Homoptera) CYDONIA: Anastrepha ludens (Diptera) Ceratitis capitata (Diptera)
Parlatoria chinensis (Homoptera)
CYMBIDIUM: Forficula auricularia (Dermaptera) Lepidosaphes tuberculata (Homoptera)
Monomorium destructor (Hymenoptera)
Pseudaonidia curculiginis (Homoptera) CYMBOPOGON:
"Targionia" sacchari (Homoptera) CYNARA: Apion carduorum (Coleoptera) Gortyna flavago (Lepidoptera) CYPRIPEDIUM: Coccus capparidis (Homoptera) CYTISUS: Bruchidius lividimanus (Coleoptera) Sparteus villosus (Coleoptera) DAHLIA: Iridomyrmex humilis (Hymenoptera)
DANTHONIA: Chirothrips manicatus (Thysanoptera) DAUCUS: Phalonia zephyrana (Lepidoptera) Psila rosae (Diptera) DENDROBIUM: Asterolecanium epidendri (Homoptera)
Lepidosaphes tuberculata (Homoptera)
Leucaspis cockerelli (Homoptera)
Monomorium destructor (Hymenoptera)
Morganella longispina (Homoptera)
Pinnaspis buxi (Homoptera)
Xylosandrus morigerus (Coleoptera)
EERRIS: DERRIS: Xylopsocus capucinus (Coleoptera)
DIANTHUS:

Haplothrips cottei (Thysanoptera)

Haplothrips gowdeyi (Thysanoptera) Iridomyrmex humilis (Hymenoptera) Pachybrachius luridus (Hemiptera)

Taeniothrips atratus (Thysanoptera)

DIANTHUS—Continued Taeniothrips dianthi (Thysanoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Taeniothrips simplex (Thysanoptera)
Thrips flavus (Thysanoptera)
Thrips trehernei (Thysanoptera) DIOSCOREA: Iridomyrmex humilis (Hymenoptera)
"Targionia" hartii (Homoptera)
DIOSPYROS: Aspidiotus spinosus (Homoptera) Ceratitis capitata (Diptera) Dacus dorsalis (Diptera) Lepidosaphes conchiformis (Homoptera) Callosobruchus chinensis (Coleoptera) Callosobruchus phaseoli (Coleoptera) ECHEVERIA: Eumysia stigmella (Lepidoptera) ELETTARIA: Ferrisiana virgata (Homoptera) EPIDENDRUM: Ferrisiana virgata (Homoptera) Furcas pis biformis (Homoptera) Mordellistena cattleyana (Coleoptera) Tenthecoris vestitus (Hemiptera) ERICA Aeolothrips brevicornis (Thysanoptera)
Homothrips distinctus (Thysanoptera)
ERIOBOTRYA: Ceratitis capitata (Diptera) ERIOCEPHALUS: Paroxyna sororcula (Diptera) ERYTHRINA: Specularius impressithorax (Coleoptera) EUGENIA: Protopulvinaria longivalvata (Homoptera) FICUS Ceratitis capitata (Diptera) Ceroplastes rusci (Homoptera)
Dacus dorsalis (?) (Diptera)
Gynaikethrips ficorum (Thysanoptera) Lepidosaphes ficus (Homoptera) Pulvinaria psidii (Homoptera) FRAGARIA: Bary peithes araneiformis (Coleoptera) FRAXINUS: Lesperisinus fraxini (Coleoptera) GARCINIA: Dacus dorsalis (Diptera) GARDENIA: Aleuroparadoxus gardeniae (Homoptera) Amorbia emigratella (Lepidoptera) Chrysomphalus scutiformis (Homoptera) Coccus vitais (Homoptera) Dialeurodes citri (Homoptera) Eucalymnatus tessellatus (Homoptera) Ferrisiana virgata (Homoptera) Protopulvinaria longivalvata (Homoptera) Protopulvinaria pyriformis (Homoptera) Taeniothrips hawaiiensis (Thysanoptera) GLADIOLŪS: Plesiommata mollicella (Homoptera)
Taeniothrips simplex (Thysanoptera)
GLOTTIPHYLUM: GYPSOPHILA:

Liriomyza pusilla (Diptera)

HAWORTHIA: HEDERA: HELICONIA: Dacus dorsalis (Diptera) HEURNIA: HIBISCUS

HIBISCUS—Continued Monomorium destructor (Hymenoptera) Parlatoria fluggeae (Homoptera) Pealius hibisci (Homoptera) Pectinophora gossypiella (Lepidoptera) Pseudaonidia tesserata (Homoptera) HORDEUM: Nysius simulans (Hemiptera) HYDRANGEA: Forficula auricularia (Dermaptera) ILEX: Lygus elisus (Hemiptera) IPOMOEA: Adoretus sinicus (Coleoptera) Alcidodes dentipes (Coleoptera) Araecerus vieillardi (Coleoptera) Cylas femoralis (Coleoptera) Cylas formicarius (Coleoptera)
Cylas formicarius elegantulus (Coleoptera)
Cylas puncticollis (Coleoptera) Euscepes postfasciatus (Coleoptera) Graptostethus servus (Hemiptera) Megacerus contaminatus (Coleoptera) Anuraphis tulipae (Homoptera) Forficula auricularia (Dermaptera) Ripersiella palestineae (Homoptera) IXORA: Pseudaonidia trilobitiformis (Homoptera) Vinsonia stellifera (Homoptera) JASMINUM: Aonidiella inornata (Homoptera)
Asterolecanium pustulans (Homoptera)
Coccus viridis (Homoptera)
Dialeurodes kirkaldyi (Homoptera)
Trialeurodes vaporariorum (Homoptera) Rhagoletis juglandis (?) (Diptera) JUNIPERUS: Cryptoparlatoria leucaspis (Homoptera) Kalotermes bequaerti (Isoptera) Lepidosaphes pallida (Homoptera) KERRIA: Allantus cinctus (Hymenoptera)
LABURNUM:
Sparteus villosus (Coleoptera) LAELIA Aspidiotus spinosus (Homoptera)
Asterolecanium epidendri (Homoptera)
Chrysomphalus nigropunctatus (Homoptera)
Conchaspis angraeci (Homoptera)
Diorymerellus laevimaro (Conchespisa) Ferrisiana virgata (Homoptera)
Glyphonyx praecox (Coleoptera)
Icerya similis (Homoptera)
Mordellistena cattleyana (Coleoptera)
Ogdoecosta biannularis (Coleoptera) Pseudischnaspis alienus (Homoptera)
Puto mexicanus (?) (Homoptera)
Tenthecoris angustimarginatus (Hemiptera) Tenthecoris confusus (Hemiptera)
LATHYRUS: Bruchus affinis (Coleoptera) Bruchus tristiculus (Coleoptera) Bruchus tristis (Coleoptera) Callosobruchus chinensis (Coleoptera) Callosobruchus maculatus (Coleoptera) Taeniothrips atratus (Thysanoptera) LAURUS: Trialeurodes lauri (Homoptera) LEERSIA: Chilo simplex (?) (Lepidoptera) Bruchus ervi (Coleoptera) Bruchus lentis (Coleoptera)
Bruchus signaticornis (Coleoptera)
LEUCADENDRON:
"Chionaspis" leucadendri (Homoptera)
Pseudococcus trichilae (Homoptera) LEUCAENA Pantomorus godmani (Coleoptera) LIBIDIBIA: Mimosestes dominicanus (Coleoptera) LILIUM: Brachyrhinus meridionalis (Coleoptera) Liothrips vaneeckei (Thysanoptera) Prodenia eridania (Lepidoptera) Sitona humeralis (Coleoptera)

LIMONIUM: Haplothrips gowdeyi (Thysanoptera) LITCHI: Dacus dorsalis (Diptera)
LONCHOCARPUS:
Dinoderus bifoveolatus (Coleoptera) LONICERA: Protopulvinaria pyriformis (Homoptera) LYCASTE: Aspidiotus palmae (Homoptera) Ferrisiana virgata (Homoptera) LYCOPERSICON:

Aphanus umbrosus (Hemiptera)

Arvelius albopunctatus (Hemiptera) Ceratitis capitata (Diptera) Dacus cucurbitae (Diptera) Dacus dorsalis (Diptera) Dysdercus mimulus (Hemiptera) Eucalandra setulosa (Coleoptera) Euxesta annonae (Diptera)
Exptochiomera oblonga (Hemiptera) Jadera sanguinolenta (Hemiptera) Ligyrocoris abdominalis (Hemiptera) Ligyrocoris aurivilliana (Hemiptera) Lineodes integra (Lepidoptera)
Lineodes integra (Lepidoptera)
Liriomyza pusilla (Diptera)
Lygaeus vittiscutis (Hemiptera)
Myodocha longicollis (Hemiptera)
Neoleucinodes elegantalis (Lepidoptera)
Pachyzancla periusalis (Lepidoptera)
Platymota restrana (Lepidoptera) Platynota rostrana (Lepidoptera)
Platynota stultana (Lepidoptera)
Prodenia eridania (Lepidoptera)
Zabrotes subfasciatus (Coleoptera) LYCORIS: Taeniothrips gracilis (Thysanoptera) MACADAMIA: Clerada apicornis (Hemiptera) MAGNOLIA: Allantus cinctus (Hymenoptera) MALUS: Anastrepha ludens (Diptera) Argyresthia conjugella (Lepidoptera) Argyrotaenia franciscana (?) (Lepidoptera) Ceratitis capitata (Diptera) Ceroplastes ceriferus (Homoptera) Chrysoclista atra (Lepidoptera) Epidiaspis piricola (Homoptera) Grapholitha molesta (Lepidoptera) Parlatoria oleae (Homoptera) Rhagoletis pomonella (Diptera)
MAMMEA: Anastrepha ludens (Diptera) Anastrepha serpentina (Diptera) Aspidiotus destructor (Homoptera) MAMMILLARIA: Ferrisiana virgata (Homoptera) Gerstaeckeria mutillaria (Coleoptera) Sixeonotus luteiceps (Hemiptera) MANGIFERA Anastrepha fraterculus (Diptera) Anastrepha ludens (Diptera) Anastrepha mombinpraeoptans (Diptera) Ceratitis capitata (Diptera)
Cryptorhynchus mangiferae (Coleoptera)
Dacus dorsalis (Diptera)
MESEMBRYANTHEMUM: Haplothrips gowdeyi (Thysanoptera) MESPILUS: Ceratitis capitata (Diptera) Parlatoria oleae (Homoptera) MONSTERA: Chrysomphalus tenax (Homoptera) Ferrisiana virgata (Homoptera)
MUSA: Aonidiella inornata (Homoptera) Aspidiotus destructor (Homoptera) Aspidiotus palmae (Homoptera) Aspidiotus spinosus (Homoptera) Chrysomphalus albopictus (Homoptera) Chrysomphalus scutiformis (Homoptera) Chrysomphalus umboniferus (Homoptera) Cosmopolites sordidus (Coleoptera) Dacus dorsalis (Diptera)
Furcaspis oceanica (Homoptera)
Lygaeus pulchellus (Hemiptera) Metamasius sericeus (Coleoptera) Nasutitermes corniger (Isoptera)

MUSA—Continued Pachycoris torridus (Hemiptera) Platycarenus humilis (Hemiptera) Platycarenus notulatus (Hemiptera) Sibine stimulea (Lepidoptera) Stephanoderes lecontei (Coleoptera) MUSCARI: Exosoma lusitanica (Coleoptera)
MYRISTICA: Stephanoderes buscki (Coleoptera) MYRTUS Aleurothrixus myrtacei (?) (Homoptera) NARCISSUS: Forficula auricularia (Dermaptera) Lampetia equestris (Diptera) Sitona lineata (Coleoptera) NERIUM: Asterolecanium pustulans (Homoptera) Tetraleurodes mori (Homoptera) OCHROMA: Mimosestes dominicanus (Coleoptera) OCHROSIA: Dacus ochrosiae (?) (Diptera)
ODONTOGLOSSUM:
Furcas pis biformis (Homoptera) Megapenthes cinnamomus (Coleoptera) Tenthecoris vestitus (Hemiptera) OLEA: Dacus oleae (Diptera) Parlatoria oleae (Homoptera)
Prays oleellus (?) (Lepidoptera)
ONCIDIUM: Asterolecanium epidendri (Homoptera) Chrysomphalus umboniferus (Homoptera) Furcaspis biformis (Homoptera) Ligyrocoris abdominalis (Hemiptera) Neocattarus vegetus (Hemiptera)
Tenthecoris vestitus (Hemiptera)
Vinsonia stellifera (Homoptera)
ONOBRYCHIS:
Eurutoma enebruchidis (Hymone Eurytoma onobrychidis (Hymenoptera) OPUNTIA: Ceratitis capitata (Diptera) Leucocera quinquepunctata (Coleoptera) Acroleucus vicinalis (Hemiptera) Adelocera longicornis (Coleoptera) Agonosoma trilineata (Hemiptera) Aleuroglandulus emmae (Homoptera) Amphicerus cornutus (Coleoptera) Anthonomus albolineatus (Coleoptera) Anthonomus incanus (Coleoptera) Asterolecanium epidendri (Homoptera)
Attelabus corvinus (Coleoptera)
Calligrapha argus (Coleoptera)
Camirus conicus (Hemiptera)
Chrysomphalus umboniferus (Homoptera)
Cliamas delineata (Homoptera) Cligenes delineata (Hemiptera)
Coelosternus consputus (Coleoptera)
Conchaspis angraeci (Homoptera)
Crophius scabrosus (Hemiptera)
Cryphula apicatus (Hemiptera)
Deloyala guttata (Coleoptera)
Diorymerellus laevimargo (Coleoptera)
Elizutama orchidearum (Hymenoptera) Eurytoma orchidearum (Hymenoptera)
Eutornus congener (Coleoptera)
Exptochiomera oblonga (Hemiptera)
Exptochiomera tumens (Hemiptera)
Exptochiomera virgata (Homentara) Ferrisiana virgata (Homoptera) Fulvius anthocorides (Hemiptera) Furcas pis biformis (Homoptera) Lepidosaphes tuberculata (Homoptera) Leucocera sexpunctatus (Coleoptera) Lygaeus circumlinitus (Hemiptera) Lygaeus circumplicatus (Hemiptera) Lygaeus vittiscutis (Hemiptera) Madarus distigma (Coleoptera) Mecolaemus carvalhoi (Hemiptera)
Monomorium destructor (Hymenoptera)
Mordellistena cattleyana (Coleoptera)
Mordellistena rufonotata (Coleoptera)
Nasutitermes nigriceps (Isoptera) Nysius basalis (Hemiptera) Oedionychis lateralis (Coleoptera) Oedionychis transversalis (Coleoptera) Oosternum costatum (Coleoptera)
Orchidophilus peregrinator (Coleoptera)
Parlatoria pseudaspidiotus (Homoptera)

ORCHID—Continued Phatnoma annulipes (Hemiptera) Physonota humilis (Coleoptera) Plagiodera thymaloides (Coleoptera) Tenthecoris angustimarginatus (Hemiptera) Tenthecoris bicolor (Hemiptera) Tenthecoris confusus (Hemiptera) Tenthecoris distinctus (Hemiptera)
Tenthecoris distinguendus (Hemiptera)
Tenthecoris venezuelensis (Hemiptera) Trochuda raspa (Lepidoptera)
Valtissus diversus (Hemiptera)
Vinsonia stellifera (Homoptera)
Zale sabena (Lepidoptera)
ORNITHOGALUM: Haplothrips nigricornis (Thysanoptera) Taeniothrips simplex (Thysanoptera) Trionymus lounsburyi (Homoptera) ORYZĂ: Chilo simplex (Lepidoptera)
PAEONIA:
Athous niger (Coleoptera) Aleuroplatus cococolus (Homoptera) Aspidiotus destructor (Homoptera) Parlatoria pittospori (Homoptera) PASSIFLORA Ceratitis capitata (Diptera) Iridomyrmex humilis (Hymenoptera)
PASTINACA: Psila rosae (Diptera) PENNISETUM: Targionia sacchari (Homoptera) PENTZIA: Trupanea pentziana (Diptera) PERISTERIA: Conchaspis angraeci (Homoptera) Ferrisiana virgata (Homoptera) PERSEA: Anastrepha ludens (Diptera) Caulophilus latinasus (Coleoptera) Chrysomphalus albopictus (Homoptera) Chrysomphalus personatus (Homoptera) Conotrachelus aguacatae (Coleoptera) Conotrachelus perseae (Coleoptera) Cryptorhynchus mangiferae (Coleoptera)
Dacus dorsalis (Diptera)
Stenoma catenifer (Lepidoptera)
Thamnophthorus schwarzi (Coleoptera)
PETROSELINUM: Systole geniculata (Hymenoptera) PHALAENOPSIS: Ferrisiana virgata (Homoptera) Iridomyrmex humilis (Hymenoptera) PHASEOLUS Callosobruchus analis (Coleoptera) Callosobruchus chinensis (Coleoptera) Callosobruchus maculatus (Coleoptera) Dacus cucurbitae (?) (Diptera) Epinotia opposita (Lepidoptera) Fundella pelluscens (Lepidoptera)
Hercothrips phaseoli (Thysanoptera)
Maruca testulalis (Lepidoptera)
Zabrotes subfasciatus (Coleoptera)
PHILODENDRON: Aspidiotus diffinis (Homoptera) Aspidiotus palmae (Homoptera) Chrysomphalus albopictus (Homoptera) Chrysomphalus tenax (Homoptera) Lepidosaphes carinata (Homoptera) Pinnaspis buxi (Homoptera) Pseudischnaspis alienus (Homoptera) Agallia quadripunctata (Homoptera)
Thrips flavus (Thysanoptera)
PHOENIX: Coccotry pes dactyliperda (Coleoptera) Myelois ceratoniae (Lepidoptera)
PHYSALIS: Gnorimoschema lavernella (Lepidoptera) Rhagoletis striatella (Diptera) PHYTELEPHAS: Coccotrypes dactyliperda (Coleoptera) PICEA: Callidium violaceum (Coleoptera) Hylurgops palliatus (Coleoptera) Ips typographus (Coleoptera)

Pityogenes chalcographus (Coleoptera)

PSIDIUM:

PICEA—Continued Pogonocherus fasciculatus (Coleoptera) PIMPINELLA: Pantomorus god mani (Coleoptera) PINUS: Acanthocinus aedilis (Coleoptera) Blastophagus piniperda (Coleoptera) Callidium violaccum (Coleoptera) Hylurgops palliatus (Coleoptera) Ips sexdentatus (Coleoptera) Ips typographus (Coleoptera) Kalotermes bequaerti (Isoptera) Lema melanopa (Coleoptera) Leucaspis candida (Homoptera) Pityogenes bidentatus (Coleoptera) Pityogenes chalcographus (Coleoptera)
"Poliaspis" pini (Homoptera)
Pseudococcus pini (Homoptera) Ptochoryctis tsugensis (?) (Lepidoptera)
PISTACIA: Lepidosaphes pistaciae (Homoptera) PISŪM: Bruchus emarginatus (Coleoptera)
Callosobruchus chinensis (Coleoptera)
Callosobruchus maculatus (Coleoptera) Laspeyresia nigricana (Lepidoptera)
Neodryocoetes guianae (Coleoptera)
PITTOSPORUM:
Pulvinaria psidii (Homoptera) PLUMERIA:
Aspidiotus herculeanus (Homoptera) Asterolecanium pustulans (Homoptera) Haplothrips gowdeyi (Thysanoptera) Pseudaonidia clavigera (Homoptera) POINCIANA: Stephanoderes lecontei (Coleoptera) POLIANTHES: Frankliniella bratleyi (Thysanoptera) POPULUS: Dryophthorus corticalis (Coleoptera)
PORTULACA: Celerio lineata (Lepidoptera) Dicrepidius corvinus (Coleoptera) Loxostege bifidalis (Lepidoptera) Loxostege similalis (Lepidoptera) PRIMULA Phragmatobia fuliginosa (Lepidoptera) PROSOPIS: Algarobius ceratioborus (Coleoptera) Algarobius prosopis (Coleoptera) Rhipibruchus leiboldi (Coleoptera) Rhipibruchus picturatus (Coleoptera) Ananca hottentota (Coleoptera) Ananca hottentota (Coleoptera)
Antestia variegata (Hemiptera)
Antestia variegata lineaticollis (Hemiptera)
Homothrips distinctus (Thysanoptera)
Iridomyrmex humilis (Hymenoptera)
PRUNUS ARMENIACA:
Ceratitis capitata (Diptera)
Nilotaspis halli (Homoptera)
Parlatoria oleae (Homoptera) Parlatoria oleae (Homoptera)
PRUNUS DOMESTICA:
Ceratitis capitata (Diptera) Chionaspis asiatica (Homoptera)
Epidiaspis piricola (Homoptera)
Iridomyrmex humilis (Hymenoptera)
Megalometis chiliensis (Coleoptera) Nilotaspis halli (Homoptera)
Parlatoria oleae (Homoptera)
PRUNUS PADUS: Anthonomus rectirostris (Coleoptera)
PRUNUS PERSICA: Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Grapholitha molesta (Lepidoptera)
Nilotaspis halli (Homoptera)
Parlatoria oleae (Homoptera)
PRUNUS PERSICA NECTARINA:
Iridomurmer humilis (Hymenoptera) Iridomyrmex humilis (Hymenoptera) Megalometis chiliensis (Coleoptera) Nysius simulans (Hemiptera) PRUNUS MUME (?): Parlotoria theae (Homoptera)

PRUNUS SP. (cherry): Leucaspis archangelskyae (Homoptera)

Mineola indigenella (Lepidoptera)

Rhagoletis cerasi (Diptera)

Anastrepha mombin praeoptans (Diptera) Anastrepha suspensa (Diptera) Ceratitis capitata (Diptera) Coccus viridis (Homoptera) Dacus dorsalis (Diptera) Tetraleurodes mori (Homoptera)
PUERARIA: Callosobruchus ademptus (Coleoptera) PUNICA: Anastrepha ludens (Diptera) Ceratitis capitata (Diptera) Chionaspis asiatica (Homoptera) Cryptoblabes gnidiella (Lepidoptera) Forficula auricularia (Dermaptera) PYRUS: Anastrepha ludens (Diptera) Ceratitis capitata (Diptera) Epidiaspis piricola (Homoptera)
Grapholitha molesta (Lepidoptera)
Lepidosaphes conchiformis (Homoptera)
Leucaspis archangelskyae (Homoptera) Monomorium destructor (Hymenoptera) Parlatoria oleae (Homoptera) Phyllotreta cruciferae (Coleoptera) QUERCUS: Andricus glandium (Hymenoptera) Callirhytis sonorae (Hymenoptera) Conotrachelus integer (Coleoptera) Curculio q-griseae (Coleoptera) Parlatoria oleae (Homoptera) Scolytus intricatus (Coleoptera) RAPHANUS: Baris coerulescens (Coleoptera) Cyrtopeltis varians (Hemiptera) Lixus ascanii (Coleoptera) RENANTHERA: Vinsonia stellifera (Homoptera) RHODODENDRON: Ceroplastes japonicus (Homoptera) Dalopius marginatus (Coleoptera) Dialeurodes chittendeni (Homoptera) Gracilaria azaleella (Lepidoptera)
Pachybrachius luridus (Hemiptera)
Sitona lineata (Coleoptera) Stephanitis pyrioides (Hemiptera) Vesiculaphis caricis (Homoptera) Brachyrhinus sulcatus (Coleoptera)
RORIPPA:
Evergestis rimosalis (Lepidoptera) ROSA Chaetocnema concinna (Coleoptera) Cryptocephalus krugii (Coleoptera) Frankliniella insularis (Thysanoptera) Lema opulenta (Coleoptera) Parlatoria theae (Homoptera) Rhagoletis alternata (Diptera) Sitona humeralis (Coleoptera)
Taeniothrips atratus (Thysanoptera) Thrips flavus (Thysanoptera) Trialeurodes vaporariorum (Homoptera) ROSMARINUS: Chrysomela americana (Coleoptera) RUDBECKIA Thrips flavus (Thysanoptera) Thrips fuscipennis (Thysanoptera) Coccotry pes dactyliperda (Coleoptera) SACCHARUM: Diatraea saccharalis (Lepidoptera) Rhabdoscelus obscurus (Coleoptera) Stephanoderes lecontei (Coleoptera) "Targionia" sacchari (Homoptera) Tomaspis postica (Homoptera) SALIX: Aglossa cuprealis (Lepidoptera) Lepidosaphes kuwacola (Homoptera)
Lepidosaphes yanagicola (Homoptera)
Pityophthorus sambuci (Coleoptera) SAMBUCUS: Micrapate labialis (Coleoptera) SAPOTE: Anastrepha ludens (Diptera) Anastrepha serpentina (Diptera) SCHEFFLERA: Dactylotrypes uyttenboogaarti (Coleoptera) SECHIUM: Diaphania nitidalis (Lepidoptera) SELAGINELLA: Lema confusa (Coleoptera) SERJANIA Dinoderus bifoveolatus (Coleoptera) SESBANIA Acanthoscelides griseolus (Coleoptera) SOIL: Athous haemorrhoidalis (Coleoptera) Athous subfuscus (Coleoptera) Athous vittatus (Coleoptera) Barynotus moerens (Coleoptera) Bibio johannis (Diptera) Brachyrhinus sulcatus (Coleoptera) Cephalocteus scarabaeoides (Hemiptera) Cephalocieus scaradaeoides (Hemiptera)
Dalopius marginatus (Coleoptera)
Deraeocoris lutescens (Hemiptera)
Forficula auricularia (Dermaptera)
Gastrophysa viridula (Coleoptera)
Hydrothassa marginella (Coleoptera)
Iridomyrmex humilis (Hymenoptera)
Mecinus pyraster (Coleoptera)
Paracardiophorus payner (Coleoptera) Paracardiophorus pauper (Coleoptera) Saldula saltatoria (Hemiptera) Scolopostethus affinis (Hemiptera)
Trapezonotus arenarius (Hemiptera)
SOLANUM ACULEATISSIMUM: Dacus dorsalis (Diptera)
SOLANUM MELONGENA:
Heteroderes laurentii (Coleoptera)
Neoleucinodes elegantalis (Lepidoptera) Pheidole megacephala (Hymenoptera) Trichobaris mucorea (Coleoptera) SOLANUM TUBEROSUM: Epicaerus cognatus (Coleoptera) Gnorimoschema plaesiosema (Lepidoptera)
Premnotrypes fractirostris (Coleoptera)
Premnotrypes solani (Coleoptera)
Premnotrypes vorax (Coleoptera)
SORGHUM: Diatraea saccharalis (Lepidoptera) Iridomyrmex humilis (Hymenoptera) Pyrausta nubilalis (Lepidoptera) Sesamia cretica (Lepidoptera) Sesamia vuteria (Lepidoptera) SPARTIUM: Sparteus villosus (Coleoptera) SPATHOGLOTTIS: Ferrisiana virgata (Homoptera) SPHAGNUM. Chaetocnema hortensis (Coleoptera) Anastrepha mombin praeoptans (Diptera) Dacus dorsalis (Diptera) STAPELIA: "Chionaspis" indigoferae (Homoptera) STERNBERGIA: Ripersiella palestineae (Homoptera) STRELITZIA: Adoretus sinicus (Coleoptera) Ferrisiana virgata (Homoptera) Phenacaspis sandwicensis (Homoptera) SYRINGA: Dialeurodes kirkaldyi (Homoptera) SYZYGIUM: *Pulvinaria psidii* (Homoptera) TAGETES: Haplothrips gowdeyi (Thysanoptera)
TAMARINDUS: Caryedon fuscus (Coleoptera) Chrysomphalus scutiformis (Homoptera) TERMINALIA: Dacus dorsalis (Diptera) TETRAGONIA:

Piezodorus purus (Hemiptera) Ernoporus tiliae (Coleoptera) Iridomyrmex humilis (Hymenoptera) Oxycarenus lavaterae (Hemiptera) TILLANDSIA: Ouichuana calathea (Diptera) Tychius inermis (Coleoptera) TRIPTERIS: Ensina hyalipennis (Diptera) Ensina ignobilis (Diptera)

TRITICUM:

Aglossa cuprealis (Lepidoptera)

TULIPA: Anuraphis tulipae (Homoptera) Forficula auricularia (Dermaptera) Rhopalosiphoninus tulipaellus (Homoptera) ULMUS: Lygus oblineatus (Hemiptera) Pteleobius vittatus (Coleoptera) VANDA: Athesapeuta cyperi (Coleoptera) Eutreta xanthochaeta (Diptera) Heteroglymma alata (Coleoptera) Leucaspis cockerelli (Homoptera) Monomorium destructor (Hymenoptera) Parlatoria pseudaspidiotus (Homoptera) Taeniothrips gracilis (Thysanoptera) Thrips hawaiiensis (Thysanoptera) VANILLA Protopulvinaria pyriformis (Homoptera) VICIA Aoromius quinquepunctatus (Coleoptera) Apion pomonea (Coleoptera) Bruchidius incarnatus (Coleoptera) Bruchidius quinqueguttatus (Coleoptera)
Bruchus affinis (Coleoptera)
Bruchus atomarius (Coleoptera)
Bruchus dentipes (Coleoptera)
Bruchus evii (Coleoptera)
Bruchus evittalia (Coleoptera) Bruchus guttalis (Coleoptera)
Bruchus hamatus (Coleoptera)
Bruchus luteicornis (Coleoptera)
Bruchus rutipes (Coleoptera)
Bruchus tristianus (Coleoptera) Bruches tristiculus (Coleoptera)
Bruchus tristis (Coleoptera)
Bruchus ulicis (Coleoptera) Callosobruchus chinensis (Coleoptera) VIGNA: Acanthoscelides obreptus (Coleoptera) Callosobruchus chinensis (Coleoptera) Callosobruchus maculatus (Coleoptera) Anastrepha fraterculus (?) (Diptera) Anastrepha fraterculus (?) (Diptera)
Aphanus saturnius (Hemiptera)
Ceratitis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Iridomyrmex humilis (Hymenoptera)
Leptoglossus chilensis (Hemiptera)
Phlyctinus callosus (Coleoptera)
Polycaon chiliensis (Coleoptera)
Polychrosis botrana (Lepidoptera)
Pulpinaria innumerabilis (Homopters) Pulvinaria innumerabilis (Homoptera) Sitona humeralis (Coleoptera) Targionia vitis (Homoptera) WEIGELA: Allantus cinctus (Hymenoptera)
ZANTEDESCHIA(?):
Ceroplastes rubens (Homoptera)  $\mathbf{ZEA}$ . Celerio lineata (Lepidoptera) Diatraea saccharalis (Lepidoptera) Euxesta stigmatias (Diptera) Lygus oblineatus (Hemiptera) Moodna bisinuellà (Lepidoptera) Prostephanus truncatus (Coleoptera) Pyrausta nubilalis (Lepidoptera) ZINGIBER: Amorbia emigratella (Lepidoptera) Dacus dorsalis (Diptera) ZINNIA: Diaprepes famelicus (Coleoptera) Prodenia ornithogalli (Lepidoptera) Hosts unknown

AIRPLANE:
Adoretus sinicus (Coleoptera)
Aeolus pulchellus (Coleoptera)
Araecerus vieillardi (Coleoptera)
Chaetoclusia bakeri (Diptera)
Dacus dorsalis (Diptera)
Diaprepes abbreviatus (Coleoptera)
Jadera sanguinolenta (Hemiptera)
Malacorhinus tripunctatus (Coleoptera)
Melanoxanthus melanocephalus (Coleoptera)
Nysius dallasi (Hemiptera)
Tomoplagia obliqua (Diptera)
Zabrotes subfasciatus (Coleoptera)

BAGGAGE:

Adoretus sinicus (Coleoptera) Forficula auricularia (Dermaptera)

BARK:

Hylurgops palliatus (Coleoptera) Ips typographus (Coleoptera) Pityogenes chalcographus (Coleoptera) Pityophthorus sambuci (Coleoptera)

BEAN

Bruchus tristis (Coleoptera) Callosobruchus chinensis (Coleoptera)
Callosobruchus maculatus (Coleoptera) Zabrotes subfasciatus (Coleoptera)

Forficula auricularia (Dermaptera)
OTYLEDON:
"Chionaspis" indigoferae (Homoptera)

EXCELSIOR:

Forficula auricularia (Dermaptera)
FLOWER:

Amorbia emigratella (Lepidoptera) Pantomorus godmani (Coleoptera) Sixeonotus luteiceps (Hemiptera) Taeniothrips hawaiiensis (Thysanoptera)

GRAIN:

Bruchus affinis (Coleoptera)
Callosobruchus chinensis (Coleoptera)

GRAMINEAE:

Targionia sacchari (Homoptera)

GRAMME":

Callosobruchus chinensis (Coleoptera)
GRASS & WEED ROOT IN SOIL:
Brachyrhinus singularis (Coleoptera)

Nymphalis urticae (Lepidoptera)

HERB:

Diaphania hyalinata (Lepidoptera) Iridomyrmex humilis (Hymenoptera) Trialeurodes vaporariorum (Homoptera) LEAF:

Iridomyrmex humilis (Hymenoptera) Tetraleurodes mori (Homoptera) Trioza anceps (Homoptera)

LEGUME:

Acanthoscelides spinipes (Coleoptera)
Bruchus rufipes (Coleoptera)
Bruchus tristis (Coleoptera) Callosobruchus chinensis (Coleoptera)
Callosobruchus maculatus (Coleoptera)
Sinoxylon sexdentatum (Coleoptera)

LOG:

Coelosternus consputus (Coleoptera) Draeculacephala clypeata (Homoptera) Nasutitermes corniger (Isoptera) Physorrhinus distigma (Coleoptera)
Platypus rugulosus (Coleoptera)
Xyleborus affinis (Coleoptera)

PAČKING:

Fulvius albomaculatus (Hemiptera)

PARCEL POST:

Oxydema longulum (Coleoptera)

Artipus floridanus (Coleoptera) Aspidiotus destructor (Homoptera) Aspidiotus excisus (Homoptera) Coccus viridis (Homoptera) Forficula auricularia (Dermaptera)
Pachyzancla bipunctalis (Lepidoptera)
Sixeonotus luteiceps (Hemiptera)

RAILWAY CAR:

Pectinophora gossypiella (Lepidoptera)
RETURNED WAR EQUIPMENT:
Achatina fulica (Mollusca)

Callosobruchus chinensis (Coleoptera) Coccotrypes pygmaeus (Coleoptera) SEED POD:

Ferrisiana virgata (Homoptera) Stephanoderes lecontei (Coleoptera)

SHRUB:

Chionaspis" inaigojerae (Homoptera)

SOD:

Ctenicera aeneus (Coleoptera)

SUCCULENT:

"Chionaspis" exalbida (Homoptera)

UNKNOWN:

Myllocerus hilleri (Coleoptera)

VEGETABLES:

Lygus oblineatus (Hemiptera)

Exillis longicornis (Coleoptera)

WOOD:

Acanthocinus aedilis (Coleoptera)
Amphicerus cornutus (Coleoptera)
Blastophagus piniperda (Coleoptera)
Callidium violaceum (Coleoptera)
Cryptotermes brevis (Isoptera)
Dinoderus brevis (Coleoptera)
Dysides obscurus (Coleoptera)
Forficula guricularia (Dermantera)

Dysides obscurus (Coleoptera)
Forficula auricularia (Dermaptera)
Heterobostrychus aequalis (Coleoptera)
Ips sexdentatus (Coleoptera)
Micrapate labialis (Coleoptera)
Nasutitermes corniger (Isoptera)
Nasutitermes luzonicus (Isoptera)
Orthotomicus laricis (Coleoptera)
Pityogenes chalcographus (Coleoptera)
Renocis mexicanus (Coleoptera)
Sinoxylon anale (Coleoptera)
Sinoxylon conigerum (Coleoptera)
Sinoxylon sexdentatum (Coleoptera)
Xylothrips flavipes (Coleoptera)

Xylothrips flavipes (Coleoptera)
WOODS MOSS:

VOODS MOSS:

Acalypta parva (Hemiptera)

Acalypta parvula (Hemiptera)

Agallia quadripunctata (Homoptera)

Agalliopsis novella (Homoptera)

Cassida nebulosa (Coleoptera)

Catoplatus fabricii (Hemiptera)

Conchaspis angraeci (Homoptera)

Dalopius marginatus (Coleoptera)

Drymus sylvaticus (Hemiptera)

Hypera nigrirostris (Coleoptera)

Newsteadia floccosa (Homoptera)

Platythrips tunicatus (Thysanoptera) Newsteadia floccosa (Homoptera)
Platythrips tunicatus (Thysanoptera) Strophosoma melanogramma (Coleoptera) Trapezonotus arenarius (Hemiptera)

### Countries of origin and insects

AFGHANISTAN:

Chionaspis asiatica Leucaspis archangelskyae

Parlatoria oleae

ALGERIA:

Ceratitis capitata Lepidosaphes ficus Parlatoria zizyphus Psila rosae

Sinoxylon sexdentatum

AMERICAN SAMOA:

Rhabdoscelus obscurus
AMERICAN VIRGIN ISLANDS:
Cylas formicarius elegantulus

Euscepes postfasciatus Pectinophora gossypiella
"Targionia" hartii
ARGENTINA:

Algarobius ceratioborus

Anastrepha fraterculus (?) Ceratitis capitata Diaphania nitidalis Diatraea saccharalis Grapholitha molesta Phelomerus germaini
Pseudaonidia trilobitiformis
Rhipibruchus leiboldi Lygus fraudentus

Rhipibruchus picturatus Unaspis citri

Zabrotes subfasciatus AUSTRALIA: Aonidiella citrina Araecerus vieillardi  $ilde{D}$ orațifera oxleyi $_{_{ar{i}}}$ pidosaphes tuberculata Parlatoria zizyphus Pinnaspis buxi Xylosandrus morigerus

AUŠTRIA:

Anthonomus rectirostris Rhagoletis alternata (?) Sparteus villosus

AZORES:

Aglossa cuprealis
Brachyrhinus sulcatus
Ceratitis capitata
Dacus oleae
Iridomyrmex humilis
Pantomorus godmani

Pantomorus godmani
BAHAMAS:

Ancylostomia stercorea
Artipus floridanus
Asterolecanium pustulans
Coccus viridis
Ferrisiana virgata
Lepidosaphes tokionis

Monomorium destructor
BARBADOS:
Callosobruchus maculatus
"Targionia" hartii

BATAVIA:

Parlatoria pseudaspidiotus

BELGIUM:

BELGIUM:
Anuraphis tulipae
Bruchus luteicornis
Ctenicera aeneus
Dalopius marginatus
Lepidosaphes tuberculata
Phytomyza atricornis
Pityogenes chalcographus
Psila rosae

BERMUDA:
Anastrepha mombinpraeoptans
Anuraphis tulipae
Diaprepes famelicus
Kalotermes bequaerti
Prodenia eridania
Protopulvinaria pyriformis
Pulvinaria psidii

#### BINTAN ISLAND: Ferrisiana virgata

BRAZIL:
Acanthoscelides armitagei
Aleurothrixus myrtacei (?)
Anastrepha fraterculus
Asterolecanium epidendri
Ceratitis capitata
Chrysomphalus personatus

Chrysomphalus personatus
Coccotrypes pygmaeus
Diabrotica speciosa
Diaphania nitidalis
Dinoderus bifoveolatus
Dysides obscurus
Epinotia opposita
Eurytoma orchidearum
Euscepes postfasciatus
Furcaspis biformis
Gymnandrosoma aurantianum
Maruca testulalis
Mecolaemus carvalhoi
Mordellistena cattleyana
Morganella longispina

Morganella longispina
Neoleucinodes elegantalis
Pachyzancla periusalis
Parlatoria cinerea
Pectinophora gossypiella
Pseudaonidia trilobitiformis
Stenoma catenifer
Stephanoderes hampei
Tenthecoris bicolor
Unaspis citri

BRITISH COLUMBIA: Dialeurodes chittendeni Thrips trehernei

BRITISH GUIANA:
Asterolecanium bambusae
Callosobruchus chinensis
Furcaspis biformis
Neodryocoetes quianae

BRITISH HONDURAS: Myelois notatalis

BRITISH WEST INDIES:
Callosobruchus chinensis
Lepidosaphes tokionis
Parlatoria cinerea
Stenoma catenifer
Stephanoderes busck
Targionia hartii

CANADA:

Agallia quadripunctata
Agalliopsis novella
Gastrodes pacificus
Lygus elisus
Lygus oblineatus
Pyrausta nubilalis
CANAL ZONE:

Acanthoscelides armitagei
Agonosoma trilineata
Aspidiotus destructor
Asterolecanium epidendri
Callosobruchus maculatus
Chrysomphalus umboniferus
Conchaspis angraeci

Ferrisiana virgata
Furcas pis biformis
Mimosestes dominicanus
Neocattarus vegetus
Physorrhinus distigma cephalicus

Protopulvinaria longivalvata
Protopulvinaria pyriformis
Pseudaonidia trilobitiformis
Pseudischnaspis acephala
Tenthecoris distinctus
Vinsonia stellifera

Vinsonia stellifera
CAPE OF GOOD HOPE:
Taeniothrips simplex
CAPE VERDE ISLANDS:

Ceratitis capitata
CEYLON:
Heterobostrychus aequalis

Heterobostrychus aequalis
Sinoxylon conigerum
Xylothrips flavipes

CHILE:
Algarobius ceratioborus
Anastrepha fraterculus (?)
Dinoderus bifoveolatus
Epidiaspis piricola
Iridomyrmex humilis
Leptoglossus chilensis
Megalometis chiliensis
Nysius simulans
Polycaon chiliensis

CHINA:
Aspidiotus degeneratus
Callosobruchus chinensis
Chilo simplex
Coccus viridis
Coptosoma cribraria
Dialeurodes citri
Dialeurodes kirkaldyi
Lepidosaphes tuberculata
Liothrips vaneeckei
Parlatoria camelliae
Parlotoria zizyphus
Taeniothrips gracilis
"Targionia" hartii
Xylopsocus capucinus
COLOMBIA:

COLOMBIA:
Aspidiotus diffinis
Clerada apicornis
Diaphania nitidalis
Eurytoma orchidearum
Euscepes postfasciatus
Furcaspis biformis
Mimosestes dominicanus
Monomorium destructor
Mordellistena cattleyana
Stenoma catenifer
Tenthecoris exitiosus
Termes hispaniolae

Termes hispaniolae
COSTA RICA:
Anastrepha ludens
Anastrepha mombinpraeoptans
Aspidiotus destructor
Aspidiotus palmae
Asterolecanium epidendri
Calligrapha elegantula
Chrysomphalus albopictus
Chrysomphalus nigropunctatus
Chrysomphalus personatus
Chrysomphalus scutiformis
Chrysomphalus umboniferus
Chrysomphalus umboniferus
Conotrachelus perseae
Draeculacephala clypeata
Ferrisiana virgata
Furcaspis biformis

COSTA RICA—Continued Lygaeus vittiscutis Metamasius sericeus Nasutitermes corniger Ozophora consanguineus Parlatoria cinerea Physorrhinus distigma Pinnaspis buxi Platycarenus humilis
Platypus rugulosus
Pseudischnaspis alienus
Pseudischnatoria ostreata Sibine stimulea Tenthecoris distinguendus Xyleborus affinis CUBA: Aleurotrachelus trachoides Anastrepha mombin praeoptans Anastrepha suspensa Aspidiotus destructor Coccus viridis Conchas pis angraeci Crocidosema plebeiana Cylas formicarius elegantulus Diaphania hyalinata Diaphania nitidalis Hellula phidilealis Hercothrips phaseoli Heteroderes laurentii Leucocera sexpunctatus Maruca testulalis Pheidole megacephala Platynota rostrana Protopulvinaria pyriformis Psila rosae Pulvinaria psidii Ribua innoxia Taeniothrips simplex "Targionia" bromiliae Zabrotes subfasciatus CYPRUS: Ceratitis capitata CZECHOSLOVAKIA: Aspidiotus ab**i**etis Hylurgops palliatus Ips typographus DENMARK: Chaetocnema hortensis Gelechia ericetella Lema melanopa Psila rosae Thrips flavus Thrips fuscipennis
DOMINICAN REPUBLIC:
Anastrepha fraterculus Anastrepha mombin praeoptans Ancylostomia stercorea Cryptocephalus krugii Cylas formicarius elegantulus Diaphania nitidalis Frankliniella insularis Maruca testulalis ECUADOR: Metamasius sericeus Premnotry pes vorax Stenoma catenifer EGYPT:
Bruchidius incarnatus
Callosobruchus maculatus Ceratitis capitata Cryptoblabes gnidiella Haplothrips cottei Lixus junci
Pectinophora gossypiella
ENGLAND: Anuraphis helichrysi Anuraphis tulipae Athous haemorrhoidalis Barynotus moerens Dalopius marginatus Euleia heraclei Evergestis forficalis Forficula auricularia Gastrophysa viridula Laspeyresia splendana Leperisinus fraxini Lepidosaphes tuberculata

Megasternum boletophagum

ENGLAND—Continued Newsteadia floccosa Phragmatobia fuliginosa Platythrips tunicatus Polia oleracea Psila rosae Pteleobius vittatus Scolopostethus affinis Scolytus intricatus Thrips flavus Thrips nigropilosus
Trialeurodes vaporariorum Zabrotes subfasciatus EUROPE: Haplothrips cottei
FIJI ISLANDS:
Cylas formicarius var.
Euscepes postfasciatus
FINLAND:
Callidium violaceum
Pityogenes chalcographus
FORMOSA: FORMOSA: Parlatoria cinerea Parlatoria zizyphus FRANCE: Acalypta parva Acalypta parvula Acrolepia assectella Anuraphis tulipae Aoromius quinquepunctatus Apion carduorum Apion pomonae Athous subfuscus Athous vittatus Baris ocerulescens Bibio johannis Bruchus affinis
Bruchus guttalis
Bruchus luteicornis
Bruchus rufipes
Catoplatus fabricii Ceratitis capitata Dactylotry pes uyttenboogaarti
Deraeocoris lutescens
Enidiaenis niricola Epidiaspis piricola Ernoporus tiliae Grapholitha molesta Iridomyrmex humilis Laspeyresia splendana Lixus ascanii Mamestra brassicae Myzus ascalonicus Newsteadia floccosa Phyllotreta cruciferae
Polychrosis botrana
Psila rosae Pulvinaria innumerabilis Pyrausta nubilalis Rhagoletis cerasi Sesamia cretica Tetraleurodes hederae Thrips angusticeps Trapezonotus arenarius GERMANY: Blastophagus piniperda Callidium violaceum Cassida nebulosa Chaetocnema concinna Hylurgops palliatus Hypera nigrirostris Ips typographus Laspeyresia splendana Leucaspis candida Pityogenes bidentatus Pityogenes chalcographus Rhagoletis cerasi Strophosoma melanogramma Thrips flavus Trapezonotus arenarius GREECE: Aspidiotus spinosus Callosobruchus maculatus Ceratitis capitata Cryptoblabes gnidiella Haplothrips cottei

Parlatoria oleae

GUAM: Achatina fulica Dacus ochrosiae (?) Ferrisiana virgata
"Lepidosaphes" esakii
Lepidosaphes tubulorum (?) Targionia sacchari
GUATEMALA:
Acanthoscelides armitagei Anastrepha ludens Anastrepha mombinpraeoptans Anastrepha serpentina Aspidiotus destructor Chrysomphalus albopictus Chrysomphalus tenax Cligenes delineata Coccus pseudohesperidum Conotrachelus perseae Euxesta stigmatias Ferrisiana virgata Furcaspis biformis Ligyrocoris abdominalis Lygaeus vittiscutis Megapenthes cinnamomus Pachycoris torridus Pseudischnaspis alienus Stenoma catenifer Stephanoderes lecontei Taeniothrips simplex Tenthecoris vestitus Zabrotes subfasciatus HAITI: Anastrepha mombin praeoptans Frankliniella insularis Leucocera quinquepunctata Monomorium destructor Pectinophora gossypiella HAWAII: Adoretus sinicus Algarobius prosopis Amorbia emigratella Aonidiella inornata Araecerus vicillardi Aspidiotus herculeanus Aspidiotus spinosus Asterolecanium pustulans Athesapeuta cyperi Callosobruchus chinensis Callosobruchus phaseoli Caryedon fuscus Ceratitis capitata Ceroplastes rubens Clerada apicornis Coccus viridis Cryptorhynchus mangiferae Cryptotermes brevis Cylas formicarius var. Dacus cucurbitae Dacus dorsalis Dialeurodes kirkaldyi Diocalandra taitensis Ereunetis flavistriata Eucalymnatus tessellatus Euscepes postfasciatus Eutreta xanthochaeta Ferrisiana virgata Furcaspis biformis Graptostethus servus Haplothrips gowdeyi Lampides boeticus Lepidosaphes tokionis Leucaspis cockerelli Maruca testulalis Nysius dallasi Orchidophilus peregrinator Oxydema longulum Pantomorus godmani Parlatoria crotonis Parlatoria fluggeae Parlatoria pseudaspidiotus Pealius hibisci Pectinophora aossupiella Phenacaspis sandwicensis Pinnaspis buxi Poecilips persicae Pseudaonidia clavigera

Pseudaonidia tesserata

Pseudococcus palmarum

HAWAII—Continued
Sinoxylon conigerum
Taeniothrips hawaiiensis
"Targionia" bromiliae
Thrips hawaiiensis HONDURAS: Anastrepha ludens Anastrepha mombin praeoptans Aspidiotus destructor Brentus anchorago Conotrachelus perseae Cosmopolites sordidus Cryptotermes brevis Lygaeus vittiscutis Metamasius sericeus Mordellistena cattleyana Nasutitermes corniger Prodenia eridania Pseudischnaspis alienus Stenoma catenifer
Tenthecornis confusus
Zabrotes subfasciatus
HUNGARY: Ips typographus Pityogenes chalcographus Pyrausta nubilalis INDIA:
Amphicerus cornutus
Bruchus affinis Bruchus emarginatus Callosobruchus analis Callosobruchus chinensis Callosobruchus maculatus Callosobruchus phaseoli Caryedon fuscus Coccotrypes dectyliperda Coccus capparidis Cryptorhynchus mangiferae Cylas formicarius Cylas formicarius var. Danaderus brevis  $Eutornus\ congener$ Heterobostrychus aequalis Lepidosaphes tuberculata Monomorium destructor Parlatoria pseudaspidiotus Pectinophora gossypiella Pinnaspis buxi Sinoxylon anale Sinoxylon conigerum Systole geniculata Taeniothrips gracilis Zabrotes subfasciatus IRAQ: Cylas formicarius var. Myelois ceratoniae IRELAND: Barypeithes araneiformis Drymus sylvaticus Forficula auricularia Hydrothassa marginella Mamestra brassicae Mecinus pyraster Psila rosae Saldula saltatoria ISRAEL: Nilotaspis halli Acanthoscelides spinipes Acrolepia assectella Aphanus saturnius Apion carduorum Brachycerus albidentatus Brachycerus algirus Bruchidius lividimanus Bruchus ervi Bruchus lentis Bruchus luteicornis Bruchus signaticornis Bruchus tristiculus Callosobruchus chinensis Callosobruchus maculatus Ceratitis capitata Ceroplastes rusci Chrysomela americana Cryptoblabes gnidiella

ITALY—Continued Dacus oleae Dryophthorus corticalis Epidiaspis piricola Eurydema ornatum Evergestis forficalis Forficula auricularia Grapholitha molesta Hemimene juliana Iridomyrmex humilis Laspeyresia splendana Lepidosaphes ficus Myelois ceratoniae Oxycarenus lavaterae Parlatoria oleae Parlatoria zizyphus Pectinophora gossypiella Phalonia zephyrana Polychrosis botrana Psila rosae Pyrausta nubilalis 💎 Rhagoletis cerasi Sesamia cretica Sitona humeralis Sparteus villosus Targionia vitis Trialeurodes lauri JAMAICA: Anastrepha mombin praeoptans Aspidiotus destructor Asterolecanium epidendri Callosobruchus chinensis Callosobruchus maculatus Callosobruchus phaseoli Genopaschia protomis Leucaspis cockerelli Pachyzancla periusalis Pectinophora gossypiella "Targionia" sacchari Vinsonia stellifera JAPAN: Aleurotrachelus camelliae Anomala rufocu prea viridiaenea Aspidiotus pseudomeyeri Callosobruchus ademptus Callosobruchus chinensis Ceroplastes ceriferus Ceroplastes japonicus Ceroplastes rubens Chilo simplex Cryptoparlatoria leucaspis Gracilaria azaleella Lepidosaphes conchiformis Lepidosaphes kuwacola Lepidosaphes pallida
Lepidosaphes yanagicola
Mineola indigenella
Myllocerus hilleri Paracardiophorus pauper Parlotoria camelliae Parlatoria chinensis Parlatoria pseudaspidiotus Parlotoria theae Parlatoria zizyphus "Poliaspis" pini Pseudococcus pini Ptochoryctis tsugensis (?) Stephanitis pyroides Unaspis yanonensis Vesiculaphis caricis KENYA: Specularius impressithorax KOREA: Pseudococcus pini LEBANON:
Bruchidius incarnatus Bruchus dentipes Bruchus ervi Ceratitis capitata Cryptoblabes gnidiella Dacus oleae Monomorium destructor Prays oleellus (?) MADEIRA ISLANDS: Bruchus guttalis Cer**at**itis capitata

Cryptoblabes gnidiella

Forficula auricularia

MADEIRA ISLANDS—Continued Iridomyrmex humilis MEXICO: Acanthoscelides griseolus Acanthoscelides obreptus Acroleucus vicinalis Acrosticta mexicana Adelocera longicornis Aleurocanthus woglumi Aleuroglandulus emmae Aleuroparadoxus gardeniae Aleuroplatus cococolus Algarobius prosopis Alpheias conspirata Amorbia emigratella Amphicerus cornutus Anastrepha fraterculus Anastrepha ludens Anastrepha mombinpraeoptans Anastrepha serpentina Anthonomus albolineatus Anthonomus incanus Aonidiella citrina Aphanus umbrosus Argyrotaenia franciscana (?) Arvelius albopunctatus Aspidiotus destructor Aspidiotus diffinis Aspidiotus palmae
Aspidiotus spinosus
Asterolecanium bambusae
Asterolecanium epidendri Attelabus corvinus Calligrapha argus Callirhytis sonorae Callosobruchus maculatus Camirus conicus Caulophilus latinasus Celerio lineata Chalcodermus dentiferus Chelymorpha biannularis Chrysomphalus albopictus Chrysomphalus nigropunctatus Chrysomphalus personatus Chrysomphalus scutiformis Chrysomphalus umboniferus Coelosternus consputus Conchaspis angraeci Conotrachelus aguacatae Conotrachelus integer Conotrachelus perseae Crophius scabrosus Cryphula apicatus Curculio q-griseae Cylas formicarius elegantulus Cyrtopeltis varians Deloyala guttata Dendrobiella sericans Dialeurodes citri Diaphania hyalinata Diaphania nitidalis Diatraea saccharalis Dicrepidius corvinus Diorymerellus laevimargo Dysdercus mimulus Epicaerus cognatus Epilachna varivestis Epinotia opposita Eucalandra setulosa Eucalymnatus tessellatus Eumysia stigmella  $Euxesta\ annonae$ Evergestis rimosalis Exptochiomera oblonga Exptochiomera tumens Ferrisiana virgata Fulvius anthocorides Gerstaeckeria mutillaria Glyphonyx praecox Glyphonyx quadricollis Gnorimoschema gudmannella Gnorimoschema lavernella Grapholitha molesta Grapholitha packardi Gynaikothrips ficorum Horistonotus dilaticornis Horistonotus rufiventris Hypolithus pectoralis

MEXICO—Continued Icerya palmeri Jadera sanguinolenta Lema confusa Lema opulenta Lepidosaphes carinata Lepidosaphes philococcus Lepidosaphes tokionis Leptophobia aripa Ligyrocoris abdominalis Ligyrocoris aurivilliana Ligyrocoris litigiosus
Lineodes integra
Liriomyza pusilla
Loxostege bifdalis Loxostege similalis
Lygaeus circumlinitus
Lygaeus circumplicatus Lygaeus consanguinitus Lygaeus pulchellus Lygaeus vittiscutis Lygus oblineatus Madarus distigma Malacorhinus tripunctatus Megacerus contaminatus Micrapate labialis Mimorista flavidissimalis Monanthia monotropidia Moodna bisinuella Mordellistena cattleyana Mordellistena rufonotata Myodocha longicollis Neoleucinodes elegantalis Nysius basalis Oedionychis lateralis Oedionychis transversalis Ogdoecosta biannularis Oosternum costatum Parlatoria cinerea Parlatoria pittospori Pectinophora gossypiella Phatnoma annulipes Phenacoccus gossypii Physonota humilis Physorrhinus distigma Pityophthorus sambuci Plagiodera thymaloides Platycarenus notulatus Platynota rostrana Platynota stultana Platypus rugulosus Plesiommata mollicella Prodenia eridania Prodenia ornithogalli Prostephanus truncatus Pseudischnaspis alienus Pseudodias pis yuccae Puto mexicanus (?) Quichuana calathea Renocis mexicanus
Rhagoletis juglandis (?)
Rhagoletis pomonella
Rhagoletis strutella
Rhinoncus pyrrhopus Sisamnes contractus Sixeonotus luteiceps Stenoma catenifer Stephanoderes lecontei Stephanoderes lecontei
Systole geniculata
Taeniothrips simplex
Talponia batesi
Tanymecus confusus
"Targionia" bromiliae
Tenthecoris angustimarginatus
Tenthecoris confusus
Tenthecoris confusus
Tenthecoris confusus
Tenthecoris confusus
Tenthecoris confusus Tetraleurodes mori Tetrapriocera longicornis Thamnophthorus schwarzi Tomaspis postica Tomoplagia obliqua Trialeurodes vaporariorum Trichobaris mucorea Trioza anceps Trochuda raspa Tychius inermis Unaspis citri Valtissus diversus

MEXICO—Continued Xylomeira torquata Zabrotes subfasciatus Zale sabena MOROCCO: Cephalocteus scarabaeoides Ceratitis capitata Exosoma lusitanica Sesamia vuteria
MOZAMBIQUE:
Cylas puncticollis
NETHERLANDS:
Acanthocinus aedilis Acrolepia assectella Allantus cinctus Anuraphis tulipae Athous niger Blastophagus piniperda Brachyrhinus sulcatus Bruchus tristis Evergestis forficalis Forficula auricularia Gracilaria azaleella Ips sexdentatus Ips typographus Lampetia equestris Lepidosaphes tuberculata Mamestra brassicae Nymphalis urticae Orthotomicus laricis Pachybrachius luridus
Pityogenes bidentatus
Pityogenes chalcographus Psila rosae Rhopalosiphoninus tulipaellus Sitona lineata Taeniothrips simplex Zabrotes subfasciatus
NETHERLANDS GUIANA:
Furcaspis biformis Gnorimoschema gudmannella Maruca testulalis NETHERLANDS WEST INDIES: Anastrepha serpentina (?)
NEW ZEALAND:
Morganella longispina
Taeniothrips simplex
NICARAGUA:
Aspidiotus palmae
Aspidiotus spinosus
Chaetoclusia bakeri
Necelutus cacicus Neoclytus cacicus Platypus ruulosus Stenoma catenifer NIGERIA: Callosobruchus maculatus Leucaspis cockerelli NORWAY: Anuraphis helichrysi Argyresthia conjugella Callidium violaceum Callosobruchus maculatus Mamestra brassicae Psila rosae
Thrips flavus
PAKISTAN:
Pectinophora gossypiella
PALESTINE: Ceratitis capitata Ceratus captata
Ceroplastes rusci
Frankliniella bratleyi
Lepidosaphes ficus
Ripersiella palestineae
PANAMA:
Acanthoscelides armitagei Anastrepha mombin praeoptans Anastrepha serpentina Ancylostomia stercorea Coccus viridis Hellula phidilealis Leucaspis cockerelli Parlatoria cinerea Stenoma anonella Stenoma catenifer Unaspis citri PERU: Anastrepha fraterculus (?)

PERU—Continued Epinotia opposita Gnorimoschema plaesiosema Premnotrypes fractirostris Premnotrypes solani Stenoma catenifer Taeniothrips simplex PHILIPPINES: Achatina fulica Aonidiella citrina Aonidiella inornata Aspidiotus coryphae Aspidiotus excisus Callosobruchus chinensis Exillis longicornis Ferrisiana virgata Heteroglymma alata Iridomyrmex humilis Lepidosaphes tokionis Monomorium destructor Morganella longispina Nasutitermes luzonicus Parlatoria pseudaspidiotus Parlatoria zizyphus Pectinophora gossypiella Pseudaonidia curculiginis Pseudococcus palmarum Pulvinaria psidii POLAND:
Blastophagus piniperda
PORTUGAL: Aglossa cuprealis Apion pomonae Bruchus guttalis Ceratitis capitata Dacus oleae Haplothrips cottei Iridomyrmex humilis Laspeyresia nigricana Laspeyresia splendana Psila rosae Rhagoletis cerasi Sesamia vuteria Zabrotes subfasciatus PRETORIA: Chirothrips manicatus Paroxyna sororcula Piezodorus purus Trupanea pentziana PUERTO RICO: Anastrepha mombin praeoptans Anastrepha suspensa Ancylostomia stercorea Aspidiotus destructor Asterolecanium pustulans Callosobruchus chinensis Coccus viridis Crocidosema plebeiana Cryptocephalus nigrocinctus Cylas formicarius elegantulus Diaphania hyalinata Diaphania nitidalis Diatraea saccharalis Euscepes postfasciatus Fundella pelluscens Haplothrips gowdeyi Lineodes triangularis Maruca testulalis Monomorium destructor Pachyzancla bipunctalis Pectinophora gossypiella Sphenarches caffer Stenoma catenifer
"Targionia" sacchari Zabrotes subfasciatus
ST. KITTS:
"Targionia" hartii
SAIPAN:
Achatina fulica
SALVADOR: Aeolus pulchellus Algarobius ceratioborus Anastrepha fraterculus Anastrepha mombin praeoptans Icerya similis Leucaspis cockerelli Mimosestes dominicanus Stenoma anonella

SALVADOR—Continued Stenoma catenifer SCOTLAND:
Anuraphis helichrysi
Brachyrhinus singularis Dalopius marginatus Forficula auricularia Micrelus ericae Taeniothrips atratus Ulopa reticulata SIAM: Cylas formicarius var. Ferrisiana virgata Furcaspis biformis Parlatoria pseudaspidiotus
SIERRA LEONE:
Alcidodes dentipes Cylas femoralis Cylas puncticollis SOUTH PACIFIC: Aonidiella inornata Melanoxanthus melanocephalus
SOUTHWEST AFRICA:
"Chionaspis" exalbida SPAIN: Apion pomonae Callosobruchus maculatus Ceratitis capitata Laspeyresia splendana Lixus junci Parlatoria zizyphus Rhagoletis cerasi (?) STRAITS SETTLEMENTS: Aspidiotus excisus Dacus cucurbitae
Furcaspis biformis
Morganella longispina Parlatoria citri Parlatoria pseudaspidiotus
Parlatoria zizyphus
Vinsonia stellifera
SWEDEN:
Callidium violaceum Chrysoclista atra Hylurgops palliatus Ips typographus Pityogenes chalcographus Pogonocherus fasciculatus Psila rosae Rhagoletis alternata
Taeniothrips atratus
SWITZERLAND:
Bruchus affinis
Bruchus luteicornis Laspeyresia splendana Taeniothrips atratus Thrips fuscipennis SYRIA:
Bruchus ervi Ceratitis capitata (?) Dialeurodes kirkaldyi Lepidosaphes pistaciae TINIAN ISLAND: Achatina fulica TRANSVAAL: Asterolecanium stentae "Chionas pis" exalbida TRINIDAD: Anastrepha fraterculus Anastrepha mombinpraeoptans Anastrepha serpentina Ancylostomia stercorea Aonidiella comperei Asterolecanium epidendri Callosobruchus maculatus Coccotrypes carpophagus Coccotrypes dactyliperda Coccus viridis  $Dercynus\ micronyx$ Diaphania nitidalis  $urytoma\ orcl$ Euscepes postfasciatus Furcaspis biformis Hellula phidilealis Leucaspis cockerelli Monomorium destructor Parlatoria cinerca Pulvinaria psidii

TRINIDAD—Continued Targionia sacchari Unaspis citri Vinsonia stellifera

TRUK: Aonidiella inornata

Furcaspis oceanica

TUNISIA:

Coccotry pes dactyliperda Gortyna flavago TURKEY:

Andricus glandium Bruchidius biguttatus fulvipennis

Bruchidius quinqueguttatus

Bruchus atomarius Bruchus ervi

Bruchus hamatus Bruchus lentis

Bruchus rufipes Bruchus tristiculus

Bruchus tristis

Bruchus ulicis

Callosobruchus maculatus
Coccotrypes dactyliperda
Cryptoblabes gnidiella
Eurytoma onobrychidis

Nilotaspis halli

Spermophagus cardui
Spintherus leguminum
UNION OF SOUTH AFRICA:
Aeoloides grisescens
Aeolothrips brevicornis
Ananca hottentota Antestia variegata Antestia variegata lineaticollis

Ceratitis capitata
"Chionaspis" humilis
"Chionaspis" indigoferae
"Chionaspis leucadendri
Ensina hyalipennis Ensina ignobilis
Haplothrips nigricornis
Homothrips distinctus

Iridomyrmex humilis Parlatoria pittospori Phlyctinus callosus

Pseudococcus trichilae Trionymus lounsburyi

UNKNOWN: Bruchus guttalis Callosobruchus maculatus

Ceratitis capitata Dacus oleae Diaprepes abbreviatus Haplothrips cottei

UNKNOWN—Continued

Listroderes aequivocus Nasutitermes nigriceps Rhagoletis cerasi

Rhagoletis cerusi Rhagoletis pomonella Taeniothrips dianthi URUGUAY: Ceratitis capitata Nysius simulans Parlatoria cinerea

VENEZUELA:
Acanthoscelides armitagei Anastrepha serpentina Asterolecanium epidendri Callosobruchus maculatus

Coccus viridis Conchaspis angraeci Diaphania nitidalis Eurytoma orchidearum Fulvius albomaculatus

Furcaspis biformis Leucaspis cockerelli Maruca testulalis Mordellistena cattleyana Prodenia eridania Protopulvinaria longivalvata

Pseudischnaspis alienus Stenoma catenifer Taeniothrips simplex

Tenthecoris venezuelensis Vinsonia stellifera Zabrotes subfasciatus VIRGIN ISLANDS:

Cylas formicarius elegantulus Euscepes postfasciatus Pectinophora gossypiella

WALES: Psila rosae

WEST AFRICA: Alcidodes dentipes Cylas femoralis Cylas puncticollis

WEST INDIES:
"Targionia" hartii

YUGOSLAVIA: Laspeyresia splendana

List of pests (diseases) collected and reported from July 1, 1948, to June 30, 1949, inclusive
[An asterisk indicates State inspection]

		Number o	of intercept	ions in—	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Acrobeles ciliatus von Linstow:					
Aster novae-angliae(New England aster)	Germany			1	New York.
Soil around azalea plants  Alternaria citri Ell. & Pierce:	Netherlands			1	Alabama.
Citrus sinensis (orange)	Argentina, Cyprus, Union of South Africa.		3		New York, Pennsyl- vania.
Alternaria dianthi F. L. Stevens & J. G. Hall:					
Dianthus sp. (carnation)	Australia, Brazil.	1		2	California*, New York.
Alternaria gypsophilae Neerg.: Gypsophila paniculata (babysbreath)	Brazil	1			New York.
Alternaria porri (Ell.) Cif.: Allium cepa (onion)	Mexico	3			Texas.
Lycopersicon esculentum (tomato) Anguina tritici (Steinbuch) Filip.:	do	1			Do.
Triticum aestivum (wheat)	Afghanistan, Iran, Iraq, Turkey.			9	District of Columbia.
Raphanus sativus (radish)	Mexico	6			Texas.
Convallaria majalis(lily-of-the-valley)	Denmark,Germany.	1		2	New York.
Aphelenchus avenae Bastian: Aster novae-angliae (New England aster):	Germany			1	Do.
Ascochyta haworthiae Trinch.:  Haworthia sp	Union of South Africa.			2	California.*
Ascochyta lycopersici Brun.:  Physalis ixocarpa (tomatillo)  Physalis sp. (husk tomato)  Ascochyta pisi Lib.:	Mexicodo	3 1			Texas. Do.
Pisum sativum (pea)	England Mexico, Netherlands, Portugal.		3		New York, Texas.
Botryosphaeria ribis (Fr.) Gross. & Dugg.: Cocos nucifera (coconut) Psidium quajava (guava)	Guam			1	California.*
					New York. California.*
Botrytis elliptica (Berk.) Cke.:  Allium sativum (garlic)  Lilium auratum (goldband lily)  Lilium japonicum (Japanese lily)  Lilium rubellum (rubellum lily)	Japan			5	Do. Do.
Lilium rubellum (rubellum lily)	do			5	Do.
Lilium speciosum rubrum	do			2 1	Do. Do.
(pink speciosum lily)  Lilium tigrinum (tiger lily)  Lilium sp.					Do.
	China, Japan.	2		4	California*, Massachu- setts, Wash- ington.
Botrytis galanthina (Berk. & Br.) Sacc.: Galanthus sp. (snowdrop)	Netherlands			43	California*, Michigan, New Jersey, New York, Pennsyl-
Botrytis gladiolorum Timmermans: Gladiolus sp	England,			8	vania.  New Jersey,
•	<ol> <li>Netherlands.</li> </ol>			1	New York. New York.
Tritonia sp  Botrytis tulipae (Lib.) Lind:  Tulipa sp. (tulip)	do			2	California*, Oregon.
Camellia yellow-spot virus:  Camellia sp.	France			1	
Cancrosis "B":  Citrus limon (lemon)	Argentina		6		Maryland, New York, Pennsyl- vania.

					1
		Number	of intercep	tions in—	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Cercospora angreci Roum.:					
Odontoglossum sp. (orchid)	Belgium			1	New Jersey.
Phaseolus lunatus macrocarpus (lima bean)	Puerto Rico	1			New York.
Cercospora circumscissa Sace.:  Prunus sp. (cherry)  Cercospora fourcroyae Obregon-Botero(?):	Italy		1		Do.
Agave spCercospora handelii Bub.:	Venczuela			1	New Jersey.
Rhododendron sp	Belgium			1	Do.
Solh.: <i>Hibiscus cannabinus</i> (kenaf hibiscus)	Cuba			1	Florida.
Cercospora musae Zimm.: Musa paradisiaca (plantain)	Mexico	1			Texas.
Musa paradisiaca sapientum (banana)	Canal Zone, Colombia,			94	California*, Louisiana, Maryland
	Costa Rica, Guatemala, Honduras,				Maryland, New York, Texas.
	Mexico, Nicaragua,				T CAUS.
	Panama, Puerto Rico,				
Cercospora neriella Sacc.:	Salvador.				
Nerium oleander (oleander)					New York.
Rosa sp Cerebella andropogonis Ces.:	Guatemala, Mexico.	2		1	Louisiana, Texas.
Sorghum vulgare (sorghum)	Liberia			1	District of Columbia.
Chaetomium indicum Cda.: Cymbidium sp. (orchid)	India			1	California.*
Claviceps microcephala (Wallr.) Tul.:  Agrostis sp.  Claviceps paspali F. L. Stevens & J. G.	England (?)			1	Ohio.
Hall:  Paspalum sp	Turkey	= -		1	District of
Claricens purpurea (Fr.) Tul:					Columbia.
Agropyron sp	New Zealand			° 1	Do.
Coleosporium campanulae (Pers.) Lev.: Campanula persicifolia (peachleaf	Netherlands				New Jersey.
bellflower) Coleosporium domingense (Berk.) Arth.:	Venezuela	-			D 11-
Plumeria sp					Pennsylvania.
Pinus sp. (pine)	do			1	New Jersey Do.
Agave sp			l .		Texas.
Cajanus cajan (pigeonpea)	Puerto Rico	6			New York.
W. Wils.:  Brachiaria subquadriparia	Philippines	1			Oregon.
Colletotrichum lagenarium (Pass.) Ell. & Halst.: Citrullus vulgaris (watermelon)	Brozil		1		Louisiana.
Colletatrichum lilii Platridace					California.*
Iris spLiliaceous leaf					District of Columbia.
Lilium auratum (goldband lily) Lilium japonicum (Japanese lily)	Japando			6 3	California.* Do.
Lilium rubellum (rubellum lily) Lilium speciosum (speciosum lily) Lilium speciosum punctatum	do			3 2	Do.
(pinkspot speciosum lily)  Lilium speciosum rubrum					Washington.
(pink speciosum lily)  Lilium tigrinum (tiger lily)	i		1		California.*  Do.
Describe segretation (sign inty)				2	<b>D</b> 0.

		Number	of intercep	tions in—	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in—
Collectotrichum lilii—Continued					
Lilium sp	Canada, China, India.	4		9	California*, Washington
Colletotrichum omnivorum Halst.: Aspidistra sp	Belgium			2	New Jersey.
Aspidistra sp  Colletotrichum phomoides (Sacc.) Chester: Physalis ixocarpa (tomatillo)	Mexico				Texas.
Colletotrichum pisi Pat.: Pisum sativum (pea)	Peru, Mexico.		2		Do.
Coniothyrium hellebori Cke. & Mass.:	Netherlands				
Helleborus niger (Christmas-rose) Coniothyrium olivaceum Bon.:				4	New Jersey.
Rhododendron sp	England			1	Washington.
Rhododendron sp Coryneum beijerincki Oud.:	Netherlands			1	Do.
Prunus persica (peach)	Belgium, Germany.		2		New York.
Coryneum rhododendri Schw.:	Netherlands				Working to a
Rhododendron sp				1	Washington.
Mahonia aquifolium(Oregon hollygrape)	France				New York.
Mahonia sp	Guatemala	1			District of Columbia.
Curvularia lunata (Wakk.) Boed.: Allium cepa (onion)	Mexico,	1	1		Louisiana,
	Sweden.				Texas.
Capsicum frutescens (pepper)Cytospora ambiens Sacc.:			1		Pennsylvania.
Salix sp. (willow)	England	1			New York.
Custanea sp. (chestnut)	Italy	1			California.*
Hura crepitans (sandboxtree) Salix sp. (willow)	Brazil	1			New York. Pennsylvania.
Cytospora dahliae Peyl:	Dweden		1		
Cytospora dahliae Peyl: Dahlia sp	France			1	
Punica granatum (pomegranate) Diaporthe citri Wolf:					Texas.
Citrus sinensis (orange)	Brazil Aitutaki		2		California.* Hawaii.
Diplocarpon rosae Wolf:	Island.				
Rosa sp  Diplodia paraphysaria Sacc.:	Mexico, Trinidad.	2	1		Puerto Rico, Texas.
Laelia sp. (orchid) Oncidium cavendishianum (orchid)	Mexico			1	Texas.
(Incianim sp	1 00			1 1	Do. Do.
Vanda sp. (orchid) Diplodia taxi (Sow. ex Fr.) De N.:	India			1	Washington.
Taxus cuspidata (Japanese yew) Diplodia theobromae (Pat.) Nowell:	Japan			1	Do.
Lecuthis zahucajo (monkeynot tree)	Jamaica			1	California.*
Manihot sp.  Musa paradisiaca (plantain)  Nymphaea sp. (waterlily)  Palm nut  Philodendron lacerum	Cuba	1			New York.
Palm nut	British Guiana	1			Do. Do.
Philodendron lacerum Diplodina eurhododendri Voss:		1			
Diplodina eurhododendri Voss: Rhododendron sp Diplodina grossulariae Sacc. & Briand:	Norway				New York.
Ribes sp.	Denmark,Germany.			2	New Jersey, New York.
Ditylenchus destructor Thorne (?):  Arachis sp	Uruguay			1	District of Columbia.
Ditylenchus dipsaci (Kuhn) Filip.: Allium sativum (garlic) Narcissus sp.	Mexico Netherlands	25		1	Texas. Michigan.
Ditulanchus en (un deceribed).					
Colchicum speciosum	do			1	Do.

		Number of	of intercep		
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	_Collected in—
Ditylenchus sp.—Continued  Iris sindjarensis (Aleppo iris)	do			2	New Jersey. Do.
Iris sp	Brazil		2		California,* Massa-
Citrus limon (lemon)	Argentina, Brazil.	1	21		chusetts. Alabama, California*, Louisiana, Maryland, New York, Pennsylvania, Texas.
Citrus reticulata (tangerine)	Argentina Argentina, Brazil, Uruguay.		1 22		New York. Alabama, California*, Florida*, Maryland, Massachusetts, New York, Pennsylvania, Texas, Virginia.
Elsinoe phaseoli Jenkins:  Phaseolus lunatus macrocarpus  (lima bean)  Elsinoe piri Jenkins:	Cuba, Puerto_ Rico.	7			New York.
Malus sylvestris (apple)  Eutypella bambusina Penz. & Sacc.:  Bamboo	PolandGuatemala	1 1		1	Do.  District of Columbia,
Exobasidium vaccinii (Fckl.) Woron.: Rhododendron sp	Hawaii			1	New York. California.*
Fusarium oxysporum Schlecht.: Crocus sp Iris var. Imperator Fusarium oxysporum Schlecht. f. gladioli (Massey) Snyd. & Hansen:	Netherlands			1 1	New York. Washington.
Gladiolus sp  Fusarium oxysporum Schlecht. f. narcissi	Canada, Ger- many, Neth- crlands.			9	Florida, New York.
Snyd. & Hansen: Narcissus sp	Netherlands			15	California*, Michigan, Minnesota, New York, Pennsyl- vania.
Fusicladium pyracanthae (Otth.) Rostr.: Pyracantha coccinea lalandi Fusicoccum galericulatum Sacc.:	do			1	New Jersey.
Fagus spGliomastix convoluta (Harz) Mason:	Belgium			1	Do.
Eleocharis dulcis (waternut) Lilium speciosum punctatum Narcissus sp. Solanum tuberosum (potato)	Japan Netherlands England,		2	1	California.*  Do.  Do.  Do.  Do.
Zingiber officinale (ginger)	France.				Do.
Gliomastix penicilloides Cda.:  Brassica napobrassica (rutabaga)					Pennsylvania.
Gloeosporium affine Sacc.:  Hoya sp Gloeosporium affine Sacc. (?):	do			1	Washington.
Vanda sp. (orchid)	India			1	Do.
Vanda sp	do	1		1	Hawaii, Washington.
Palm	Guam			1	California.*
	10			I	U

		Number	of intercep	•	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in—
Gloeosporium orchidearum Karst.:					
Orchid	British West Indics.	, .		1	Massachu- setts.
Gloeosporium piperatum Ell. & Ev.: Capsicum frutescens (pepper) Gloeosporium rhododendri Briosi & Cav.:	Cuba		1		New York.
Rhododendron sp.	England			4	Washington.
Gymnosporangium haraeanum Syd.: Cupressus sp. (cypress) Juniperus sp. (?)	Japan			2	Do. Do.
Helminthosporium avenae Eidam: Avena sp.	England			1	California.*
Helminthosporium carposaprum Pollack: Lycopersicon esculentum (tomato)	Mexico				Texas.
Helminthosporium oryzae Breda de Haan: Oryza sativa (rice)	Canal Zone,			2	Arizona,
07920 000000 (1100)	Hawaii, Japan,			_	District of Columbia,
	Mexico.				Louisiana, New York.
Heterodera goettingiana Liebscher: Camellia sp	Azores			1	New Jersey.
Soil around strawberry roots	Denmark			1	District of Columbia.
Heterodera punctata Thorne: Soil with Orchid	England			1	New Jersey.
Heterodera rostochiensis Wr.: Soil with Cyclamen sp Soil with Juniperus sp				1	Alabama.
SOIL WILD HITSELV SLOCK	1 (10)				New York. Do.
Soil with perennial plants	do			1	New Jersey. Do.
Soil with shamrocks Soil with plants	England, Ger-	1		5	New York. New Jersey, New York.
Heterosporium allii Ell. & G. Martin: Allium sativum (garlic)	many.  Mexico	1			Texas.
Heterosporium ornithogali (Klotzsch) Cke.:	Wiencozzzzzzz				I CAGO.
Ornithogalum thyrsoides(chinkerichee)	Union of South Africa.	1			New York.
Hormodendron cladosporioides (Fres.) Sacc.:				-	3 -1
Lycopersicon esculentum (tomato) Phaseolus vulgaris (kidney bean)	Mexico Egypt	1	1 1		Texas. Pennsylvania.
Isariopsis griseola Sacc.:  Phaseolus vulgaris var. (string bean)	Puerto Rico				New York.
Karschia lignyota (Fr.) Sacc.: Magnolia sp.	Netherlands			1	Washington.
Lachnum virgineum (Batsch ex Fr.) Karst.:	,			•	NT T
Rhododendron molle Laestadia ruoxii (Mont.) Sacc.:				1	New Jerscy. Do.
Erica sp. (?)	Union of South Africa.	1			D0.
Berberis sp.  Leptosphaeria heterospora (Dc N.) Niessl:	Germany			1	New York.
Iris sp	Netherlands			1	New Jersey.
Musa paradisiaca sapientum (banana)	Colombia, Guatemala.	2			Maryland.
Leptosphaeria opuntiae Dodge: Echinocactus texensis (cactus)	Mexico			1	New Jersey.
Leptosphaeria rusci (Wallr.) Sacc.: Ruscus sp.	Italy				Pennsylvania.
Leptothyrium berberidis Ckc. & Mass.: Berberis sp	Germany			1	New York.
Leptothyrium pomi (Mont. & Fr.) Sacc.: Citrus reticulata (tangerine)	China France				Hawaii.
Malus sylvestris (apple)  Lophodermium juniperinum (Fr.) De N.:			1		New York.
Juniperus sp.  Lophodermium oxycocci (Fr.) Karst.:	Japan			1	Washington. New York.
Vaccinium ovatum (box blueberry)	British Columbia.	1			New Tork.
				- 3	

		Number	tions in—		
Discase and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Macrophoma musae (Cke.) Berl. & Vogl.: Musa paradisiaca sapientum (banana)	India, Pakis- tan, Phil- ippines.	2	7		California*, Hawaii, New York.
Musa sp.	Philippines	2			Hawaii.
Marsonina populi (Lib.) Magn.: Populus tremula (European aspen)	Germany	1			Pennsylvania.
Melanospora zamiae Cda.: Eleocharis dulcis (waternut)	China	1			California.*
Pueraria thunbergiana (kudzu-bean) Zingiber officinale (ginger)	do	$\begin{bmatrix} 1 \\ 3 \end{bmatrix}$			Do. Do.
Memnoniella echinata (Rivolta) L. O. Gall.: Cattleya mossiae (orchid) Colocasia esculenta (dasheen) Eleocharis dulcis (waternut)	Chinado	$\begin{array}{c} 2 \\ 1 \end{array}$		1	Texas. California.* Do.
Musa paradisiaca sapientum (banana) Oryza sativa (rice)	Japan		1		Do.
Zingiber officinale (ginger)	China, Hawaii	11			Do.
Bromeliad	Costa Rica			1	Texas.
Malus sylvestris (apple)  Prunus persica (peach)  Monochaetia paeoniae (Maubl.) Sacc. & D. Sacc.:	Portugal	1	1		New York. Pennsylvania.
Paeonia suffruticosa (tree peony) Mononchus papillatus Bastian:	Japan			1	California.*
Soil around azalea plants	Netherlands			1	Alabama.
Allium ascalonicum (shallot)	do		1		Oregon.
Cucumis sativus (cucumber) Sechium edule (chayote)	Mexico Haiti	1	1		Texas. Louisiana.
Mycosphaerella clintoniana House: Rhododendron indicum (indica azalea) Rhododendron sp	Belgium England			1 1	New Jersey. Washington.
Mycosphaerella fragariae (Tul.) Lindau: Fragaria sp	England				California.*
Fr.) Schroet.:  Castanea sp. (chestnut)  Mycosphaerella opuntiae (Ell. & Ev.)	Italy			1	New York.
Dearn.:  Coryphantha erecta (cactus)  Opuntia compressa (pricklypear)	Mexico			1 1	Texas. Do.
Mycosphaerella philodendri (Pat.)	do			5	Do. Do.
Lindau:  Philodendron sp  Mycosphaerella pinodes (Berk. & Blox.)  Stone:	-				Do.
Pisum sativum (pea)	do				Do.
Malus sylvestris (apple)	Italy				New Jersey.
Rhododendron sp	Netherlands			2	Do.
Lycopersicon esculentum (tomato)  Naemacyclus niveus (Pers. ex Fr.) Sacc.:  Pinus sulvestris (Saotah pina)	Mexico  Denmark			1	Texas.  New Jersey.
Pinus sylvestris (Scotch pine) Neovossia horrida (Tak.) Padwick & Az- matullah Khan:					
Oryza sativa (rice)	Service mail			2	Washington. District of
Trucam aconvain (wileas)	IIIdia				Columbia.

		Number	of intercep		
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Nigrospora sphaerica (Sacc.) Mason: Anthurium sanguineum Oryza sativa (rice)	Japan, Portu-	4		1	California.*
Zea mays (corn)	gal. Colombia			1	Do.
Gardenia augusta (gardenia)	Mexico	22			California* Texas.
Orbilia rubella (Pers. ex Fr.) Karst.: Eriobotrya japonica (loquat)	do				Texas.
Bambusa sp. (bamboo)	India Netherlands				California.*  Do.
Periola hirsuta (Schum.) Fr.: Orchid	Venezuela				Maryland.
Peronospora effusa (Grev.) Rab.: Spinacia oleracea (spinach)	Mexico	4			Arizona, Texas.
Peronospora pisi (D By.) Syd.: Pisum sativum (pea) Pestalotia conspicua Servazzi:	Portugal				Texas.
Cattleya lueddemanniana (orchid) Cattleya mossiae	Venezuclado			1 1 1	Do. California.* Do.
Stanhopea sp. (orchid)	Siam				Do.
Cryptomeria japonica (cryptomeria) _ Pestalotia funerea Desm.: Juniperus excelsa				1	Washington. New York.
Mangifera indica (mango)	Mexico	1		1	Texas. Do.
Laelia sp. (orchid)	do			1	Do.
Rhododendron sp  Pestalotia microspora Speg.:	England, Nethcrlands.			3	New Jersey, Washington.
Laelia anceps (orchid)	Mexico			1 1	Texas. Do.
Castanea sp. (chestnut)					Do.
Palm	Canal Zonc, Mexico, St. Lucia.	1		2	New York, Texas, Washington.
Pestalotia peregrina Ell. & Mart.: Pinus mugo (?) Pinus sylvestris (Scotch pine)	Denmark			1 1	New Jerscy. Do.
Pestalotia psidii Pat.: Psidium guajava (guava) Pezizella lythri Shear & Dodge:	Mexico				Texas.
Paeonia suffruticosa (tree peony) Rosa sp Phaeosphaerella senniana Sacc. (?):	France England			1 1	New Jersey. Do.
Protea cynarioides (honeypot protea)	Union of South Africa.			1	Do.
Phaeosphaeria oryzae Miyake: Oryza sativa (rice) Phoma citricarpa McAlp.:	China, Japan.	4	1		California.*
Citrus grandis (pummelo)	ChinaAustralia, Formosa.	1	4		Do. California*, Massachu- setts, New
Citrus paradisi (grapefruit)	Australia		2		York, Penn- sylvania. California*,
Citrus reticulata (Mandarin orange)	China	23	3		Washington. California*, Hawaii,
					Minnesota, New York, Washington.

	1	Number	of intercep	tions in—	
Discase and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Phoma citricarpa—Continued	Avatualia	F1	11		Alaska
Citrus sinensis (orange)	Australia, Canton	51	11		Alaska, California*,
	Island, China,				Hawaii, Massachu-
	Japan, Union of South Africa.				setts, New York, Penn sylvania, Washington
Phoma insidiosa Tassi: Sorghum vulgare (sorghum)	India, Kenya.			4	District of Columbia.
Phoma japonica Sacc.: Kerria japonica (kerria)	Japan			1	Washington.
Phoma pinicola (Zopf) Sacc.:					
Pinus contorta (shore pine)	Canada			. 1	Do.
Capsicum frutescens (pepper)	Barbados, Cuba.	2			Massachu- setts, New York.
Phomopsis magnoliae Died.: Magnolia sp	Nctherlands			1	New Jersey.
Phomopsis phoenicola Trav.: Phoenix sp	Azores			1	Massachu-
Phomopsis seposita (Sacc.) Trav.:	11201001				setts.
Wisteria sinensis (Chinese wisteria)	Netherlands			1	New Jersey. Do.
Sorbus aucuparia (European moun-	do			1	Do.
tain-ash) Phragmidium disciflorum (Tode) James:	7 . 7 . 1				77 77 1
Rosa sp.	Egypt, Italy		1	1	New York, Pennsyl- vania.
Phyllachora engleri Speg.: Anthurium sp. (?) Phyllosticta aucubicola Sacc.:					New Jersey.
Aucuba sp				1	Do.
Camellia japonica (camellia)				1	Do.
Codiaeum sp. (croton)				1	New York.
Opuntia sp. (cactus)	Mexico			1	Texas.
Phyllosticta draconis Berk.: Cordyline terminalis (dracena)	Hawaii	1			California.*
Phyllosticta glumarum (Ell. & Tracy) Miyake:					
Oryza sativa (rice) Phyllosticta laeliae Keissl.:					Arizona.
Brassia verrucosa (orchid)  Laelia anceps (orchid)  Laelia autumnalis	Guatemala			$\frac{1}{3}$	California.* Texas.
Laclia autumnalis	do			1	Do.
Laelia furfuracea Laelia majalis Laelia sp	do			1 1	Do. Do.
Laelia sp	do			5	California*, Texas.
Phyllosticta leucothoes Ell. & Mart. Leucothoe catesbaei (drooping leucothoe)	: Netherlands			1	New Jersey.
Phyllosticta mortoni Fairm.:  Mangifera indica (mango)	Mexico	1			Texas.
Phyllosticta narcissi Aderh.: Narcissus sp.					California.*
Phyllosticta nerii West.: Nerium oleander (oleander)		1			Maryland.
Phyllosticta ruscicola Dur. & Mont.: Ruscus sp.	Italy	4			New York, Pennsyl-
					vania.
Phyllosticta saccardoi Thuem .					
Phyllosticta saccardoi Thuem.: Rhododendron sp		t	t		Washington.
Phyllosticta saccardoi 'Thuem.: Rhododendron sp		t	t		Washington. Texas. Do.

0-		Number	tions in-		
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Physalospora cattleyae Maub. & Lasnier: Laelia sp. (orchid)	Mexico, Venezuela.			3	Texas.
Physalospora ilicis (Fr.) Sacc.: Ilex sp. (holly) Physalospora obtusa (Schw.) Cke.:				1	California.*
Physalospora obtusa (Schw.) Cke.:  Genista sp	Germany Spain	1		1	New York. Pennsyl- vania.
Physalospora orchidearum P. Henn.: Dendrobium sp. (orchid)	Australia			1	New Jersey.
Physalospora wildemaniana Sacc.: Cattleya sp. (orchid) Laelia anceps (orchid) Laelia sp.	Colombia Mexicodo			1 1 1	Texas. Do. Do.
Laelia sp.  Stanhopea sp. (orchid)  Phytophthora cactorum (Leb. & Cohn)  Schroet.:  Constrbita maxima (squash)				1	Do.
Cucurbita maxima (squash)	0.7				Do. Alabama.
Plasmodiophora brassicae Wor.: Brassica rapa (turnip)	England		1		Pennsyl- vania.
Polyporus occidentalis Klotzsch: Hura crepitans (?) Prospodium appendiculatum (Wint.)	Brazil	2			New York.
Arth.: Stenolobium stans	Mexico		1		Texas.
Stapp: Gladiolus sp.				4	Illinois, New York.
Spararis grandiflora (big wandflower)	lands. Union of South Africa.			1	New Jersey.
Pseudomonas phaseolicola (Burk.) Dowson:		_			
Phaseolus vulgaris (kidney bean) Pseudomonas solanacearum E. F. Sm.(?): Solanum tuberosum (potato)	Mexicodo				Texas. Do.
Pseudomonas syringae v Hall: Persea americana (avocado) Pseudopeziza medicaginis (Lib.) Sacc.:	do	1			Do.
Medicago sativa (alfalfa)  Pseudopeziza trifolii (BivBern.) Fckl.:  Trifolium repens var. shamrock	Germany				New York. Do.
Puccinia allii (DC.) Rud.: Allium sativum (garlic)	France		1		Texas.
Puccinia arenariae (Schum.) Wint.: Gypsophila sp	Portugal		1		Massachu- setts.
Puccinia chrysanthemi Roze: Chrysanthemum morifolium var.	Japan	1			Washington
Puccinia cichorii (DC.) Bellynck: Cichorium intybus (chicory) Puccinia glumarum (Schmidt) Eriks. & E. Henn.:	Belgium				New York.
Hordeum vulgare (barley)	Japan Turkey		1	1	Louisiana. District of Columbia.
Puccinia ornithogali-thyrsoides Diet.: Ornithogalum thyrsoides(chinkerichee)	Union of South Africa.	5			Maryland, Massachu- setts, New York, Penn- sylvania.
Puccinia phragmitis (Schum.) Koern.: Phragmites communis (reed)	England, France,				New York, Ohio.
Puccinia porri (Sow.) Wint.: Allium sativum (garlic) Puccinia urbaniana P. Henn.:	Netherlands Italy	. 1			Louisiana.
Stachytarpheta jamaicensis	Puerto Rico	. 1			New York.

		Number	of intercep	tions in—		
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—	
Puccinia violae (Schum.) DC.: Viola cornuta (horned violet)	Sweden, unknown.	1	1	,	New York.	
Pucciniastrum myrtilli (Schum.) Arth.: Rhododendron sp	England			1	Washington.	
Pyrenochaeta oryzae Miyake: Oryza sativa (rice)	India		1		Pennsylvania.	
Rabenhorstia rudis Fr.: Laburnum watereri	Netherlands			1	New Jersey.	
(waterer laburnum) Laburnum sp	do			1	Do.	
Rhizopus necans Mass.: Lycoris sp.	China			1	Do.	
Schizophyllum commune Fr.:  Hura crepitans (?)  Tilia tomentosa	BrazilItaly	1		1	New York. New Jersey.	
Tilia tomentosa				_	New York.	
Abies sp Sclerotinia minor Jagger: Cichorium endivia (endive)	Belgium	3			Do.	
Sclerotinia trifoliorum Èriks.: Trifolium sp. (clover)				1	District of	
Sclerotium cepivorum Berk.: Allium sativum (garlic)	Italy	3	1		Columbia.  Massaehu- setts, New York, Penn-	
Sclerotium delphinii Welch:					sylvania.	
Iris tingitana (Morocco iris) Septobasidium pseudopedicellatum Burt:				1	New Jersey.	
Citrus sinensis (orange)	Brazil		1		New York.	
Vitis sp. (grape) Septoria azaleae Vogl.:	100			1	Texas.	
Rhododendron sp (Azalea yuylstukeana)	Netherlands			1	New Jersey.	
Rhododendron sp	Belgium, England, Netherlands.			21	New Jersey, Washington.	
Septoria bambusella Speg.: Bamboo					Washington.	
Septoria castanicola Desin.: Castanea sp. (chestnut)				1	New Jersey.	
Septoria chrysanthemi Allesch.: Chrysanthemum sp	Bermuda, England,	1		3	Maryland, New Jersey.	
Septoria citri Pass.:	Netherlands.		2		Pennsylvania.	
Citrus limon (lemon) Septoria cyclaminis Dur. & Mont.: Cyclamen europaeum				1	New York.	
(European cyclamen)				1	New Jersey.	
Cyclamen sp			1	5	California*,	
	Azores, Brazil, Portugal.				Massachu- setts, New York.	
Septoria divaricatae EII. & Ev.:  Phlox sp	England			1	New Jersey.	
Septoria epipactidis Sacc. (?):  Cypripedium insigne (orchid)	India			1	California.*	
Septoria leucanthemi Sacc. & Speg.:  Chrysanthemum maximum	Mexico	2			Texas.	
Chrysanthemum morifolium var.					Washington.	
Citrus limon (lemon)					Pennsylvania.	
Triticum aestivum (wheat)	India			1	District of Columbia.	
Septoria oryzae Catt.:			1			

		Number	of intercept	tions in—	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—
Septoria posekensis Sacc.:  Bulbophyllum sp. (?)  Coelogyne cristata (orchid)"  Cymbidium devonianum (orchid)  Cymbidium pendulum  Cypripedium insigne (orchid)  Odontoglossum citrosmum (orchid)  Oncidium varicosum rogersi (orchid)  Oncidium sp  Septoria pyricola Desm.:  Pyrus communis (pear)  Septoria unedonis Rob. & Desm.:	do do Mexico			1 1 2 1 1 6 1	New Jersey. California.* New Jersey. California.* Do Texas. Florida. Texas. Michigan.
Arbutus unedo (strawberry-tree) Sorosporium reiliana (Kuehn) McAlp.: Sorghum vulgare (sorghum) Sorghum vulgare technicum	IndiaArgentina,			1	New York.  District of Columbia.  New York
(broomcorn)  Sphaceloma fawcettii Jenkins:  Citrus sp.  Stachybotrys subsimplex Cke.:	Rumania.  Mexico				Texas.
Musa paradisiaca sapientum	Panama Cuba, Domin-		1		California.*  New York.
	can Repub- lic, Hondur- as, Puerto Rico.				
Musa paradisiaca sapientum (banana)	Colombia, Costa Rica, Ecuador, Guatemala, Mexico, Panama, Puerto Rico, Sierra Leone.		1		California*, New York, Pennsyl- vania.
Stagonospora berberidina Sacc.:  Berberis sp Stagonospora gigantea Heald & Wolf:	Germany			1	New York.
Stagonospora graminella Sacc.:  Triticum aestivum (wheat)	Mexico			1	Texas.  District of Columbia.
Stemphylium botryosum Wallr.: Allium cepa (onion)	Mexico Bermuda	2 1 2	1	1	Texas. Pennsylvania. Texas. Virginia. Massachusetts, New Jersey, New York, Virgina.
Hyacinthus sp Nerium oleander (oleander) Stemphylium ilicis Tengwall: Hyacinthus sp	Netherlands   Bermuda			1 1 4	Washinigton. Maryland.
	do			1	Pennsylvan- ia, Texas, Virginia. Michigan.
& Éddy) Neerg.:  Daucus carota (carrot)  Hyacinthus sp.  Stilbum incarnatum Wakk.:	England Netherlands		1	1	Alabama. Washington.
Aglaonema simplex (China green) Eleocharis dulcis (waternut) Thecopsora areolata (Fr.) P. Magn.:	China	. 3			California.* Do.
Prunus sp. (cherry)	Finland  Belgium,  Netherlands			27	Pennsyl-
"Tomato pox":  Lycopersicon esculentum (tomato)	Mexico	6			vania. Texas.

1 -1 -1 -1 -1		Number	of intercept	tions in—	
Disease and host	Country of origin	Con- sump- tion	Non- entry	Propaga- tion	Collected in—
Trichoderma lignorum (Tode) Harz.:					
Leucojum sp. (snowflake) Tritirachium dependens Limber:	Netherlands				New Jersey.
Cyclamen sp Tylenchorhynchus claytoni Steiner:	Italy				Do.
Soil around azaleas	Netherlands			1	Alabama.
Tylenchus putrefaciens Kuhn: Allium sativum (garlic)	Mexico			-	Texas.
Uredo anthurii (Hariot) Sacc.:					
Anthurium sp	Guatemala				California.*
Chrysanthemum morifolium var	Japan	1			Washington.
Uredo behnickiana P. Henn.: Epidendrum sp. (orchid)	Mexico			1	Texas.
Laelia anceps (orchid)	Brazil			2	Do. New Jersey.
Uredo oncidii P. Henn.:	1				
Oncidium cavendishianum (orchid) Oncidium lanceanum	Mexico Trinidad			1	Texas. New Jersey.
Urocystis colchici (Schlecht.) Rab.: Colchicum autumnale	11muau				
Colchicum autumnale (autumn crocus)	Netherlands			3	Do.
Colchicum autumnale album	do			3	Do.
(white autumn crocus)  Colchicum sp	do			10	Do.
Uromyces alyxiae Arth.: Alyxia olivaeformis (maile alyxia)					California.*
Uromyces compactus Pk.:			į.		
Aster spinosus (devilweed aster) Uromyces coronatus Miy. & Nish.:	Mexico	1			Texas.
Oryza sativa (rice)	Japan	2			New York,
					Pennsyl- vania.
Zizania latifolia (Asiatic wildrice)	do	1			Massachu-
Zizania sp	do	1			setts.
Uromyces fabae (Pers.) D. By.: Pisum sativum (pea)	India		1		New York.
Uromyces lespedezae-procumbentis	india				New TOTA.
(Schw.) Curt.:  Lespedeza bicolor var. japonica	Japan			1	District of
	o apazz				Columbia.
Uromyces limonii (DC.) Lev.: Limonium sinuatum	Switzerland	1			Michigan.
Uromyces polygoni (Pers.) Fckl.: Rumex sp	Netherlands	1			Oregon.
Ustilago allii McAlp.:					
Allium cepa (onion)	Australia	1			Washington.
Zizania latifolia (Asiatic wildrice)	Japan	2			New York,
					Pennsyl- vania.
Ustilago nuda (Jens.) Rostr.:  Hordeum vulgare (barley)	Italy	1			Washington.
Ustilago perennans Rostr.:					
Arrhenatherum elatius (tall oatgrass).	Czechoslo vakia.	1			Ohio.
Ustilago tritici (Pers.) Rostr.:					
Cereal	Netherlands Italy				Texas. New York.
Venturia inaequalis (Cke.) Wint. cinerascens (Fckl.) Aderh.:					
Sorbus domestica (servicetree)	do	1			Pennsyl-
Vermicularia dematium Fr.:					vania.
Cajanus cajan (pigeonpea)	Puerto Rico				New York.
Dianthus sp. (carnation)	England			1	Massachu- setts.
Volutella buxi (Cda.) Berk.: Buxus sp	Netherlands			- 1	New Jersey.
Volutella roseolum Cke.:					
Deutzia sp.	do			1	Do.
Xanthomonas citri (Hasse) Dowson:		-			
Xanthomonas citri (Hasse) Dowson: Citrus aurantifolia (sour lime)	Ceylon,	· ·	12		California*,
		· ·	12		California*, Massachu- setts, New York, Wash-

10 000	11 110	Number	of intercep				
Disease and host	Country of origin	Con- sump- tion	Non- entry	Prop- aga- tion	Collected in—		
Xanthomonas citri—Continued Citrus aurantifolia (sweet lime) Citrus grandis (pummelo) Citrus limon (lemon)	Philippines China India, Japan	1	1 3		New York. California.* California*,		
Citrus paradisi (grapefruit)	India (?), Philippines, unknown.	1	2		Washington. California*, New York.		
Citrus reticulata (Mandarin orange)	China	1	1		California*, Washington.		
Citrus sinensis (orange)	China, Japan, Straits Settlements.	7	3		California*, Hawaii.		
Citrus sinensis (Navel orange)Xanthomonas hyacinthi (Wakk.)Dowson:	Japan		1		Oregon.		
Hyacinthus sp.  Xanthomonas vesicatoria (Doidge)  Dowson:	Netherlands			3	Michigan.		
Capsicum frutescens (pepper)	Mexico	1			Texas.		

ABIES: Sclerotinia kerneri (Ascomycetes) AGAVE: Cercospora fourcroyae (Deuteromycetes) Colletotrichum agaves (Deuteromycetes) Stagonospora gigantea (Deuteromycetcs) AGLAONEMA: Stilbum incarnatum (Deuteromycetes)
AGROPYRON: Claviceps purpurea (Ascomycetcs)
AGROSTIS: Claviceps microcephala (Ascomycetcs)
ALLIUM ASCALONICUM:
Mycosphaerella allicina (Ascomycetes) ALLIUM CEPA: Alternaria porri (Deuteromycetcs) Curvularia lunata (Deuteromycetcs) Stemphylium botryosum (Deuteromycetcs) Ustilago allii (Promycetcs) ALLIUM PORRUM: Stemphylium botryosum (Deuteromycetcs)
ALLIUM SATIVUM: Botrytis elliptica (Deuteromycetes)
Ditylenchus dipsaci (Nematoda)
Heterosporium allii (Deuteromycetes)
Puccinia allii (Promycetes)
Puccinia porri (Promycetes)
Selerotium cenimorum (Deuteromycetes) Sclerotium cepivorum (Deuteromycetes) Stemphylium botryosum (Deuteromycetcs)
Tylenchus putrefaciens (Nematoda)
ALYXIA: Uromyces alyxiae (Promycetes)
ANTHURIUM: Nigrospora sphaerica (Deuteromycetcs) Phyllachora engleri (Ascomycetes) Uredo anthurii (Promycetes) ARACHIS: Ditylenchus destructor (?) (Nematoda)
ARBUTUS: Septoria unedonis (Deuteromycetes) ARRHENATHERUM: Ustilago perennans (Promycetes)
ASPIDISTRA: Colletotrichum omnivorum (Deuteromycetes) Acrobeles ciliatus (Nematoda) Aphelenchus avenae (Nematoda) Uromyces compactus (Promycetes) AUCUBA Phyllosticta aucubicola (Deuteromycetes) AVENA: Helminthosporium avenae (Deuteromycetcs) BAMBOO Eutypella bambusina (Ascomycetes) Septoria bambusella (Deuteromycetes) BAMBUSA: Papularia sphaerosperma (Deuteromycetcs) BERBERIS: Leptosphaeria berberidis (Ascomycetes) Leptothyrium berberidis (Deuteromycetes) Stagonospora berberidina (Deuteromycetes) BRACHIARIA: Collectotrichum graminicolum (Deuteromycetes) Phyllosticta laeliae (Deuteromycetes) BRASSICA NAPOBRASSICA: Gliomastix penicilloides (Deuteromycetes)
BRASSICA RAPA: Plasmodiophora brassicae (Myxomycetcs) BROMELIAD: Metasphaeria caraguata (Ascomycetes) BULBOPHYLLUM (?) Septoria posekensis (Deuteromycetes) BUXUS: Volutella buxi (Deuteromycetes) CAJANUS  ${\it Colletotrichum\ cajani\ (Deuteromycetes)}$ Vermicularia dematium (Deutcromycctes) CAMELLIA: Camellia yellow-spot virus Heterodera goettingiana (Nematoda) Phyllosticta camelliae (Deuteromycetes) CAMPANULA: Coleosporium campanulae (Promycetes) CAPSICUM: Curvularia lunata (Deuteromycetes)

Gloeosporium piperatum (Deuteromycetes)

Phomopsis capsici (Deuteromycetes)

CAPSICUM—Continued Xanthomonas vesicatoria (Schizomycetes) CASTANEA: Cytospora ceratophora (Deuteromycetes) Mycosphaerella maculiformis (Ascomycetes) Pestalotia nucicola (Deuteromycetcs) Septoria castanicola (Deuteromycetes) CATTLEYA: Memnoniella echinata (Deuteromycetes) Pestalotia conspicua (Deuteromycetes) Physalospora wildemaniana (Ascomycetes) CHRYSANTHEMUM: Puccinia chrysanthemi (Promycetcs) Septoria chrysanthemi (Dcuteromycetes) Septoria leucanthemi (Deuteromycetcs) Uredo autumnalis (Promycetes) CICHORIUM: Puccinia cichorii (Promycetes) Sclerotinia minor (Ascomycetes)
CITRULLUS: Colletotrichum lagenarium (Deuteromycetes) CITRUS AURANTIFOLIA: Elsinoe australis (Ascomycetes) Xanthomonas citri (Schizomycetes) CITRUS GRANDIS Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS LIMON: Cancrosis "B Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Septoria limonum (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS PARADISI:
Phoma citricarpa (Deuteromycetes) Phoma citricarpa (Deuteromycetcs)
Xanthomonas citri (Schizomycetes)
CITRUS RETICULATA: Elsinoe australis (Ascosmycetes) Leptothyrium pomi (Deuteromycetes) Phoma citricarpa (Deuteromycetes) Xanthomonas citri (Schizomycetes) CITRUS SINENSIS Alternaria citri (Deuteromycetes)
Diaporthe citri (Ascomycetes)
Elsinoe australis (Ascomycetes) Phoma citricarpa (Deuteromycetes) Septobasidium pseudopedicellatum (Basidiomycetes) Xanthomonas citri (Schizomycetes) CITRUS SP Phoma citricarpa (Deuteromycetcs) Sphaceloma fawcettii (Deuteromycetes) COCOS: Botryosphaeria ribis (Ascomycetes) Phyllosticta codiaecola (Deuteromycetes) COELOGYNE: Septoria posekensis (Deuteromycetes) COLCHICUM: Ditylenchus sp. (undescribed) (Nematoda)
Urocystis colchici (Promycetes)
COLOCASIA: Memnoniella echinata (Deuteromycetes) CONVALLARIA:
Aphelenchus aderholdi (Nematoda)
CORDYLINE: Phyllosticta draconis (Deuteromycetes) CORYPHANTHA:  $My cosphaerella\ opuntiae\ ({
m Ascomycetes})$ CRĂSSŪLA: Stemphylium botryosum (Deuteromycetes) CROCUS Fusarium oxysporum (Deuteromycetes) CRYPTOMERIA: Pestalotia cryptomeriae (Deutcromycetes) CUCUMIS: Mycosphaerella citrullina (Ascomycetes) CUCURBITA: Phytophthora cactorum (Phycomycetes) CUPRESSUS: Gymnosporangium haraeanum (Promycetes) CYCLAMEN: Septoria cyclaminis (Deuteromycetes) Tritirachium dependens (Deuteromycetes) CYMBIDIUM: Chaetomium indicum (Ascomycetes)

Septoria posekensis (Deuteromycetes)

CYPRIPEDIUM:

Septoria epipactidis (?) (Deuteromycetes) Septoria posekensis (Deuteromycetes)

DAHLIA:

Cytospora dahliae (Deuteromycetes)

DAUCUS:

Stemphylium radicinum (Deuteromycetes)

**DENDROBIUM**:

Physalos por a orchidearum (Ascomycetes)

DEUTZIA:

Volutella roseolum (Deuteromycetes) DIANTHUS:

Alternaria dianthi (Deuteromycetes)

Septoria dianthi (Deuteromycetes) Stemphylium botryosum (Deuteromycetes) Vermicularia dematium (Deuteromycetes)

ECHINOCACTUS:

Leptosphaeria opuntiae (Ascomycetes) ELEOCHARIS:

Gliomastix convoluta (Deuteromycetes) Melanospora zamiae (Ascomycetcs) Memnoniella echinata (Deuteromycetes) Stilbum incarnatum (Deutcromycctes)

EPIDENDRUM:

Uredo behnickiana (Promycetes)

ERICA:

Laestadia rouxii (Ascomycetes)
ERIOBOTRYA:

Orbillia rubella (Ascomycetcs)

FAGUS:

Fusicoccum galericulatum (Deuteromycetes)

FESTUCA:

Claviceps purpurea (Ascomycetes)

FRAGARIA:

Mycosphaerella fragariae (Ascomycctes)

GALANTHUS

Botrytis galanthina (Deuteromycetes)
GARDENIA:

Omphalia flavida (Deuteromycetcs)

GENISTA:

Physalospora obtusa (Ascomycetes)

GLADIOLUS: Botrytis gladiolorum (Deuteromycetes)

Fusarium oxysporum f. gladioli

(Deuteromycetes)

Pseudomonas marginata (Schizomycctes)

GYPSOPHILA:

Alternaria gypsophilae (Deuteromycetes)

Puccinia arenariae (Promycetes)

HAWORTHIA:

Ascochyta haworthiae (Deuteromycetes)
HELLEBORUS:

Coniothyrium hellebori (Deuteromycetes)
HIBISCUS:

Cercospora malayensis (Deutcromycetes) HORDEUM:

Puccinia glumarum (Promycetes)

Ustilago nuda (Promycetes)

HOYA:

Gloeosporium affine (Dcuteromycctes)

HURA:

Cytospora chrysosperma (Deuteromycetcs) Polyporus occidentalis (Basidiomycetes)
Schizophyllum commune (Basidiomycetes)
HYACINTHUS:

Stemphylium botryosum (Deuteromycetes)
Stemphylium ilicis (Deuteromycetes) Stemphylium radicinum (Deuteromycetes) Xanthomonas hyacinthi (Schizomycetes)

Physalospora ilicis (Ascomycetes)

IRIS

Collectotrichum lilii (Deuteromycetes) Ditylenchus sp. (undescribed) (Nematoda) Fusarium oxysporum (Deuteromycctes) Leptosphaeria heterospora (Ascomycetes) Sclerotium delphinii (Deuteromycetes)

JUNIPERUS:

Gymnosporangium haraeanum (Promycctes) Pestalotia funerea (Deuteromycctes)

Phoma japonica (Deuteromycetes)

LABURNUM:

Rabenhorstia rudis (Deuteromycctes)

LAELIA:

Diplodia para physaria (Deuteromycetes) Pestalotia inconspicua (Deuteromycetes)

LAELIA—Continued

Pestalotia microspora (Deuteromycetes) Phyllosticta laeliae (Deuteromycetes)

Physalospora camptospora (Ascomycetcs)

Physalospora cattleyae (Ascomycetes) Physalospora wildemaniana (Ascomycetes) Uredo behnickiana (Promycetes)

LECYTHIS:

Diplodia theobromae (Deuteromycetes)

LESPEDEZA:

Uromyces lespedezae-procumbentis (Promycetcs) LEUCOJUM:

Trichoderma lignorum (Deutcromycetes)

LEUCOTHOE

Phyllosticta leucothoes (Deuteromycetes)

LILIACEAE:

Colletotrichum lilii (Deuteromycctes)

Botrytis elliptica (Deuteromycetes) Colletotrichum lilii (Deuteromycetes)

Gliomastix convoluta (Dcuteromycetes) LIMONIUM:

 ${\it Uromyces\ limonii}\ ({
m Promycetes})$ 

LYCOPERSICON

Alternaria porri (Deuteromycetes) Helminthosporium carposaprum (Deuteromycctes)

Hormodendron clados porioides (Deuteromycetes) Myrothecium roridum (Deuteromycetes) Phytophthora parasitica (Phycomycetes)
"Tomato pox"
LYCORIS:

Rhizopus necans (Phycomycetes)

MAGNOLIA:

Karschia lignyota (Ascomycetes) Phomopsis magnoliae (Deuteromycetes)

MAHONIA

Cumminsiella sanguinea (Promycetes)

Elsinoe piri (Ascomycetes)

Leptothyrium pomi (Deuteromycetes)
Monilinia fructigena (Ascomycetes)
Mycosphaerella pomi (Ascomycetes)

MAŇGÍFERA:

Pestalotia funerea (Deuteromycetes) Phyllosticta mortoni (Deuteromycetes)

MANIHOT:

Diplodia theobromae (Deuteromycetes) MEDICAGO:

Pseudopeziza medicaginis (Ascomycetcs)

MUSA PARADISIACA:

Cercos pora musae (Deuteromycetes)

Diplodia theobromae (Deuteromycetes)

Stachylidium theobromae (Deuteromycetes) MUSA PARADISIACA SAPIENTUM: Cercospora musae (Deuteromycetes) Leptosphaeria musarum (Ascomycetes) Macrophoma musae (Deuteromycetes) Memnoniella echinata (Deuteromycetes)

Stachybotrys subsimplex (Deuteromycetes)
Stachylidium theobromae (Deuteromycetes)
MUSCARI:

Stemphylium ilicis (Deuteromycctes) NARCISSUS:

Ditylenchus dipsaci (Nematoda) Fusarium oxysporum f. narcissi

(Deutcromycetes)

Gliomastix convoluta (Deuteromycetes) Phyllosticta narcissi (Deuteromycetes)

NERIUM:

Cercospora neriella (Deuteromycetes) Phyllosticta nerii (Deuteromycctcs) Stemphylium botryosum (Deutcromycetes) NYMPHAEA:

 $Diplodia\ the obromae\ ({
m Dcuteromycetes})$ 

ODONTOGLOSSUM:

Cercos por a angreci (Deutcromycctes) Septoria posekensis (Deuteromycctes)

ONČIDIÚM:

Diplodia paraphysaria (Dcuteromycetes) toria posek Uredo behnickiana (Promycetes) Uredo oncidii (Promycetcs)

OPUNTIA:

 $My cosphaerella\ opuntiae\ (Ascomycctes)$ Phyllosticta concava (Deuteromycetes)

ORCHID: Gloeosporium orchidearum (Deutcromycetes)

Periola hirsuta (Deuteromycetes)

ORNITHOGALUM: Heterosporium ornithogali (Deuteromycetes) Puccinia ornithogali-thyrsoides (Promycetcs) Helminthosporium oryzae (Deutcromycetes) Memnoniella echinata (Deuteromycetes) Neovossia horrida (Promycetcs) Nigrospora sphaerica (Dcuteromycetes) Phaeosphaeria oryzae (Ascomycetes) Phyllosticta glumarum (Deutcromycetes) Pyrenochaeta oryzae (Deuteromycctes) Septoria oryzae (Dcuteromycetes) Uromyces coronatus (Promycetes) PAEONIA: Monochaetia paeoniae (Deuteromycetes) Pezizella lythri (Ascomycetcs) PALM:  $Diplodia\ the obromae\ ({
m Dcuteromycetes})$ Gloeosporium catechu (Deuteromycetes) Pestalotia palmarum (Deuteromycetes) PASPALUM: Claviceps paspali (Ascomycetes) PERSEA: Pseudomonas syringae (Schizomycetes)
PHASEOLUS LUNATUS MACROCARPUS:
Cercospora canescens (Deuteromycetes) Elsinoe phaseoli (Ascomycetes) PHASEOLUS VULGARIS: Hormodendron clados porioides (Deuteromycetes)
Pseudomonas phaseolicola (Schizomycetes)
PHASEOLUS VULGARIS VAR.: Isariopsis griseola (Deuteromycetes) PHILODENDRON: Diplodia theobromae (Deuteromycetes) Mycosphaerella philodendri (Ascomycetes) PHLOX: Septoria divaricatae (Deuteromycetes) PHOENIX: Phomopsis phoenicola (Deuteromycetes) PHRAGMITES: Puccinia phragmitis (Promycetes) PHYSALISAscochyta lycopersici (Dcuteromycetes) Colletotrichum phomoides (Deuteromycetes) Coleosporium senecionis (Promycetes) Naemacyclus niveus (Ascomycetes) Pestalotia funerea (Deuteromycetes) Pestalotia peregrina (Deuteromycetes) Phoma pinicola (Deuteromycetcs) Ascochyta pisi (Deutcromycetes) Colletotrichum pisi (Deuteromycetes) Mycosphaerella pinodes (Ascomycetes) Peronospora pisi (Phycomycetes) Uromyces fabae (Promycetcs) PLUMERIA: Coleosporium domingense (Promycetcs) POPULUS: Marsonina populi (Deuteromycetes) PROTEA: Phaeosphaerella senniana (?) (Ascomycetcs)
PRUNUS PERSICA:
Coryneum beijerincki (Deutcromycetes) Monilinia fructigena (Ascomycetes) PRUNUS SP. (cherry): Cercospora circumscissa (Deuteromycctes) Thecopsora areolata (Deutcromycetes) PSIDIUM: Botryosphaeria ribis (Ascomycetes) Pestalotia psidii (Deutcromycetes) PUERARIA: Melanospora zamiae (Ascomycetes) PUNICA: Cytospora punica (Deuteromycetes)
PYRACANTHA: Fusicladium pyracanthae (Deuteromycctcs) PYRUS: Physalospora obtusa (Ascomycetes) Septoria pyricola (Deuteromycetes) RAPHANUS:

Aphanomyces raphani (Phycomycetes) RHODODENDRON: Cercospora handelii (Deuteromycetes)

Coniothyrium olivaceum (Dcuteromycetcs) Coniothyrium rhododendri (Deuteromycetes)

Coryneum rhododendri (Deuteromycctes)

Diplodina eurhododendri (Deuteromycetes)

RHODODENDRON—Continued Exobasidium vaccinii (Basidiomycetes) Gloeosporium rhododendri (Deutcromycetes) Lachnum virgineum (Ascomycetes) Mycosphaerella clintoniana (Ascomycetes) Mycosphaerella rhododendri (Ascomycetes) Pestalotia macrotricha (Deuteromycetes) Phyllosticta saccardoi (Deuteromycetes) Pucciniastrum myrtilli (Promycetes) Septoria azaleae (Deutcromycetes) RIBES Diplodina grossulariae (Deuteromycetes) ROSA: Cercos por a rosicola (Deuteromycetes) Diplocarpon rosae (Ascomycetcs) Pezizella lythri (Ascomycetes) Phragmidium disciflorum (Promycetes) RUMEX: Uromyces polygoni (Promycetes) RUSCUS: Leptosphaeria rusci (Ascomycetes) Phyllosticta ruscicola (Deuteromycetes) Cytospora ambiens (Deuteromycetes) Cytospora chrysosperma (Deuteromycetes) SECHIUM: Mycosphaerella citrullina (Ascomycetes) SINNINGIA:
Thielaviopsis basicola (Deuteromycetes) SOIL: Acrobeles ciliatus (Nematoda) Heterodera goettingiana (Nematoda) Heterodera punctata (Nematoda) Heterodera rostochiensis (Nematoda) Mononchus papillatus (Nematoda) Tylenchorhynchus claytoni (Nematoda) SOLANUM Gliomastix convoluta (Deuteromycetes) Pseudomonas solanacearum (Schizomycetes) Phomopsis sorbicola (Deuteromycetes) Venturia inaequalis var. cinerascens (Ascomycetes) Cerebella andropogonis (Deuteromycetes) Phoma insidiosa (Deuteromycetes) Sorosporium reiliana (Promycetcs) SPARÂXIS: Pseudomonas marginata (Schizomycetes) SPINACIA: Peronospora effusa (Phycomycetes) STACHYTARPHETA: Puccinia urbaniana (Promycetcs) STANHOPEA: Pestalotia conspicua (Deuteromycetes) Physalospora camptospora (Ascomycetes) Physalospora wildemaniana (Ascomycetcs) STENOLOBIUM: Prospodium appendiculatum (Promycetes) Diplodia taxi (Deuteromycetes) Schizophyllum commune (Basidiomycctes)
TRIFOLIUM: Pseudopeziza trifolii (Ascomycetes) Sclerotinia trifoliorum (Ascomycetes) TRITICUM: *Anguina tritici* (Nematoda) Neovossia indica (Promycetes) Puccinia glumarum (Promycetes) Septoria nodorum (Deuteromycctes) Stagonospora graminella (Deuteromycetes)
Ustilago tritici (Promycetes)
TRITONIA:
Botrytis gladiolorum (Deuteromycetes) Botrytis tulipae (Dcuteromycctes) Papulaspora parasitica (Deuteromycetes)
VACCINIUM: Lophodermium oxycocci (Ascomycetes) VANDA: Diplodia paraphysaria (Deuteromycetes) Gloeosporium affine (?) (Deuteromycetes) Gloeosporium beyrodtii (Deuteromycetes) Pestalotia conspicua (Deuteromycctes) VIOLA:

VITIS:

Puccinia violae (Promycetes)

Septoria ampelina (Deuteromycetes)

WISTERIA:

Phomopsis seposita (Deuteromycetes)

ZEA:

Nigrospora sphaerica (Deuteromycetes) ZINGIBER:

Gliomastix convoluta (Deuteromycetes) Melanospora zamiae (Ascomycetes) Memnoniella echinata (Deuteromycetes)

ZIZANIA:

Uromyces coronatus (Promycetes) Ustilago esculenta (Promycetes)

#### Hosts unknown

CEREAL:

Ustilago tritici (Promycetes)

#### Countries of origin and diseases

AFGHANISTAN:

Anguina tritici

Sclerotinia trifoliorum AITUTAKI ISLAND:

Diaporthe citri

ALGÉRIA: Septoria limonum ARGENTINA:

Alternaria citri Cancrosis "B"

 $Elsinoe\ australis$ 

Sorosporium reiliana AUSTRALIA:

Alternaria dianthi

Gliomastix penicilloides Gloeosporium affine

Phoma citricarpa

Physalos pora orchidearum Septoria dianthi

Ustilago allii

AZORES

Heterodera goettingiana  $\,$ 

Phomopsis phoenicola Septoria dianthi

BARBADOS:
Phomopsis capsici BELGIUM:

Cercospora angreci Cercospora handelii

Collectotrichum omnivorum

Coryneum beijerincki

Fusicoccum galericulatum Mycosphaerella clintoniana

Puccinia cichorii

Sclerotinia minor

Septoria azaleae

Thielaviopsis basicola BERMUDA:

Cercos pora neriella Phyllosticta codiaecola

Phyllosticta nerii Septoria chrysanthemi

Stemphylium botryosum

BRAZIL: Alternaria dianthi

Alternaria gypsophilae

Colletotrichum lagenarium

Cytospora chrysosperma Diaporthe citri

Elsinoe australis

Polyporus occidentalis Schizophyllum commune Septobasidium pseudopedicellatum

Septoria dianthi Septoria posekensis Uredo behnickiana

BRITISH COLUMBIA Lophodermium oxycocci

BRITISH GUIANA:

Diplodia theobromae BRITISH WEST INDIES:

Gloeosporium orchidearum

CANADA:

Colletotrichum lilii

Fusarium oxysporum f. gladioli

Phoma pinicola CANAL ZONE:

Cercospora musae

Helminthosporium oryzae

CANAL ZONE—Continued

Pestalotia palmarum CANTON ISLAND:

 $Phoma\ citricarpa$ 

CEYLON: Xanthomonas citri

Puccinia phragmitis CHINA:

Botrytis elliptica

Colletotrichum lilii

Gliomastix convoluta

Leptothyrium pomi

Melanospora zamiae

 $Memnoniella\ echinata$ 

Phaeosphaeria oryzae

Phoma citricarpa

Rhizopus necans Septoria bambusella

Stilbum incarnatum

Xanthomonas citri COLOMBIA:

Cercospora musae

Leptosphaeria musarum
Nigrospora sphaerica
Physalospora wildemaniana
Stachylidium theobromae
COSTA RICA:

Cercospora musae Memnoniella echinata

Metasphaeria caraguata Stachylidium theobromae

CUBA

Cercospora malayensis Curvularia lunata

Diplodia theobromae

Elsinoe phaseoli
Gloeosporium piperatum
Phomopsis capsici
Stachylidium theobromae
CYPRUS:
Alternaria citri
CZECHOSLOVAKIA:
Ustilago perennans

Ustilago perennans DENMARK:

Aphelenchus aderholdi

Coleosporium senecionis Diplodina grossulariae

Heterodera goettingiana

Naemacyclus niveus
Pestalotia peregrina
Stemphyllium botryosum
DOMINICAN BENDUBLIC:

Stachylidium theobromae ECUADOR:

Stachylidium theobromae

Hormodendron cladosporioides

Phragmidium disciflorum Xanthomonas citri

ENGLAND:

Ascochyta pisi

Botrytis gladiolorum

Claviceps microcephala Coniothyrium olivaceum

 $Cytospora\ ambiens$ 

Gliomastix convoluta Gloeosporium rhododendri

Helminthosporium avenae Heterodera punctata Heterodera rostochiensis

Mycosphaerella clintoniana

Mycosphaerella fragariae Pestalotia macrotricha Pezizella lythri

Phyllosticta camelliae

 $Phyllosticta\ saccardoi$ 

Plasmodiophora brassicae Puccinia phragmitis

иссинавишт тунии

Septoria azaleae

Septoria chrysanthemi Septoria divaricatae

Stemphylium radicinum

Vermicularia dematium FIJI ISLANDS:

Memnoniella echinata

FINLAND: Thecopsora areolata FORMOSA: Phoma citricarpa FRANCE: Camellia yellow-spot virus Cumminsiella sanguinea Cytospora dahliae Gliomastix convoluta Leptothyrium pomi Pezizella lythri Puccinia allii Puccinia phragmitis Sclerotium delphinii Stemphylium botryosum
GERMANY:
Acrobeles ciliatus
Aphelenchus aderholdi Aphelenchus avenae Coryneum beijerincki Diplodina grossulariae Fusarium oxysporum f. gladioli Heterodera rostochiensis Leptosphaeria berberidis Leptothyrium berberidis Marsonina populi Physalospora obtusa Pseudopeziza medicaginis Stagonospora berberidina GREECE: Sclerotinia kerneri GUAM: Botryosphaeria ribis Gloeosporium catechu GUATEMALA: Cercospora musae Cercos por a rosicola Colletotrichum lilii Cumminsiella sanguinea Diplodia theobromae Eutypella bambusina Leptosphaeria musarum Nigrospora sphaerica Phyllachora engleri Phyllosticta laeliae Stachylidium theobromae Uredo anthurii HAITI: Mycosphaerella citrullina HAWAII: Exobasidium vaccinii Helminthosporium oryzae Memnoniella echinata Phyllosticta draconis Uromyces alyxiae HONDURAS: Cercospora musae Diplodia theobromae Stachylidium theobromae INDIA: Chaetomium indicum Colletotrichum lilii Diplodia paraphysaria Gloeosporium affine (?) Gloeosporium beyrodtii Macrophoma musae Neovossia indica Papularia sphaerosperma Phoma insidiosa Pyrenochaeta oryzae Septoria epipactidis (?) Septoria nodorum Septoria posekensis Sorosporium reiliana Stagonospora graminella Uromyces fabae Xanthomonas citri IRAN: Anguina tritici IRAQ: Anguina tritici IRELAND: Heterodera rostochiensis Pseudopeziza trifolii ITALY: Cercospora circumscissa

Cytospora ceratophora Leptosphaeria rusci

ITALY—Continued
Mycosphaerella maculiformis
Mycosphaerella pomi Pestalotia nucicola Phragmidium disciflorum Phyllosticta ruscicola Pseudomonas marginata Puccinia porri Schizophyllum commune Sclerotium cepivorum Septoria castanicola Septoria citri Septoria cyclaminis Septoria pyricola Septoria unedonis Tritirachium dependens Ustilago nuda Ustilago tritici Venturia inaequalis var. cinerascens JAMAICA: Diplodia theobromae Phytophthora parasitica JAPAN:
Botrytis elliptica
Colletotrichum lilii Diplodia taxi Gliomastix convoluta Gymnosporangium haraeanum Helminthosporium oryzae Lophodermium juniperinum Memnoniella echinata Monochaetia paeoniae Mycosphaerella allicina Nigrospora sphaerica Pestalotia cryptomeriae Phaeosphaeria oryzae Phoma citricarpa Phoma japonica Puccinia chrysanthemi Puccinia glumarum Septenia leucanthemi Septoria oryzae Uredo autumnalis Uromyces coronatus Uromyces lespedezae-procumbentis Ustilago esculenta Xanthomonas citri KENYA:
Phoma insidiosa KOREA: Physalospora ilicis LIBERIA: Cerebella andropogonis MEXICO Alternaria porri Aphanomyces raphani Ascochyta lycopersici Ascochyta pisi Cercospora musae Cercospora rosicola Colletotrichum agaves Colletotrichum phomoides Colletotrichum pisi Curvularia lunata Cytospora punica Diplocarpon rosae Diplodia paraphysaria Ditylenchus dipsaci Helminthosporium carposaprum Helminthosporium oryzae Heterosporium allii Hormodendron cladosporioides Leptosphaeria opuntiae Mycosphaerella citrullina Mycosphaerella opuntiae Mycosphaerella philodendri Mycosphaerella pinodes Myrothecium roridum Omphalia flavida Orbilia rubella  $Peronospora\ effusa$ Pestalotia funerea Pestalotia inconspicua Pestalotia microspora Pestalotia palmarum Pestalotia psidii Phyllosticia concava

MEXICO—Continued Phyllosticta glumarum Phyllosticta laeliae  $Phyllosticta\ mortoni$ Physalospora camptospora Physalos pora cattleyae Physalospora wildemaniana Phytophthora cactorum Prospodium appendiculatum Pseudomonas phaseolicola Pseudomonas solanacearum Pseudomonas syringae Septoria ampelina Septoria leucanthemi Septoria posekensis Sphaceloma fawcettii Stachylidium theobromae Stagonospora gigantea Stemphylium botryosum "Tomato pox" Tylenchus putrefaciens Uredo behnickiana Uredo oncidii Uromyces compactus Xanthomonas vesicatoria NETHERLANDS: Acrobeles ciliatus Ascochyta pisi Botrytis galanthina Botrytis gladiolorum Botrytis tulipae Coleos porium campanulae Coniothyrium hellebori Coniothyrium rhododendr Coryneum rhododendri Dity $lenchus\ dipsaci$ Ditylenchus sp. (undescribed) Fusarium oxysporum Fusarium oxysporum f. gladioli Fusarium oxysporum f. narcissi Fusicladium pyracanthae Gliomastix convoluta  $Karschia\ lignyota$  $Lachnum\ virgineum$ Leptosphaeria heterospora Monilinia fructigena Mononchus papillatus Mycosphaerella rhododendr Papulas por a parasitica Pestalotia macrotricha Phomopsis magnoliae Phomopsis seposita Phomopsis sorbicola Phyllosticta aucubicola Phyllosticta leucothoes Phyllosticta narcissi Pseudomonas marginata Puccinia phragmitis Rabenhorstia rudis Septoria azaleae Septoria chrysanthemi Stemphylium botryosum Stemphylium ilicis Stemphylium radicinum Thielaviopsis basicola Trichoderma lignorum Tylenchorhynchus claytoni Urocystis colchici Uromyces polygoni Ustilago tritici Volutella buxi  $Volutella\ roseolum$  $X an thomonas\ hyac in thi$ NEW ZEALAND: Claviceps purpurea NICARAGUA: Cercospora musae NORWAY:  $Diplodina\ eurhododendri$ Xanthomonas citr

PAKISTAN:

PANAMA:

Macrophoma musae

Cercospora musae Stachybotrys subsimplex

PANAMA—Continued Stachylidium theobromae Stemphylium botryosum PERU Botrytis elliptica Colletotrichum pisi Pestalotia conspicua PHILIPPINES:
Colletotrichum graminicolum Macrophoma musae Xanthomonas citri POLAND: Elsinoe piri PORTUGAL: Ascochyta pisi Monilinia fructigena  $oldsymbol{N}$ igros $oldsymbol{p}$ ora s $oldsymbol{p}$ haerica Peronospora pisi Puccinia arenariae Septoria citri Septoria dianthi Stemphylium botryosum PUERTO RICO: Botryos phaeria ribis Cercos pora canescens Cercospora musae Colletotrichum cajani Elsinoe phaseoli Isariopsis griseola Puccinia urbaniana Stachylidium theobromae Vermicularia dematium RUMANIA: Soros porium reiliana ST. LUCIA: Pestalotia palmarum SALVADOR: Cercospora musae Pestalotia conspicua Xanthomonas citri SIERRA LEONE: Stachylidium theobromae SOUTH AMERICA: Pestalotia funerea SPAIN Physalospora obtusa STRAITS SETTLEMENTS Xanthomonas citri SWEDEN:  $Curvularia\ lunata$ Cytospora chrysosperma Puccinia violae SWITZERLAND: Septoria cyclaminis Uromyces li monii TRINIDAD: Diplocarpon rosae Uredo oncidii TURKEY: Anguina tritici Claviceps paspali Clavice ps purpurea Puccinia glumarum UNION OF SOUTH AFRICA Alternaria citri Ascochyta haworthiae Heteros porium ornithogali Laestadia rouxii Phaeosphaerella senniana Phoma citricarpa Pseudomonas marginata Puccinia ornithogali-thyrsoides UNKNOWN: Neovossia horrida  $Puccinia\ violae$  $X anthomonas\ citri$ URUGUAY: Ditylenchus destructor (?) Elsinoe australis VENEZUELA: Cercospora fourcroyae Coleosporium domingense Periola hirsuta Pestalotia conspicua Physalospora cattleyae





